

Data Path : Z:\HPCHEM1\BNA E\DATA\BE042618\
 Data File : BE096180.D
 Acq On : 26 Apr 2018 15:42
 Operator : SJ/JU
 Sample : PB108468BL
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 SBLK68

Manual Integrations
 APPROVED

Sohil
 4/27/2018 7:28:49 PM

Quant Time: Apr 27 04:29:05 2018
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE042418.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 27 02:29:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.36	152	634	0.40	ng/ul	0.00
2) Naphthalene-d8	11.18	136	2481	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.94	164	1507	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.65	188	3862m	0.40	ng/ul	0.00
16) Chrysene-d12	21.75	240	4755m	0.40	ng/ul	0.00
20) Perylene-d12	24.35	264	3801m	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.74	152	1611	0.35	ng/ul	0.00
14) Fluoranthene-d10	19.64	212	5491m	0.31	ng/ul	0.00
Target Compounds				Ovalue		
12) Phenanthrene	17.70	178	464m	0.041	ng/ul	
15) Fluoranthene	19.67	202	867m	0.050	ng/ul	
21) Benzo(b)fluoranthene	23.54	252	2634m	0.183	ng/ul	
22) Benzo(k)fluoranthene	23.57	252	959m	0.070	ng/ul	
23) Benzo(a)pyrene	24.23	252	905m	0.072	ng/ul	
24) Indeno(1,2,3-cd)pyrene	27.12	276	636	0.038	ng/ul#	72
26) Benzo(a,h,i)perylene	27.99	276	536	0.037	ng/ul#	63

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE042618\
Data File : BE096180.D
Acq On : 26 Apr 2018 15:42
Operator : SJ/JU
Sample : PB108468BL
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
SBLK68

Manual Integrations
APPROVED

Sohil
4/27/2018 7:28:49 PM

Quant Time: Apr 27 04:29:05 2018
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE042418.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 27 02:29:47 2018
Response via : Initial Calibration

