

Data Path : Z:\HPCHEM1\BNA E\DATA\BE043018\
 Data File : BE096227.D
 Acq On : 30 Apr 2018 18:21
 Operator : SJ/JU
 Sample : J2464-03
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 LF017MW005-180417

Quant Time: May 01 05:01:17 2018
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE041118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 30 14:27:29 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.36	152	816	0.40	ng	0.00
7) Naphthalene-d8	11.19	136	3150	0.40	ng	0.00
13) Acenaphthene-d10	14.95	164	1810	0.40	ng	0.00
19) Phenanthrene-d10	17.65	188	4111	0.40	ng	0.00
27) Chrysene-d12	21.75	240	4153	0.40	ng	0.01
34) Perylene-d12	24.35	264	3910	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.87	112	389	0.15	ng	0.00
5) Phenol-d6	7.52	99	398	0.11	ng	0.00
8) Nitrobenzene-d5	9.54	82	1427	0.39	ng	0.00
11) 2-Methylnaphthalene-d10	12.74	152	1783	0.36	ng	0.00
14) 2,4,6-Tribromophenol	16.41	330	341	0.39	ng	0.00
15) 2-Fluorobiphenyl	13.57	172	2717	0.35	ng	0.00
25) Fluoranthene-d10	19.64	212	20279	0.36	ng	0.00
29) Terphenyl-d14	20.19	244	3220	0.35	ng	0.00
Target Compounds						
26) Fluoranthene	19.66	202	500	0.033	ng	# 79
32) Bis(2-ethylhexyl)phthalate	21.60	149	2787	0.081	ng	# 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE043018\
Data File : BE096227.D
Acq On : 30 Apr 2018 18:21
Operator : SJ/JU
Sample : J2464-03
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
LF017MW005-180417

Quant Time: May 01 05:01:17 2018
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE041118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 30 14:27:29 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 8.36 min Scan# 562
Delta R.T. -0.00 min
Lab File: BE096227.D
Acq: 30 Apr 2018 18:21

Instrument :
BNA_E
ClientSampleId :
LF017MW005-180417

Tot Ion:152 Resp: 816
Ion Ratio Lower Upper
152 100
150 142.0 117.2 175.8
115 70.7 57.0 85.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4

2-Fluorophenol
Concen: 0.154 ng
RT: 5.87 min Scan# 308
Delta R.T. 0.01 min
Lab File: BE096227.D
Acq: 30 Apr 2018 18:21

Tgt Ion:112 Resp: 389
Ion Ratio Lower Upper
112 100
64 75.6 60.1 90.1
63 173.8 116.8 175.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE0
Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.114 ng

RT: 7.52 min Scan# 476

Delta R.T. 0.01 min

Lab File: BE096227.D

Acq: 30 Apr 2018 18:21

Instrument :

BNA_E

ClientSampleId :

LF017MW005-180417


Tot Ion: 99 Resp: 398

Ion Ratio Lower Upper


99 100

42 36.9 20.2 30.2#



71 57.5 28.4 42.6#



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



Time-->



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 11.19 min Scan# 779

Delta R.T. -0.00 min

Lab File: BE096227.D

Acq: 30 Apr 2018 18:21

Tgt Ion: 136 Resp: 3150


Ion Ratio Lower Upper

136 100


137 12.9 9.5 14.3

54 46.6 29.1 43.7#


68 9.1 6.2 9.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0



Time-->





#8

Nitrobenzene-d5

Concen: 0.386 ng

RT: 9.54 min Scan# 652

Delta R.T. -0.00 min

Lab File: BE096227.D

Acq: 30 Apr 2018 18:21

Instrument :

BNA_E

ClientSampleId :

LF017MW005-180417


Tot Ion: 82 Resp: 1427

Ion Ratio Lower Upper

82 100

128 143.6 150.0 225.0#




54 231.9 154.2 231.4#



Abundance Ion 82.00 (81.70 to 82.70): BE095970.D (-650) (-)

Ion 128.00 (127.70 to 128.70): BE095970.D (-650) (-)

Ion 54.00 (53.70 to 54.70): BE095970.D (-650) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.357 ng

RT: 12.74 min Scan# 1059

Delta R.T. -0.00 min

Lab File: BE096227.D


Acq: 30 Apr 2018 18:21

Tgt Ion: 152 Resp: 1783

Ion Ratio Lower Upper



152 100


151 19.5 15.4 23.0



Abundance Ion 152.00 (151.70 to 152.70): BE095970.D (-1054) (-)

Ion 151.00 (150.70 to 151.70): BE095970.D (-1054) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.95 min Scan# 1281

Delta R.T. 0.00 min

Lab File: BE096227.D

Acq: 30 Apr 2018 18:21

Instrument :

BNA_E

ClientSampleId :

LF017MW005-180417


Tot Ion:164 Resp: 1810

Ion Ratio Lower Upper

164 100

162 106.4 83.1 124.7




160 48.5 37.1 55.7



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.390 ng

RT: 16.41 min Scan# 1404

Delta R.T. 0.00 min

Lab File: BE096227.D

Acq: 30 Apr 2018 18:21


Tgt Ion:330 Resp: 341

Ion Ratio Lower Upper

330 100

332 102.1 152.7 229.1#



141 64.5 33.7 50.5#




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E





#15

2-Fluorobiphenyl

Concen: 0.351 ng

RT: 13.57 min Scan# 1162

Delta R.T. 0.00 min

Lab File: BE096227.D

Acq: 30 Apr 2018 18:21

Instrument :

BNA_E

ClientSampleId :

LF017MW005-180417


Tot Ion:172 Resp: 2717

Ion Ratio Lower Upper

172 100

171 37.7 29.9 44.9




170 24.5 21.8 32.8



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.65 min Scan# 1510

Delta R.T. 0.00 min

Lab File: BE096227.D

Acq: 30 Apr 2018 18:21


Tgt Ion:188 Resp: 4111

Ion Ratio Lower Upper

188 100

94 0.0 3.9 5.9#



80 14.5 3.6 5.4#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0





#25

Fluoranthene-d10

Concen: 0.363 ng

RT: 19.64 min Scan# 1820

Delta R.T. -0.00 min

Lab File: BE096227.D

Acq: 30 Apr 2018 18:21

Instrument :

BNA_E

ClientSampleId :

LF017MW005-180417


Tot Ion:212 Resp: 20279

Ion Ratio Lower Upper

212 100

106 3.2 2.8 4.2




104 1.9 1.6 2.4



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#26

Fluoranthene

Concen: 0.033 ng

RT: 19.66 min Scan# 1825

Delta R.T. -0.00 min

Lab File: BE096227.D

Acq: 30 Apr 2018 18:21


Tgt Ion:202 Resp: 500

Ion Ratio Lower Upper

202 100

101 21.6 9.8 14.8#



203 25.2 13.7 20.5#




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.75 min Scan# 2025

Delta R.T. 0.01 min

Lab File: BE096227.D

Acq: 30 Apr 2018 18:21

Instrument :

BNA_E

ClientSampleId :

LF017MW005-180417


Tot Ion:240 Resp: 4153

Ion Ratio Lower Upper

240 100

120 10.1 5.5 8.3#




236 28.6 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.351 ng

RT: 20.19 min Scan# 1896

Delta R.T. -0.00 min

Lab File: BE096227.D

Acq: 30 Apr 2018 18:21


Tgt Ion:244 Resp: 3220

Ion Ratio Lower Upper

244 100

212 13.3 25.4 38.0#



122 16.4 8.1 12.1#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#32

Bis(2-ethylhexyl)phthalate

Concen: 0.081 ng

RT: 21.60 min Scan# 2012

Delta R.T. -0.00 min

Lab File: BE096227.D

Acq: 30 Apr 2018 18:21

Instrument :

BNA_E

ClientSampleId :

LF017MW005-180417


Tot Ion:149 Resp: 2787

Ion Ratio Lower Upper

149 100

167 7.2 5.4 8.0




279 1.1 0.7 1.1#



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 24.35 min Scan# 2698

Delta R.T. -0.00 min

Lab File: BE096227.D

Acq: 30 Apr 2018 18:21


Tgt Ion:264 Resp: 3910

Ion Ratio Lower Upper

264 100

260 27.4 20.5 30.7

265 36.7 22.8 34.2#



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

