

Data Path : Z:\HPCHEM1\BNA E\DATA\BE043018\
 Data File : BE096236.D
 Acq On : 30 Apr 2018 23:46
 Operator : SJ/JU
 Sample : J2600-06
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 BP-TT-AOC22-MW08-20180424

Quant Time: May 01 05:48:20 2018
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE041118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 30 14:27:29 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.36	152	848	0.40	ng	0.00
7) Naphthalene-d8	11.19	136	3145	0.40	ng	0.00
13) Acenaphthene-d10	14.94	164	1698	0.40	ng	0.00
19) Phenanthrene-d10	17.65	188	4061	0.40	ng	0.00
27) Chrysene-d12	21.75	240	3998	0.40	ng	0.01
34) Perylene-d12	24.35	264	3826	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.87	112	428	0.16	ng	0.01
5) Phenol-d6	7.52	99	362	0.10	ng	0.01
8) Nitrobenzene-d5	9.54	82	1525	0.41	ng	0.00
11) 2-Methylnaphthalene-d10	12.74	152	1927	0.39	ng	0.00
14) 2,4,6-Tribromophenol	16.41	330	342	0.42	ng	0.00
15) 2-Fluorobiphenyl	13.57	172	3767	0.52	ng	0.00
25) Fluoranthene-d10	19.64	212	21823	0.40	ng	0.00
29) Terphenyl-d14	20.19	244	4871	0.55	ng	0.00
Target Compounds						
32) Bis(2-ethylhexyl)phthalate	21.60	149	2848	0.086	ng	Qvalue # 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE043018\
Data File : BE096236.D
Acq On : 30 Apr 2018 23:46
Operator : SJ/JU
Sample : J2600-06
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
BP-TT-AOC22-MW08-20180424

Quant Time: May 01 05:48:20 2018
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE041118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 30 14:27:29 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 8.36 min Scan# 562
Delta R.T. 0.00 min
Lab File: BE096236.D
Acq: 30 Apr 2018 23:46

Instrument :
BNA_E
ClientSampleId :
BP-TT-AOC22-MW08-20180424

Tot Ion:152 Resp: 848
Ion Ratio Lower Upper
152 100
150 140.9 117.2 175.8
115 68.1 57.0 85.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4




2-Fluorophenol
Concen: 0.163 ng
RT: 5.87 min Scan# 308
Delta R.T. 0.01 min
Lab File: BE096236.D
Acq: 30 Apr 2018 23:46

Tgt Ion:112 Resp: 428
Ion Ratio Lower Upper
112 100
64 80.6 60.1 90.1
63 179.0 116.8 175.2#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE0
Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.100 ng

RT: 7.52 min Scan# 476

Delta R.T. 0.01 min

Lab File: BE096236.D

Acq: 30 Apr 2018 23:46

Instrument :

BNA_E

ClientSampleId :

BP-TT-AOC22-MW08-20180424





Tot Ion: 99 Resp: 362

Ion Ratio Lower Upper

99 100

42 34.3 20.2 30.2#

71 43.6 28.4 42.6#



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 11.19 min Scan# 779

Delta R.T. 0.00 min

Lab File: BE096236.D

Acq: 30 Apr 2018 23:46

Tgt Ion: 136 Resp: 3145


Ion Ratio Lower Upper


136 100

137 12.7 9.5 14.3

54 44.1 29.1 43.7#

68 8.4 6.2 9.2





#8

Nitrobenzene-d5

Concen: 0.413 ng

RT: 9.54 min Scan# 652

Delta R.T. 0.00 min

Lab File: BE096236.D

Acq: 30 Apr 2018 23:46

Instrument :

BNA_E

ClientSampleId :

BP-TT-AOC22-MW08-20180424


Tot Ion: 82 Resp: 1525

Ion Ratio Lower Upper

82 100

128 138.5 150.0 225.0#




54 228.2 154.2 231.4



Abundance Ion 82.00 (81.70 to 82.70): BE095970.D (-650) (-)

Ion 128.00 (127.70 to 128.70): BE095970.D (-650) (-)

Ion 54.00 (53.70 to 54.70): BE095970.D (-650) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.387 ng

RT: 12.74 min Scan# 1059

Delta R.T. -0.00 min

Lab File: BE096236.D


Acq: 30 Apr 2018 23:46

Tgt Ion: 152 Resp: 1927

Ion Ratio Lower Upper



152 100


151 19.5 15.4 23.0



Abundance Ion 152.00 (151.70 to 152.70): BE095970.D (-1054) (-)

Ion 151.00 (150.70 to 151.70): BE095970.D (-1054) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.94 min Scan# 1281

Delta R.T. 0.00 min

Lab File: BE096236.D

Acq: 30 Apr 2018 23:46

Instrument :

BNA_E

ClientSampleId :

BP-TT-AOC22-MW08-20180424




Tot Ion:164 Resp: 1698

Ion Ratio Lower Upper


164 100

162 110.8 83.1 124.7

160 51.8 37.1 55.7



Time-->



#14

2,4,6-Tribromophenol

Concen: 0.417 ng

RT: 16.41 min Scan# 1404

Delta R.T. 0.00 min

Lab File: BE096236.D

Acq: 30 Apr 2018 23:46




Tgt Ion:330 Resp: 342

Ion Ratio Lower Upper


330 100

332 98.2 152.7 229.1#

141 60.5 33.7 50.5#







Time-->



#15
2-Fluorobiphenyl
Concen: 0.519 ng
RT: 13.57 min Scan# 1162
Delta R.T. 0.00 min
Lab File: BE096236.D
Acq: 30 Apr 2018 23:46




Instrument :
BNA_E
ClientSampleId :
BP-TT-AOC22-MW08-20180424


Tot Ion:172 Resp: 3767
Ion Ratio Lower Upper
172 100
171 37.2 29.9 44.9
170 24.8 21.8 32.8



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.65 min Scan# 1510
Delta R.T. 0.00 min
Lab File: BE096236.D
Acq: 30 Apr 2018 23:46

Tgt Ion:188 Resp: 4061
Ion Ratio Lower Upper
188 100
94 0.0 3.9 5.9#
80 13.8 3.6 5.4#









#25
 Fluoranthene-d10
 Concen: 0.396 ng
 RT: 19.64 min Scan# 1820
 Delta R.T. 0.00 min
 Lab File: BE096236.D
 Acq: 30 Apr 2018 23:46




Instrument :
 BNA_E
 ClientSampleId :
 BP-TT-AOC22-MW08-20180424


Tot Ion:212 Resp: 21823
 Ion Ratio Lower Upper
 212 100
 106 3.2 2.8 4.2
 104 1.8 1.6 2.4



#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.75 min Scan# 2025
 Delta R.T. 0.01 min
 Lab File: BE096236.D
 Acq: 30 Apr 2018 23:46

Tgt Ion:240 Resp: 3998
 Ion Ratio Lower Upper
 240 100
 120 9.3 5.5 8.3#
 236 28.6 20.7 31.1





#29

Terphenyl-d14

Concen: 0.551 ng

RT: 20.19 min Scan# 1896

Delta R.T. -0.00 min

Lab File: BE096236.D

Acq: 30 Apr 2018 23:46

Instrument :

BNA_E

ClientSampleId :

BP-TT-AOC22-MW08-20180424


Tot Ion:244 Resp: 4871

Ion Ratio Lower Upper

244 100

212 12.1 25.4 38.0#




122 13.7 8.1 12.1#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.086 ng

RT: 21.60 min Scan# 2012

Delta R.T. -0.00 min

Lab File: BE096236.D

Acq: 30 Apr 2018 23:46


Tgt Ion:149 Resp: 2848

Ion Ratio Lower Upper

149 100

167 7.5 5.4 8.0



279 1.4 0.7 1.1#






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 24.35 min Scan# 2699

Delta R.T. 0.00 min

Lab File: BE096236.D

Acq: 30 Apr 2018 23:46

Instrument :

BNA_E

ClientSampleId :

BP-TT-AOC22-MW08-20180424

Tot Ion: 264 Resp: 3826

Ion Ratio Lower Upper

264 100

260 27.0 20.5 30.7

265 37.2 22.8 34.2

