

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE043019\
 Data File : BE099418.D
 Acq On : 30 Apr 2019 10:08
 Operator : JU/SJ
 Sample : PB119229BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 PB119229BL

Quant Time: May 01 00:32:35 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE042919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 29 18:36:43 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	2761	0.40	ng	0.00
7) Naphthalene-d8	10.60	136	9100	0.40	ng	0.00
13) Acenaphthene-d10	14.46	164	5637	0.40	ng	0.00
19) Phenanthrene-d10	17.19	188	14315	0.40	ng	0.00
27) Chrysene-d12	21.37	240	18182	0.40	ng	0.00
34) Perylene-d12	23.87	264	25564	0.40	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Fluorophenol	5.39	112	2553	0.33	ng	0.00
5) Phenol-d6	6.97	99	3338	0.33	ng	0.00
8) Nitrobenzene-d5	8.96	82	2652	0.31	ng	0.00
11) 2-Methylnaphthalene-d10	12.19	152	5134	0.31	ng	0.00
14) 2,4,6-Tribromophenol	15.94	330	761	0.21	ng	0.00
15) 2-Fluorobiphenyl	13.09	172	7695	0.36	ng	0.00
25) Fluoranthene-d10	19.22	212	60746	0.31	ng	0.00
29) Terphenyl-d14	19.82	244	13194	0.40	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE043019\
Data File : BE099418.D
Acq On : 30 Apr 2019 10:08
Operator : JU/SJ
Sample : PB119229BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
PB119229BL

Quant Time: May 01 00:32:35 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE042919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 29 18:36:43 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.82 min Scan# 430

Delta R.T. -0.00 min

Lab File: BE099418.D

Acq: 30 Apr 2019 10:08

Instrument :

BNA_E

ClientSampleId :

PB119229BL


Tgt Ion:152 Resp: 2761

Ion Ratio Lower Upper

152 100

150 140.7 104.8 157.2

115 55.6 46.6 69.8




Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E

Time-->



7.82

Time-->



#4

2-Fluorophenol

Concen: 0.334 ng

RT: 5.39 min Scan# 219

Delta R.T. -0.00 min

Lab File: BE099418.D

Acq: 30 Apr 2019 10:08


Tgt Ion:112 Resp: 2553

Ion Ratio Lower Upper

112 100

64 56.1 47.4 71.0

63 123.7 104.3 156.5




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0


Ion 63.00 (62.70 to 63.70): BE0

Time-->



5.39

Time-->



#5

Phenol-d6

Concen: 0.329 ng

RT: 6.97 min Scan# 357

Delta R.T. -0.00 min

Lab File: BE099418.D

Acq: 30 Apr 2019 10:08

Instrument :

BNA_E

ClientSampleId :

PB119229BL


Tgt Ion: 99 Resp: 3338

Ion Ratio Lower Upper

99 100

42 19.4 14.9 22.3




71 41.6 33.0 49.6



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.60 min Scan# 649

Delta R.T. -0.00 min

Lab File: BE099418.D

Acq: 30 Apr 2019 10:08

Tgt Ion: 136 Resp: 9100


Ion Ratio Lower Upper

136 100

137 12.1 9.8 14.8

54 24.3 18.5 27.7

68 6.7 4.7 7.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 0.311 ng

RT: 8.96 min Scan# 523

Delta R.T. -0.00 min

Lab File: BE099418.D

Acq: 30 Apr 2019 10:08

Instrument :

BNA_E

ClientSampleId :

PB119229BL


Tgt Ion: 82 Resp: 2652

Ion Ratio Lower Upper

82 100

128 130.7 107.0 160.4




54 147.3 113.1 169.7



Abundance Ion 82.00 (81.70 to 82.70): BE099418.D (-515) (-)

Ion 128.00 (127.70 to 128.70): BE099418.D (-515) (-)

Ion 54.00 (53.70 to 54.70): BE099418.D (-515) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.313 ng

RT: 12.19 min Scan# 762

Delta R.T. -0.00 min

Lab File: BE099418.D


Acq: 30 Apr 2019 10:08

Tgt Ion: 152 Resp: 5134

Ion Ratio Lower Upper



152 100


151 18.8 15.5 23.3



Abundance Ion 152.00 (151.70 to 152.70): BE099418.D (-755) (-)

Ion 151.00 (150.70 to 151.70): BE099418.D (-755) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.46 min Scan# 919

Delta R.T. -0.00 min

Lab File: BE099418.D

Acq: 30 Apr 2019 10:08

Instrument :

BNA_E

ClientSampleId :

PB119229BL


Tgt Ion:164 Resp: 5637

Ion Ratio Lower Upper

164 100

162 98.0 79.0 118.4




160 45.1 37.0 55.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.214 ng

RT: 15.94 min Scan# 1024

Delta R.T. 0.00 min

Lab File: BE099418.D

Acq: 30 Apr 2019 10:08


Tgt Ion:330 Resp: 761

Ion Ratio Lower Upper

330 100

332 86.6 71.5 107.3



141 29.0 24.0 36.0




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E





#15

2-Fluorobiphenyl

Concen: 0.358 ng

RT: 13.09 min Scan# 824

Delta R.T. -0.00 min

Lab File: BE099418.D

Acq: 30 Apr 2019 10:08

Instrument :

BNA_E

ClientSampleId :

PB119229BL


Tgt Ion:172 Resp: 7695

Ion Ratio Lower Upper

172 100

171 32.1 26.6 39.8




170 22.0 17.0 25.6



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.19 min Scan# 1117

Delta R.T. 0.00 min

Lab File: BE099418.D

Acq: 30 Apr 2019 10:08


Tgt Ion:188 Resp: 14315

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0



80 7.5 6.7 10.1




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0





#25

Fluoranthene-d10

Concen: 0.315 ng

RT: 19.22 min Scan# 1384

Delta R.T. -0.00 min

Lab File: BE099418.D

Acq: 30 Apr 2019 10:08

Instrument :

BNA_E

ClientSampleId :

PB119229BL


Tgt Ion:212 Resp: 60746

Ion Ratio Lower Upper

212 100

106 1.9 1.5 2.3




104 1.1 0.9 1.3



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.37 min Scan# 1630

Delta R.T. -0.00 min

Lab File: BE099418.D

Acq: 30 Apr 2019 10:08


Tgt Ion:240 Resp: 18182

Ion Ratio Lower Upper

240 100

120 4.1 4.0 6.0



236 27.5 22.0 33.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.396 ng

RT: 19.82 min Scan# 1488

Delta R.T. -0.00 min

Lab File: BE099418.D

Acq: 30 Apr 2019 10:08

Instrument :

BNA_E

ClientSampleId :

PB119229BL


Tgt Ion:244 Resp: 13194

Ion Ratio Lower Upper

244 100

212 31.1 23.2 34.8




122 5.6 4.2 6.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.87 min Scan# 2199

Delta R.T. -0.00 min

Lab File: BE099418.D

Acq: 30 Apr 2019 10:08


Tgt Ion:264 Resp: 25564

Ion Ratio Lower Upper

264 100

260 24.9 20.2 30.2

265 26.9 21.3 31.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

