

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE050118\
 Data File : BE096280.D
 Acq On : 2 May 2018 4:57
 Operator : SJ/JU
 Sample : J2641-08
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 BPS1-TT-MW308I-20180426

Quant Time: May 02 11:26:10 2018
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE041118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 30 14:27:29 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.36	152	816	0.40	ng	0.00
7) Naphthalene-d8	11.19	136	3204	0.40	ng	0.00
13) Acenaphthene-d10	14.94	164	1751	0.40	ng	0.00
19) Phenanthrene-d10	17.65	188	3962	0.40	ng	0.00
27) Chrysene-d12	21.74	240	4002	0.40	ng	0.00
34) Perylene-d12	24.35	264	3700	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.87	112	366	0.15	ng	0.00
5) Phenol-d6	7.52	99	299	0.09	ng	0.00
8) Nitrobenzene-d5	9.54	82	1713	0.46	ng	0.00
11) 2-Methylnaphthalene-d10	12.73	152	1574	0.31	ng	0.00
14) 2,4,6-Tribromophenol	16.41	330	259	0.31	ng	0.00
15) 2-Fluorobiphenyl	13.57	172	4263	0.57	ng	0.00
25) Fluoranthene-d10	19.63	212	17412	0.32	ng	0.00
29) Terphenyl-d14	20.19	244	5413	0.61	ng	0.00
Target Compounds						Qvalue
32) Bis(2-ethylhexyl)phthalate	21.60	149	1536	0.046	ng	# 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE050118\
Data File : BE096280.D
Acq On : 2 May 2018 4:57
Operator : SJ/JU
Sample : J2641-08
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
BPS1-TT-MW308I-20180426

Quant Time: May 02 11:26:10 2018
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE041118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 30 14:27:29 2018
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 8.36 min Scan# 562
 Delta R.T. 0.00 min
 Lab File: BE096280.D
 Acq: 2 May 2018 4:57




Instrument :
 BNA_E
 ClientSampleId :
 BPS1-TT-MW308I-20180426

Tgt Ion:152 Resp: 816
 Ion Ratio Lower Upper
 152 100
 150 145.2 117.2 175.8
 115 70.5 57.0 85.6



#4
 2-Fluorophenol
 Concen: 0.145 ng
 RT: 5.87 min Scan# 308
 Delta R.T. 0.01 min
 Lab File: BE096280.D
 Acq: 2 May 2018 4:57

Tgt Ion:112 Resp: 366
 Ion Ratio Lower Upper
 112 100
 64 74.3 60.1 90.1
 63 177.0 116.8 175.2#





#5

Phenol-d6

Concen: 0.086 ng

RT: 7.52 min Scan# 476

Delta R.T. 0.01 min

Lab File: BE096280.D

Acq: 2 May 2018 4:57

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW308I-20180426


Tgt Ion: 99 Resp: 299

Ion Ratio Lower Upper

99 100

42 34.4 20.2 30.2#

71 40.1 28.4 42.6



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0

7.52

200

150



100

50

0

7.40 7.45 7.50 7.55 7.60

Time-->



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 11.19 min Scan# 779

Delta R.T. -0.00 min

Lab File: BE096280.D

Acq: 2 May 2018 4:57

Tgt Ion: 136 Resp: 3204


Ion Ratio Lower Upper

136 100

137 12.5 9.5 14.3

54 37.5 29.1 43.7

68 7.6 6.2 9.2



Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0

11.19

2500

2000

1500


1000

500

0

11.20 11.40

Time-->





#8

Nitrobenzene-d5

Concen: 0.456 ng

RT: 9.54 min Scan# 652

Delta R.T. -0.00 min

Lab File: BE096280.D

Acq: 2 May 2018 4:57

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW308I-20180426


Tgt Ion: 82 Resp: 1713

Ion Ratio Lower Upper

82 100

128 135.5 150.0 225.0#




54 233.4 154.2 231.4#



Abundance Ion 82.00 (81.70 to 82.70): BE095970.D (-650) (-)

Ion 128.00 (127.70 to 128.70): BE095970.D (-650) (-)

Ion 54.00 (53.70 to 54.70): BE095970.D (-650) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.310 ng

RT: 12.73 min Scan# 1058

Delta R.T. -0.00 min

Lab File: BE096280.D


Acq: 2 May 2018 4:57

Tgt Ion: 152 Resp: 1574

Ion Ratio Lower Upper



152 100


151 19.6 15.4 23.0



Abundance Ion 152.00 (151.70 to 152.70): BE095970.D (-1054) (-)

Ion 151.00 (150.70 to 151.70): BE095970.D (-1054) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.94 min Scan# 1281

Delta R.T. -0.00 min

Lab File: BE096280.D

Acq: 2 May 2018 4:57

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW308I-20180426


Tgt Ion:164 Resp: 1751

Ion Ratio Lower Upper

164 100

162 104.7 83.1 124.7

160 51.0 37.1 55.7



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



14.94

1000

500

0

Time--> 14.80 14.90 15.00 15.10



#14

2,4,6-Tribromophenol

Concen: 0.306 ng

RT: 16.41 min Scan# 1404

Delta R.T. 0.00 min

Lab File: BE096280.D

Acq: 2 May 2018 4:57


Tgt Ion:330 Resp: 259

Ion Ratio Lower Upper

330 100

332 92.7 152.7 229.1#

141 54.1 33.7 50.5#



Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E

16.41

250

200


150


100

50

0

Time--> 16.35 16.40 16.45 16.50





#15

2-Fluorobiphenyl

Concen: 0.569 ng

RT: 13.57 min Scan# 1162

Delta R.T. -0.00 min

Lab File: BE096280.D

Acq: 2 May 2018 4:57

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW308I-20180426


Tgt Ion:172 Resp: 4263

Ion Ratio Lower Upper

172 100

171 37.0 29.9 44.9




170 24.3 21.8 32.8



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.65 min Scan# 1510

Delta R.T. 0.00 min

Lab File: BE096280.D

Acq: 2 May 2018 4:57


Tgt Ion:188 Resp: 3962

Ion Ratio Lower Upper

188 100

94 0.0 3.9 5.9#



80 12.4 3.6 5.4#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0









#25
 Fluoranthene-d10
 Concen: 0.324 ng
 RT: 19.63 min Scan# 1819
 Delta R.T. -0.01 min
 Lab File: BE096280.D
 Acq: 2 May 2018 4:57




Instrument :
 BNA_E
 ClientSampleId :
 BPS1-TT-MW308I-20180426


Tgt Ion:212 Resp: 17412
 Ion Ratio Lower Upper
 212 100
 106 3.1 2.8 4.2
 104 1.8 1.6 2.4



#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.74 min Scan# 2024
 Delta R.T. -0.00 min
 Lab File: BE096280.D
 Acq: 2 May 2018 4:57

Tgt Ion:240 Resp: 4002
 Ion Ratio Lower Upper
 240 100
 120 14.4 5.5 8.3#
 236 30.1 20.7 31.1





#29

Terphenyl-d14

Concen: 0.612 ng

RT: 20.19 min Scan# 1896

Delta R.T. -0.00 min

Lab File: BE096280.D

Acq: 2 May 2018 4:57

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW308I-20180426





Tgt Ion:244 Resp: 5413

Ion Ratio Lower Upper

244 100

212 10.1 25.4 38.0#

122 8.3 8.1 12.1



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.046 ng

RT: 21.60 min Scan# 2012

Delta R.T. -0.00 min

Lab File: BE096280.D

Acq: 2 May 2018 4:57




Tgt Ion:149 Resp: 1536




Ion Ratio Lower Upper

149 100

167 6.0 5.4 8.0

279 1.4 0.7 1.1#





#34

Perylene-d12

Concen: 0.400 ng

RT: 24.35 min Scan# 2697

Delta R.T. -0.00 min

Lab File: BE096280.D

Acq: 2 May 2018 4:57

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW308I-20180426

Tgt Ion: 264 Resp: 3700

Ion Ratio Lower Upper

264 100

260 27.4 20.5 30.7

265 32.7 22.8 34.2

