

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE051616\
 Data File : BE091777.D
 Acq On : 16 May 2016 17:13
 Operator : UM/SJ
 Sample : PB90589BL
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 PB90589BL

Quant Time: May 17 04:01:29 2016
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE042616.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 26 16:09:46 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.80	152	50811	5.00	ng	0.00
7) Naphthalene-d8	10.57	136	248038	5.00	ng	0.00
13) Acenaphthene-d10	14.41	164	152451	5.00	ng	-0.01
19) Phenanthrene-d10	17.15	188	364640	5.00	ng	0.00
26) Chrysene-d12	21.31	240	355731	5.00	ng	0.00
35) Perylene-d12	23.74	264	373053	5.00	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.39	112	77651	6.22	ng	0.00
5) Phenol-d6	6.96	99	110755	6.69	ng	0.00
8) Nitrobenzene-d5	8.95	82	46193	2.89	ng	0.00
14) 2,4,6-Tribromophenol	15.90	330	28846	5.14	ng	0.00
15) 2-Fluorobiphenyl	13.03	172	137057	3.18	ng	0.00
29) Terphenyl-d14	19.76	244	198707	3.58	ng	0.00
Target Compounds						
22) Pentachlorophenol	16.81	266	440	0.16	ng	Qvalue 93
27) Benzidine	19.74	184	3355	0.28	ng	# 83
33) Bis(2-ethylhexyl)phthalate	21.20	149	627	0.02	ng	# 83


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE051616\
Data File : BE091777.D
Acq On : 16 May 2016 17:13
Operator : UM/SJ
Sample : PB90589BL
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
PB90589BL

Quant Time: May 17 04:01:29 2016
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE042616.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 26 16:09:46 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.80 min Scan# 300

Delta R.T. 0.00 min

Lab File: BE091777.D

Acq: 16 May 2016 17:13

Instrument :

BNA_E

ClientSampleId :

PB90589BL


Tgt Ion:152 Resp: 50811

Ion Ratio Lower Upper

152 100

150 142.1 122.6 183.8




115 50.3 52.8 79.2#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 6.22 ng

RT: 5.39 min Scan# 162

Delta R.T. 0.00 min

Lab File: BE091777.D

Acq: 16 May 2016 17:13


Tgt Ion:112 Resp: 77651

Ion Ratio Lower Upper

112 100

64 65.9 30.9 46.3#



63 35.4 16.7 25.1#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 6.69 ng

RT: 6.96 min Scan# 251

Delta R.T. 0.00 min

Lab File: BE091777.D

Acq: 16 May 2016 17:13

Instrument :

BNA_E

ClientSampleId :

PB90589BL


Tgt Ion: 99 Resp: 110755

Ion Ratio Lower Upper

99 100

42 23.9 16.2 24.2




71 35.0 29.0 43.4



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 5.00 ng

RT: 10.57 min Scan# 511

Delta R.T. -0.00 min

Lab File: BE091777.D

Acq: 16 May 2016 17:13

Tgt Ion: 136 Resp: 248038


Ion Ratio Lower Upper

136 100

137 11.0 8.9 13.3

54 6.5 8.2 12.4#

68 5.0 6.2 9.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0









#8
 Nitrobenzene-d5
 Concen: 2.89 ng
 RT: 8.95 min Scan# 391
 Delta R.T. -0.00 min
 Lab File: BE091777.D
 Acq: 16 May 2016 17:13




Instrument :
 BNA_E
 ClientSampleId :
 PB90589BL


Tgt Ion: 82 Resp: 46193
 Ion Ratio Lower Upper
 82 100
 128 31.9 25.4 38.0
 54 60.0 48.4 72.6



#13
 Acenaphthene-d10
 Concen: 5.00 ng
 RT: 14.41 min Scan# 819
 Delta R.T. -0.01 min
 Lab File: BE091777.D
 Acq: 16 May 2016 17:13

Tgt Ion: 164 Resp: 152451
 Ion Ratio Lower Upper
 164 100
 162 108.4 85.3 127.9
 160 50.0 46.2 69.2









#14
 2,4,6-Tribromophenol
 Concen: 5.14 ng
 RT: 15.90 min Scan# 939
 Delta R.T. 0.00 min
 Lab File: BE091777.D
 Acq: 16 May 2016 17:13




Instrument :
 BNA_E
 ClientSampleId :
 PB90589BL


Tgt Ion:330 Resp: 28846
 Ion Ratio Lower Upper
 330 100
 332 96.3 79.1 118.7
 141 42.2 125.4 188.0#



#15
 2-Fluorobiphenyl
 Concen: 3.18 ng
 RT: 13.03 min Scan# 707
 Delta R.T. 0.00 min
 Lab File: BE091777.D
 Acq: 16 May 2016 17:13

Tgt Ion:172 Resp: 137057
 Ion Ratio Lower Upper
 172 100
 171 33.7 28.8 43.2
 170 21.8 19.3 28.9









#19
 Phenanthrene-d10
 Concen: 5.00 ng
 RT: 17.15 min Scan# 1015
 Delta R.T. -0.00 min
 Lab File: BE091777.D
 Acq: 16 May 2016 17:13




Instrument :
 BNA_E
 ClientSampleId :
 PB90589BL


Tgt Ion:188 Resp: 364640
 Ion Ratio Lower Upper
 188 100
 94 6.0 8.7 13.1#
 80 5.4 9.4 14.0#



#22
 Pentachlorophenol
 Concen: 0.16 ng
 RT: 16.81 min Scan# 993
 Delta R.T. 0.02 min
 Lab File: BE091777.D
 Acq: 16 May 2016 17:13

Tgt Ion:266 Resp: 440
 Ion Ratio Lower Upper
 266 100
 268 81.4 58.2 87.2
 264 73.9 56.2 84.4





#26

Chrysene-d12

Concen: 5.00 ng

RT: 21.31 min Scan# 1247

Delta R.T. 0.00 min

Lab File: BE091777.D

Acq: 16 May 2016 17:13

Instrument :

BNA_E

ClientSampleId :

PB90589BL


Tgt Ion:240 Resp: 355731

Ion Ratio Lower Upper

240 100

120 1.0 11.0 16.4#




236 21.3 21.7 32.5#



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#27

Benzidine

Concen: 0.28 ng

RT: 19.74 min Scan# 1178

Delta R.T. 0.37 min

Lab File: BE091777.D

Acq: 16 May 2016 17:13


Tgt Ion:184 Resp: 3355

Ion Ratio Lower Upper

184 100

185 16.3 22.3 33.5#



183 15.9 16.4 24.6#




Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E





#29

Terphenyl-d14

Concen: 3.58 ng

RT: 19.76 min Scan# 1179

Delta R.T. -0.00 min

Lab File: BE091777.D

Acq: 16 May 2016 17:13

Instrument :

BNA_E

ClientSampleId :

PB90589BL


Tgt Ion:244 Resp: 198707

Ion Ratio Lower Upper

244 100

212 6.9 6.9 10.3#




122 1.3 11.0 16.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#33

Bis(2-ethylhexyl)phthalate

Concen: 0.02 ng

RT: 21.20 min Scan# 1242

Delta R.T. -0.02 min

Lab File: BE091777.D

Acq: 16 May 2016 17:13


Tgt Ion:149 Resp: 627

Ion Ratio Lower Upper

149 100

167 19.8 19.5 29.3



279 0.0 10.0 15.0#




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#35

Perylene-d12

Concen: 5.00 ng

RT: 23.74 min Scan# 1424

Delta R.T. -0.01 min

Lab File: BE091777.D


Acq: 16 May 2016 17:13

Instrument :

BNA_E

ClientSampleId :

PB90589BL




Tgt Ion: 264 Resp: 373053

Ion Ratio Lower Upper

264 100

260 26.2 20.0 30.0

265 20.8 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

200000

150000

100000

50000

0

23.74

23.60

23.80

Time-->