

Data Path : Z:\HPCHEM1\BNA E\DATA\BE060716\
 Data File : BE091896.D
 Acq On : 8 Jun 2016 3:50
 Operator : UM/SJ
 Sample : H3359-01
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 OM-SPN-001-160531

Quant Time: Jun 08 07:55:19 2016
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 07 17:14:38 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.77	152	30605	5.00	ng	0.00
8) Naphthalene-d8	10.55	136	135905	5.00	ng	0.00
15) Acenaphthene-d10	14.38	164	81187	5.00	ng	0.00
24) Phenanthrene-d10	17.12	188	248887	5.00	ng	0.00
31) Chrysene-d12	21.27	240	208747	5.00	ng	-0.03
40) Perylene-d12	23.71	264	290189	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.37	112	26583	4.07	ng	0.00
5) Phenol-d6	6.94	99	36578	4.53	ng	-0.02
9) Nitrobenzene-d5	8.91	82	19961	1.97	ng	-0.02
16) 2,4,6-Tribromophenol	15.87	330	10579	4.57	ng	-0.02
17) 2-Fluorobiphenyl	13.01	172	53001	2.15	ng	0.00
34) Terphenyl-d14	19.74	244	101119	2.86	ng	0.00
Target Compounds						
38) Bis(2-ethylhexyl)phthalate	21.19	149	6263	0.28	ng	Qvalue # 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE060716\
Data File : BE091896.D
Acq On : 8 Jun 2016 3:50
Operator : UM/SJ
Sample : H3359-01
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
OM-SPN-001-160531

Quant Time: Jun 08 07:55:19 2016
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 07 17:14:38 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.77 min Scan# 298

Delta R.T. -0.00 min

Lab File: BE091896.D

Acq: 8 Jun 2016 3:50

Instrument :

BNA_E

ClientSampleId :

OM-SPN-001-160531


Tot Ion:152 Resp: 30605

Ion Ratio Lower Upper

152 100

150 169.6 123.9 185.9




115 70.4 48.3 72.5



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 4.07 ng

RT: 5.37 min Scan# 161

Delta R.T. 0.00 min

Lab File: BE091896.D

Acq: 8 Jun 2016 3:50


Tgt Ion:112 Resp: 26583

Ion Ratio Lower Upper

112 100

64 66.7 53.7 80.5



63 35.7 29.5 44.3




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 4.53 ng

RT: 6.94 min Scan# 250

Delta R.T. -0.02 min

Lab File: BE091896.D

Acq: 8 Jun 2016 3:50

Instrument :

BNA_E

ClientSampleId :

OM-SPN-001-160531


Tot Ion: 99 Resp: 36578

Ion Ratio Lower Upper

99 100

42 24.0 19.6 29.4




71 34.9 28.1 42.1



Abundance Ion 99.00 (98.70 to 99.70): BE091878.D (-246) (-)

Ion 42.00 (41.70 to 42.70): BE091878.D (-246) (-)

Ion 71.00 (70.70 to 71.70): BE091878.D (-246) (-)



#8

Naphthalene-d8

Concen: 5.00 ng

RT: 10.55 min Scan# 416

Delta R.T. -0.00 min

Lab File: BE091896.D

Acq: 8 Jun 2016 3:50

Tgt Ion: 136 Resp: 135905


Ion Ratio Lower Upper

136 100

137 11.6 8.3 12.5

54 5.0 8.2 12.4#

68 4.0 5.9 8.9#






Abundance Ion 136.00 (135.70 to 136.70): BE091878.D (-412) (-)

Ion 137.00 (136.70 to 137.70): BE091878.D (-412) (-)

Ion 54.00 (53.70 to 54.70): BE091878.D (-412) (-)

Ion 68.00 (67.70 to 68.70): BE091878.D (-412) (-)





#9

Nitrobenzene-d5

Concen: 1.97 ng

RT: 8.91 min Scan# 347

Delta R.T. -0.02 min

Lab File: BE091896.D

Acq: 8 Jun 2016 3:50

Instrument :

BNA_E

ClientSampleId :

OM-SPN-001-160531


Tot Ion: 82 Resp: 19961

Ion Ratio Lower Upper

82 100

128 13.6 39.5 59.3#




54 65.5 30.3 45.5#



Abundance Ion 82.00 (81.70 to 82.70): BE091878.D (-342) (-)

Ion 128.00 (127.70 to 128.70): BE091878.D (-342) (-)

Ion 54.00 (53.70 to 54.70): BE091878.D (-342) (-)



#15

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.38 min Scan# 628

Delta R.T. -0.00 min

Lab File: BE091896.D

Acq: 8 Jun 2016 3:50


Tgt Ion: 164 Resp: 81187

Ion Ratio Lower Upper

164 100

162 110.1 71.8 107.8#



160 51.9 28.0 42.0#




Abundance Ion 164.00 (163.70 to 164.70): BE091878.D (-623) (-)

Ion 162.00 (161.70 to 162.70): BE091878.D (-623) (-)

Ion 160.00 (159.70 to 160.70): BE091878.D (-623) (-)









#16
 2,4,6-Tribromophenol
 Concen: 4.57 ng
 RT: 15.87 min Scan# 706
 Delta R.T. -0.02 min
 Lab File: BE091896.D
 Acq: 8 Jun 2016 3:50




Instrument :
 BNA_E
 ClientSampleId :
 OM-SPN-001-160531


Tot Ion:330 Resp: 10579
 Ion Ratio Lower Upper
 330 100
 332 95.6 77.0 115.6
 141 164.6 138.4 207.6



#17
 2-Fluorobiphenyl
 Concen: 2.15 ng
 RT: 13.01 min Scan# 554
 Delta R.T. 0.00 min
 Lab File: BE091896.D
 Acq: 8 Jun 2016 3:50

Tgt Ion:172 Resp: 53001
 Ion Ratio Lower Upper
 172 100
 171 33.8 24.3 36.5
 170 22.2 14.9 22.3









#24
Phenanthrene-d10
Concen: 5.00 ng
RT: 17.12 min Scan# 778
Delta R.T. -0.00 min
Lab File: BE091896.D
Acq: 8 Jun 2016 3:50




Instrument :
BNA_E
ClientSampleId :
OM-SPN-001-160531


Tot Ion:188 Resp: 248887
Ion Ratio Lower Upper
188 100
94 7.7 4.1 6.1#
80 7.1 3.4 5.2#



#31
Chrysene-d12
Concen: 5.00 ng
RT: 21.27 min Scan# 1000
Delta R.T. -0.03 min
Lab File: BE091896.D
Acq: 8 Jun 2016 3:50

Tgt Ion:240 Resp: 208747
Ion Ratio Lower Upper
240 100
120 24.9 1.2 1.8#
236 36.8 19.8 29.8#









#34
 Terphenyl-d14
 Concen: 2.86 ng
 RT: 19.74 min Scan# 943
 Delta R.T. 0.00 min
 Lab File: BE091896.D
 Acq: 8 Jun 2016 3:50




Instrument :
 BNA_E
 ClientSampleId :
 OM-SPN-001-160531




Tot Ion:244 Resp: 101119
 Ion Ratio Lower Upper
 244 100
 212 7.2 6.5 9.7
 122 1.3 2.9 4.3#



#38
 Bis(2-ethylhexyl)phthalate
 Concen: 0.28 ng
 RT: 21.19 min Scan# 997
 Delta R.T. 0.00 min
 Lab File: BE091896.D
 Acq: 8 Jun 2016 3:50

Tgt Ion:149 Resp: 6263
 Ion Ratio Lower Upper
 149 100
 167 34.1 0.0 0.0#
 279 2.4 0.0 0.0#





#40

Pervlene-d12

Concen: 5.00 ng

RT: 23.71 min Scan# 1272

Delta R.T. -0.00 min

Lab File: BE091896.D

Acq: 8 Jun 2016 3:50

Instrument :

BNA_E

ClientSampleId :

OM-SPN-001-160531

Tot Ion: 264 Resp: 290189

Ion Ratio Lower Upper

264 100

260 24.9 20.3 30.5

265 21.6 17.6 26.4

