

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE061516\
 Data File : BE091924.D
 Acq On : 15 Jun 2016 14:34
 Operator : UM/SJ
 Sample : PB91250BL
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 PB91250BL

Quant Time: Jun 15 15:20:33 2016
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE061416.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 15 12:00:38 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.21	152	24651	5.00	ng	0.02
8) Naphthalene-d8	11.02	136	108040	5.00	ng	0.03
15) Acenaphthene-d10	14.86	164	75783	5.00	ng	0.00
24) Phenanthrene-d10	17.61	188	165958	5.00	ng	0.00
31) Chrysene-d12	21.76	240	265144	5.00	ng	0.00
40) Perylene-d12	24.16	264	195920	5.00	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.72	112	31254	6.49	ng	0.00
5) Phenol-d6	7.37	99	40612	5.18	ng	0.02
9) Nitrobenzene-d5	9.38	82	22948	3.08	ng	0.02
16) 2,4,6-Tribromophenol	16.35	330	9608	4.90	ng	0.00
17) 2-Fluorobiphenyl	13.49	172	61749	3.21	ng	0.00
34) Terphenyl-d14	20.22	244	105586	3.25	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE061516\
Data File : BE091924.D
Acq On : 15 Jun 2016 14:34
Operator : UM/SJ
Sample : PB91250BL
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
PB91250BL

Quant Time: Jun 15 15:20:33 2016
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE061416.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 15 12:00:38 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 8.21 min Scan# 324

Delta R.T. 0.02 min

Lab File: BE091924.D

Acq: 15 Jun 2016 14:34

Instrument :

BNA_E

ClientSampleId :

PB91250BL


Tgt Ion:152 Resp: 24651

Ion Ratio Lower Upper

152 100

150 131.2 123.9 185.9




115 44.7 48.3 72.5#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 6.49 ng

RT: 5.72 min Scan# 181

Delta R.T. 0.00 min

Lab File: BE091924.D

Acq: 15 Jun 2016 14:34


Tgt Ion:112 Resp: 31254

Ion Ratio Lower Upper

112 100

64 67.3 53.7 80.5



63 36.2 29.5 44.3




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 5.18 ng

RT: 7.37 min Scan# 275

Delta R.T. 0.02 min

Lab File: BE091924.D

Acq: 15 Jun 2016 14:34

Instrument :

BNA_E

ClientSampleId :

PB91250BL


Tgt Ion: 99 Resp: 40612

Ion Ratio Lower Upper

99 100

42 25.2 19.6 29.4




71 35.0 28.1 42.1



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#8

Naphthalene-d8

Concen: 5.00 ng

RT: 11.02 min Scan# 457

Delta R.T. 0.03 min

Lab File: BE091924.D

Acq: 15 Jun 2016 14:34

Tgt Ion: 136 Resp: 108040


Ion Ratio Lower Upper

136 100

137 12.0 8.3 12.5

54 2.7 8.2 12.4#

68 2.1 5.9 8.9#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#9

Nitrobenzene-d5

Concen: 3.08 ng

RT: 9.38 min Scan# 385

Delta R.T. 0.02 min

Lab File: BE091924.D

Acq: 15 Jun 2016 14:34

Instrument :

BNA_E

ClientSampleId :

PB91250BL


Tgt Ion: 82 Resp: 22948

Ion Ratio Lower Upper




82 100

128 43.3 39.5 59.3

54 42.1 30.3 45.5



Abundance Ion 82.00 (81.70 to 82.70): BE0
Ion 128.00 (127.70 to 128.70): BE0
Ion 54.00 (53.70 to 54.70): BE0



#15

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.86 min Scan# 694

Delta R.T. -0.00 min

Lab File: BE091924.D

Acq: 15 Jun 2016 14:34


Tgt Ion: 164 Resp: 75783

Ion Ratio Lower Upper



164 100


162 109.1 71.8 107.8#

160 50.8 28.0 42.0#



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#16
 2,4,6-Tribromophenol
 Concen: 4.90 ng
 RT: 16.35 min Scan# 762
 Delta R.T. 0.00 min
 Lab File: BE091924.D
 Acq: 15 Jun 2016 14:34

Instrument :
 BNA_E
 ClientSampleId :
 PB91250BL

Tgt Ion:330 Resp: 9608
 Ion Ratio Lower Upper
 330 100
 332 97.1 77.0 115.6
 141 181.8 138.4 207.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#17
 2-Fluorobiphenyl
 Concen: 3.21 ng
 RT: 13.49 min Scan# 622
 Delta R.T. 0.00 min
 Lab File: BE091924.D
 Acq: 15 Jun 2016 14:34

Tgt Ion:172 Resp: 61749
 Ion Ratio Lower Upper
 172 100
 171 37.3 24.3 36.5#
 170 26.6 14.9 22.3#



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#24
Phenanthrene-d10
Concen: 5.00 ng
RT: 17.61 min Scan# 836
Delta R.T. -0.00 min
Lab File: BE091924.D
Acq: 15 Jun 2016 14:34




Instrument :
BNA_E
ClientSampleId :
PB91250BL


Tgt Ion:188 Resp: 165958
Ion Ratio Lower Upper
188 100
94 5.8 4.1 6.1
80 5.1 3.4 5.2



#31
Chrysene-d12
Concen: 5.00 ng
RT: 21.76 min Scan# 1064
Delta R.T. 0.00 min
Lab File: BE091924.D
Acq: 15 Jun 2016 14:34

Tgt Ion:240 Resp: 265144
Ion Ratio Lower Upper
240 100
120 1.5 1.2 1.8
236 26.2 19.8 29.8





#34

Terphenyl-d14

Concen: 3.25 ng

RT: 20.22 min Scan# 1009

Delta R.T. 0.00 min

Lab File: BE091924.D

Acq: 15 Jun 2016 14:34

Instrument :

BNA_E

ClientSampleId :

PB91250BL


Tgt Ion:244 Resp: 105586

Ion Ratio Lower Upper

244 100

212 6.8 6.5 9.7

122 0.8 2.9 4.3#





Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E

20.22

Time-->



#40

Perylene-d12

Concen: 5.00 ng

RT: 24.16 min Scan# 1231

Delta R.T. -0.01 min

Lab File: BE091924.D

Acq: 15 Jun 2016 14:34


Tgt Ion:264 Resp: 195920

Ion Ratio Lower Upper

264 100

260 25.7 20.3 30.5

265 21.0 17.6 26.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

24.16

Time-->

