

Data File : BE093288.D
Acq On : 20 Jun 2017 19:10
Operator : SJ/JU
Sample : I3627-19
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
F5A92

Quant Time: Jun 21 01:51:26 2017
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE060717.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 21 01:49:50 2017
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.74	152	1701	0.40	ng/ul	0.00
2) Naphthalene-d8	10.52	136	8733	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.36	164	5593	0.40	ng/ul	0.00
10) Phenanthrene-d10	0.00	188	0	0.00	ng/ul	-17.10
16) Chrysene-d12	21.26	240	13073	0.40	ng/ul	0.00
20) Perylene-d12	23.51	264	758638	0.40	ng/ul	-0.15

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Methylnaphthalene-d10	12.11	152	3915	0.31	ng/ul	0.00
14) Fluoranthene-d10	19.12	212	10655	0.00	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
3) Naphthalene	10.56	128	372499	17.19	ng/ul#	91
5) 2-Methylnaphthalene	12.18	142	29490	1.99	ng/ul	98
7) Acenaphthylene	14.09	152	2505	0.10	ng/ul#	93
8) Acenaphthene	14.42	153	15976	0.83	ng/ul	98
9) Fluorene	15.42	166	28625	1.26	ng/ul#	94
17) Pyrene	19.51	202	18296	0.47	ng/ul#	88
18) Benzo(a)anthracene	21.24	228	3361	0.10	ng/ul#	86
19) Chrysene	21.30	228	3544	0.10	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BE093288.D
Acq On : 20 Jun 2017 19:10
Operator : SJ/JU
Sample : I3627-19
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
F5A92

Quant Time: Jun 21 01:51:26 2017
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE060717.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 21 01:49:50 2017
Response via : Initial Calibration





#3

Naphthalene

Concen: 17.19 ng/ul

RT: 10.56 min Scan# 1229

Delta R.T. 0.00 min

Lab File: BE093288.D

Acq: 20 Jun 2017 19:10

Instrument :

BNA_E

ClientSampleId :

F5A92


Tgt Ion:128 Resp: 372499

Ion Ratio Lower Upper

128 100

129 11.1 11.3 16.9#




127 0.0 4.0 6.0#



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#5

2-Methylnaphthalene

Concen: 1.99 ng/ul

RT: 12.18 min Scan# 1693

Delta R.T. -0.00 min

Lab File: BE093288.D


Acq: 20 Jun 2017 19:10

Tgt Ion:142 Resp: 29490

Ion Ratio Lower Upper



142 100


141 89.0 72.6 108.8



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E





#7

Acenaphthylene

Concen: 0.10 ng/ul

RT: 14.09 min Scan# 2103

Delta R.T. 0.00 min

Lab File: BE093288.D

Acq: 20 Jun 2017 19:10

Instrument :

BNA_E

ClientSampleId :

F5A92


Tgt Ion:152 Resp: 2505

Ion Ratio Lower Upper

152 100

151 23.6 17.1 25.7




153 20.1 12.8 19.2#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E

Ion 153.00 (152.70 to 153.70): E



#8

Acenaphthene

Concen: 0.83 ng/ul

RT: 14.42 min Scan# 2148

Delta R.T. 0.00 min

Lab File: BE093288.D

Acq: 20 Jun 2017 19:10


Tgt Ion:153 Resp: 15976

Ion Ratio Lower Upper

153 100

152 49.3 40.3 60.5



154 87.3 71.4 107.2




Abundance Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E

Ion 154.00 (153.70 to 154.70): E





#9

Fluorene

Concen: 1.26 ng/ul

RT: 15.42 min Scan# 2280

Delta R.T. 0.00 min

Lab File: BE093288.D

Acq: 20 Jun 2017 19:10

Instrument :

BNA_E

ClientSampleId :

F5A92





Tgt Ion:166 Resp: 28625

Ion Ratio Lower Upper

166 100

165 96.7 73.4 110.2

167 14.5 14.6 22.0#



#17

Pyrene

Concen: 0.47 ng/ul

RT: 19.51 min Scan# 2798

Delta R.T. 0.00 min

Lab File: BE093288.D

Acq: 20 Jun 2017 19:10




Tgt Ion:202 Resp: 18296


Ion Ratio Lower Upper

202 100

101 16.7 18.2 27.4#

100 14.3 15.6 23.4#





#18

Benzo(a)anthracene

Concen: 0.10 ng/ul

RT: 21.24 min Scan# 3174

Delta R.T. -0.00 min

Lab File: BE093288.D

Acq: 20 Jun 2017 19:10

Instrument :

BNA_E

ClientSampleId :

F5A92


Tgt Ion:228 Resp: 3361

Ion Ratio Lower Upper

228 100

229 22.9 22.8 34.2




226 30.1 17.0 25.6#



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 229.00 (228.70 to 229.70): E

Ion 226.00 (225.70 to 226.70): E



#19

Chrysene

Concen: 0.10 ng/ul

RT: 21.30 min Scan# 3186

Delta R.T. 0.00 min

Lab File: BE093288.D

Acq: 20 Jun 2017 19:10


Tgt Ion:228 Resp: 3544

Ion Ratio Lower Upper

228 100

226 31.6 23.4 35.0

229 22.7 17.7 26.5



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E

