

Data Path : Z:\HPCHEM1\BNA E\DATA\BE062117\  
 Data File : BE093315.D  
 Acq On : 21 Jun 2017 14:52  
 Operator : SJ/JU  
 Sample : I3627-06DL 5X  
 Misc :  
 ALS Vial : 9 Sample Multiplier: 1

Instrument :  
 BNA\_E  
 ClientSampleId :  
 F5A45DL

Manual Integrations  
 APPROVED

mohammad  
 6/22/2017 11:48:48 AM

Quant Time: Jun 22 03:29:11 2017  
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE060717.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Thu Jun 22 02:10:17 2017  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc | Units  | Dev(Min) |
|-----------------------------|-------|------|----------|------|--------|----------|
| 1) 1,4-Dichlorobenzene-d4   | 7.73  | 152  | 1467     | 0.40 | ng/ul  | 0.00     |
| 2) Naphthalene-d8           | 10.52 | 136  | 8090     | 0.40 | ng/ul  | 0.00     |
| 6) Acenaphthene-d10         | 14.36 | 164  | 5169     | 0.40 | ng/ul  | 0.00     |
| 10) Phenanthrene-d10        | 17.10 | 188  | 12801    | 0.40 | ng/ul  | 0.00     |
| 16) Chrysene-d12            | 21.26 | 240  | 12338    | 0.40 | ng/ul  | 0.00     |
| 20) Perylene-d12            | 23.66 | 264  | 11041    | 0.40 | ng/ul  | 0.00     |
| System Monitoring Compounds |       |      |          |      |        |          |
| 4) 2-Methylnaphthalene-d10  | 12.11 | 152  | 461      | 0.04 | ng/ul  | 0.00     |
| 14) Fluoranthene-d10        | 19.12 | 212  | 1248     | 0.04 | ng/ul  | 0.00     |
| Target Compounds            |       |      |          |      |        |          |
| 12) Phenanthrene            | 17.14 | 178  | 1965     | 0.06 | ng/ul# | 92       |
| 13) Anthracene              | 17.22 | 178  | 492m     | 0.02 | ng/ul  |          |
| 15) Fluoranthene            | 19.15 | 202  | 3337     | 0.08 | ng/ul  | 85       |
| 17) Pyrene                  | 19.51 | 202  | 3054     | 0.08 | ng/ul  | 92       |
| 18) Benzo(a)anthracene      | 21.24 | 228  | 859      | 0.03 | ng/ul# | 85       |
| 19) Chrysene                | 21.29 | 228  | 989      | 0.03 | ng/ul# | 88       |
| 21) Benzo(b)fluoranthene    | 22.93 | 252  | 986m     | 0.03 | ng/ul  |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE062117\  
Data File : BE093315.D  
Acq On : 21 Jun 2017 14:52  
Operator : SJ/JU  
Sample : I3627-06DL 5X  
Misc :  
ALS Vial : 9 Sample Multiplier: 1

Instrument :  
BNA\_E  
ClientSampleId :  
F5A45DL

Manual Integrations  
APPROVED

mohammad  
6/22/2017 11:48:48 AM

Quant Time: Jun 22 03:29:11 2017  
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE060717.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Thu Jun 22 02:10:17 2017  
Response via : Initial Calibration

