

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE062615\
 Data File : BE089945.D
 Acq On : 26 Jun 2015 16:35
 Operator : TP/IZ
 Sample : G2782-14
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 X1SS0610204-150624-D

Quant Time: Jun 27 01:10:43 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-SIM-BE062315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 25 16:51:27 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.63	152	26693	5.00	ng	0.00
6) Naphthalene-d8	10.39	136	122794	5.00	ng	0.00
12) Acenaphthene-d10	14.24	164	75390	5.00	ng	0.00
18) Phenanthrene-d10	16.98	188	180677	5.00	ng	0.00
25) Chrysene-d12	21.14	240	204267	5.00	ng	0.00
32) Perylene-d12	23.47	264	177419	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.27	112	56737	11.77	ng	0.00
5) Phenol-d6	6.81	99	91552	12.40	ng	0.00
7) Nitrobenzene-d5	8.77	82	74868	8.19	ng	0.00
13) 2,4,6-Tribromophenol	15.74	330	10275	7.74	ng	0.00
14) 2-Fluorobiphenyl	12.87	172	175550	7.99	ng	0.00
27) Terphenyl-d14	19.60	244	266118	7.55	ng	0.00
Target Compounds						
30) Bis(2-ethylhexyl)phthalate	21.07	149	1958	0.47	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE062615\
Data File : BE089945.D
Acq On : 26 Jun 2015 16:35
Operator : TP/IZ
Sample : G2782-14
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
X1SS0610204-150624-D

Quant Time: Jun 27 01:10:43 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-SIM-BE062315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 25 16:51:27 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.63 min Scan# 856

Delta R.T. -0.00 min

Lab File: BE089945.D

Acq: 26 Jun 2015 16:35

Instrument :

BNA_E

ClientSampleId :

X1SS0610204-150624-D


Tgt Ion:152 Resp: 26693

Ion Ratio Lower Upper

152 100

150 158.9 124.6 186.8




115 64.7 51.6 77.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 11.77 ng

RT: 5.27 min Scan# 393

Delta R.T. 0.00 min

Lab File: BE089945.D

Acq: 26 Jun 2015 16:35


Tgt Ion:112 Resp: 56737

Ion Ratio Lower Upper

112 100

64 72.3 57.4 86.2



63 38.9 31.2 46.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 12.40 ng

RT: 6.81 min Scan# 675

Delta R.T. 0.00 min

Lab File: BE089945.D

Acq: 26 Jun 2015 16:35

Instrument :

BNA_E

ClientSampleId :

X1SS0610204-150624-D


Tgt Ion: 99 Resp: 91552

Ion Ratio Lower Upper




99 100

42 23.4 19.5 29.3

71 34.9 27.8 41.6



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.39 min Scan# 1378

Delta R.T. 0.00 min

Lab File: BE089945.D

Acq: 26 Jun 2015 16:35

Tgt Ion: 136 Resp: 122794


Ion Ratio Lower Upper

136 100



137 11.1 8.7 13.1


54 10.4 9.7 14.5

68 7.2 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 8.19 ng

RT: 8.77 min Scan# 1102

Delta R.T. -0.00 min

Lab File: BE089945.D

Acq: 26 Jun 2015 16:35

Instrument :

BNA_E

ClientSampleId :

X1SS0610204-150624-D


Tgt Ion: 82 Resp: 74868

Ion Ratio Lower Upper

82 100

128 33.5 25.6 38.4




54 61.0 51.2 76.8



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.24 min Scan# 2081

Delta R.T. -0.01 min

Lab File: BE089945.D

Acq: 26 Jun 2015 16:35


Tgt Ion: 164 Resp: 75390

Ion Ratio Lower Upper

164 100

162 105.8 82.7 124.1



160 52.2 38.3 57.5




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#13
 2,4,6-Tribromophenol
 Concen: 7.74 ng
 RT: 15.74 min Scan# 2209
 Delta R.T. 0.00 min
 Lab File: BE089945.D
 Acq: 26 Jun 2015 16:35




Instrument :
 BNA_E
 ClientSampleId :
 X1SS0610204-150624-D


Tgt Ion:330 Resp: 10275
 Ion Ratio Lower Upper
 330 100
 332 96.8 77.9 116.9
 141 176.6 142.8 214.2



#14
 2-Fluorobiphenyl
 Concen: 7.99 ng
 RT: 12.87 min Scan# 1838
 Delta R.T. -0.00 min
 Lab File: BE089945.D
 Acq: 26 Jun 2015 16:35

Tgt Ion:172 Resp: 175550
 Ion Ratio Lower Upper
 172 100
 171 34.2 26.7 40.1
 170 22.7 17.5 26.3





#18

Phenanthrene-d10

Concen: 5.00 ng

RT: 16.98 min Scan# 2280

Delta R.T. 0.00 min

Lab File: BE089945.D

Acq: 26 Jun 2015 16:35

Instrument :

BNA_E

ClientSampleId :

X1SS0610204-150624-D


Tgt Ion:188 Resp: 180677

Ion Ratio Lower Upper

188 100

94 9.7 10.6 16.0#




80 10.4 11.8 17.6#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#25

Chrysene-d12

Concen: 5.00 ng

RT: 21.14 min Scan# 2871

Delta R.T. -0.01 min

Lab File: BE089945.D

Acq: 26 Jun 2015 16:35


Tgt Ion:240 Resp: 204267

Ion Ratio Lower Upper

240 100

120 11.5 7.9 11.9



236 27.0 21.2 31.8




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#27
 Terphenyl-d14
 Concen: 7.55 ng
 RT: 19.60 min Scan# 2622
 Delta R.T. -0.01 min
 Lab File: BE089945.D
 Acq: 26 Jun 2015 16:35




Instrument :
 BNA_E
 ClientSampleId :
 X1SS0610204-150624-D


Tgt Ion: 244 Resp: 266118
 Ion Ratio Lower Upper
 244 100
 212 8.3 6.1 9.1
 122 13.6 8.7 13.1#



#30
 Bis(2-ethylhexyl)phthalate
 Concen: 0.47 ng
 RT: 21.07 min Scan# 2861
 Delta R.T. -0.00 min
 Lab File: BE089945.D
 Acq: 26 Jun 2015 16:35

Tgt Ion: 149 Resp: 1958
 Ion Ratio Lower Upper
 149 100
 167 25.6 20.3 30.5
 279 3.4 2.7 4.1





#32

Perylene-d12

Concen: 5.00 ng

RT: 23.47 min Scan# 3323

Delta R.T. -0.01 min

Lab File: BE089945.D


Acq: 26 Jun 2015 16:35

Instrument :

BNA_E

ClientSampleId :

X1SS0610204-150624-D



Tgt Ion: 264 Resp: 177419

Ion Ratio Lower Upper

264 100

260 24.7 19.8 29.6

265 21.6 17.3 25.9

