

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE071317\
 Data File : BE093460.D
 Acq On : 13 Jul 2017 15:53
 Operator : SJ/JU
 Sample : I4142-07
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 LF-MW-60BR-20170706

Quant Time: Jul 13 16:29:54 2017
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE070217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 03 06:40:23 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.94	152	4193	0.40	ng	0.00
7) Naphthalene-d8	10.72	136	22345	0.40	ng	0.00
13) Acenaphthene-d10	14.54	164	14217	0.40	ng	0.00
19) Phenanthrene-d10	17.27	188	28309	0.40	ng	0.00
27) Chrysene-d12	21.42	240	36968	0.40	ng	-0.01
34) Perylene-d12	23.93	264	31044	0.40	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.53	112	1990	0.16	ng	0.00
5) Phenol-d6	7.10	99	1798	0.10	ng	0.00
8) Nitrobenzene-d5	9.08	82	5345	0.37	ng	0.00
11) 2-Methylnaphthalene-d10	12.31	152	12813	0.36	ng	0.00
14) 2,4,6-Tribromophenol	16.03	330	1138	0.25	ng	0.00
15) 2-Fluorobiphenyl	13.18	172	35289	0.64	ng	0.00
25) Fluoranthene-d10	19.28	212	152473	0.45	ng	0.00
29) Terphenyl-d14	19.87	244	31565	0.48	ng	0.00
Target Compounds						
32) Bis(2-ethylhexyl)phthalate	21.33	149	8869	0.062	ng	Qvalue # 66


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE071317\
Data File : BE093460.D
Acq On : 13 Jul 2017 15:53
Operator : SJ/JU
Sample : I4142-07
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
LF-MW-60BR-20170706

Quant Time: Jul 13 16:29:54 2017
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE070217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 03 06:40:23 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.94 min Scan# 404

Delta R.T. -0.00 min

Lab File: BE093460.D

Acq: 13 Jul 2017 15:53

Instrument :

BNA_E

ClientSampleId :

LF-MW-60BR-20170706


Tgt Ion:152 Resp: 4193

Ion Ratio Lower Upper

152 100

150 156.2 125.1 187.7




115 64.1 55.7 83.5



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 0.157 ng

RT: 5.53 min Scan# 212

Delta R.T. -0.00 min

Lab File: BE093460.D

Acq: 13 Jul 2017 15:53


Tgt Ion:112 Resp: 1990

Ion Ratio Lower Upper

112 100

64 67.5 56.4 84.6



63 133.1 29.3 43.9#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.096 ng

RT: 7.10 min Scan# 337

Delta R.T. -0.00 min

Lab File: BE093460.D

Acq: 13 Jul 2017 15:53

Instrument :

BNA_E

ClientSampleId :

LF-MW-60BR-20170706


Tgt Ion: 99 Resp: 1798

Ion Ratio Lower Upper

99 100

42 28.3 0.0 0.0#




71 37.7 0.0 0.0#



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.72 min Scan# 578

Delta R.T. 0.00 min

Lab File: BE093460.D

Acq: 13 Jul 2017 15:53

Tgt Ion: 136 Resp: 22345


Ion Ratio Lower Upper

136 100

137 11.7 9.8 14.8

54 31.2 10.3 15.5#

68 6.7 9.0 13.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 0.374 ng

RT: 9.08 min Scan# 480

Delta R.T. 0.00 min

Lab File: BE093460.D

Acq: 13 Jul 2017 15:53

Instrument :

BNA_E

ClientSampleId :

LF-MW-60BR-20170706


Tgt Ion: 82 Resp: 5345

Ion Ratio Lower Upper

82 100

128 117.5 17.0 25.4#




54 216.2 53.8 80.6#



Abundance Ion 82.00 (81.70 to 82.70): BE093407.D (-478) (-)

Ion 128.00 (127.70 to 128.70): BE093407.D (-478) (-)

Ion 54.00 (53.70 to 54.70): BE093407.D (-478) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.359 ng

RT: 12.31 min Scan# 829

Delta R.T. -0.00 min

Lab File: BE093460.D


Acq: 13 Jul 2017 15:53

Tgt Ion: 152 Resp: 12813

Ion Ratio Lower Upper



152 100


151 19.2 15.1 22.7



Abundance Ion 152.00 (151.70 to 152.70): BE093407.D (-817) (-)

Ion 151.00 (150.70 to 151.70): BE093407.D (-817) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.54 min Scan# 1113

Delta R.T. -0.00 min

Lab File: BE093460.D

Acq: 13 Jul 2017 15:53

Instrument :

BNA_E

ClientSampleId :

LF-MW-60BR-20170706


Tgt Ion:164 Resp: 14217

Ion Ratio Lower Upper

164 100

162 103.6 84.6 127.0




160 48.1 41.8 62.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.255 ng

RT: 16.03 min Scan# 1206

Delta R.T. -0.00 min

Lab File: BE093460.D

Acq: 13 Jul 2017 15:53


Tgt Ion:330 Resp: 1138

Ion Ratio Lower Upper

330 100

332 117.0 77.7 116.5#



141 0.0 56.2 84.4#




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.639 ng
RT: 13.18 min Scan# 1021
Delta R.T. -0.00 min
Lab File: BE093460.D
Acq: 13 Jul 2017 15:53

Instrument :
BNA_E
ClientSampleId :
LF-MW-60BR-20170706

Tgt Ion:172 Resp: 35289
Ion Ratio Lower Upper
172 100
171 33.5 29.8 44.6
170 21.0 20.7 31.1




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.27 min Scan# 1244
Delta R.T. -0.00 min
Lab File: BE093460.D
Acq: 13 Jul 2017 15:53

Tgt Ion:188 Resp: 28309
Ion Ratio Lower Upper
188 100
94 2.7 11.3 16.9#
80 2.0 11.7 17.5#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BE0
Ion 80.00 (79.70 to 80.70): BE0





#25

Fluoranthene-d10

Concen: 0.447 ng

RT: 19.28 min Scan# 1433

Delta R.T. -0.01 min

Lab File: BE093460.D

Acq: 13 Jul 2017 15:53

Instrument :

BNA_E

ClientSampleId :

LF-MW-60BR-20170706


Tgt Ion:212 Resp: 152473

Ion Ratio Lower Upper

212 100

106 3.4 2.4 3.6




104 2.0 1.6 2.4



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.42 min Scan# 1655

Delta R.T. -0.01 min

Lab File: BE093460.D

Acq: 13 Jul 2017 15:53


Tgt Ion:240 Resp: 36968

Ion Ratio Lower Upper

240 100

120 13.8 4.6 7.0#



236 27.7 20.8 31.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.478 ng

RT: 19.87 min Scan# 1513

Delta R.T. -0.01 min

Lab File: BE093460.D

Acq: 13 Jul 2017 15:53

Instrument :

BNA_E

ClientSampleId :

LF-MW-60BR-20170706





Tgt Ion:244 Resp: 31565

Ion Ratio Lower Upper

244 100

212 32.5 10.6 16.0#

122 10.2 15.4 23.0#



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.062 ng

RT: 21.33 min Scan# 1647

Delta R.T. -0.01 min

Lab File: BE093460.D

Acq: 13 Jul 2017 15:53




Tgt Ion:149 Resp: 8869


Ion Ratio Lower Upper

149 100

167 6.3 20.1 30.1#

279 1.0 2.2 3.4#






#34
Perylene-d12
Concen: 0.400 ng
RT: 23.93 min Scan# 2126
Delta R.T. -0.01 min
Lab File: BE093460.D
Acq: 13 Jul 2017 15:53

Instrument :
BNA_E
ClientSampleId :
LF-MW-60BR-20170706

Tgt Ion: 264 Resp: 31044
Ion Ratio Lower Upper
264 100
260 25.0 21.0 31.4
265 27.9 24.6 36.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

