

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA E\DATA\BE071417\
 Data File : BE093469.D
 Acq On : 14 Jul 2017 13:30
 Operator : SJ/JU
 Sample : I4153-04
 Misc : L00 0.2 PPM
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 DUP05-20170710

Quant Time: Jul 17 01:27:24 2017
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE070217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 03 06:40:23 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.94	152	4562	0.40	ng	0.00
7) Naphthalene-d8	10.72	136	23204	0.40	ng	0.00
13) Acenaphthene-d10	14.54	164	15137	0.40	ng	0.00
19) Phenanthrene-d10	17.27	188	29445	0.40	ng	0.00
27) Chrysene-d12	21.42	240	39212	0.40	ng	-0.01
34) Perylene-d12	23.93	264	33450	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.53	112	2168	0.16	ng	0.00
5) Phenol-d6	7.10	99	2051	0.10	ng	0.00
8) Nitrobenzene-d5	9.08	82	5575	0.38	ng	0.00
11) 2-Methylnaphthalene-d10	12.30	152	13141	0.35	ng	0.00
14) 2,4,6-Tribromophenol	16.03	330	1211	0.25	ng	0.00
15) 2-Fluorobiphenyl	13.18	172	28237	0.48	ng	0.00
25) Fluoranthene-d10	19.28	212	158685	0.45	ng	0.00
29) Terphenyl-d14	19.87	244	30891	0.44	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.45	88	1975	0.205	ng	# 1
3) n-Nitrosodimethylamine	3.76	42	401	0.182	ng	# 1
22) Pentachlorophenol	16.91	266	39	Below Cal		# 84
32) Bis(2-ethylhexyl)phthalate	21.33	149	8869	0.058	ng	# 65


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA E\DATA\BE071417\
Data File : BE093469.D
Acq On : 14 Jul 2017 13:30
Operator : SJ/JU
Sample : I4153-04
Misc : L00 0.2 PPM
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
DUP05-20170710

Quant Time: Jul 17 01:27:24 2017
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE070217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 03 06:40:23 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.94 min Scan# 404
Delta R.T. -0.00 min
Lab File: BE093469.D
Acq: 14 Jul 2017 13:30

Instrument :
BNA_E
ClientSampleId :
DUP05-20170710

Tot Ion:152 Resp: 4562
Ion Ratio Lower Upper
152 100
150 151.1 125.1 187.7
115 63.3 55.7 83.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2

1,4-Dioxane
Concen: 0.205 ng
RT: 3.45 min Scan# 47
Delta R.T. -0.00 min
Lab File: BE093469.D
Acq: 14 Jul 2017 13:30

Tgt Ion: 88 Resp: 1975
Ion Ratio Lower Upper
88 100
58 104.5 62.2 93.4#
43 611.3 23.2 34.8#



Abundance Ion 88.00 (87.70 to 88.70): BE0
Ion 58.00 (57.70 to 58.70): BE0
Ion 43.00 (42.70 to 43.70): BE0






#3




n-Nitrosodimethylamine
 Concen: 0.182 ng
 RT: 3.76 min Scan# 72
 Delta R.T. 0.00 min
 Lab File: BE093469.D
 Acq: 14 Jul 2017 13:30

Instrument :
 BNA_E
 ClientSampleId :
 DUP05-20170710

Tot Ion: 42 Resp: 401
 Ion Ratio Lower Upper
 42 100
 74 2.5 99.1 148.7#
 44 0.0 7.4 11.2#




Abundance Ion 42.00 (41.70 to 42.70): BE0
 Ion 74.00 (73.70 to 74.70): BE0
 Ion 44.00 (43.70 to 44.70): BE0





#4


2-Fluorophenol
 Concen: 0.157 ng
 RT: 5.53 min Scan# 212
 Delta R.T. -0.00 min
 Lab File: BE093469.D
 Acq: 14 Jul 2017 13:30

Tgt Ion: 112 Resp: 2168
 Ion Ratio Lower Upper
 112 100
 64 72.5 56.4 84.6
 63 138.4 29.3 43.9#



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BE0
 Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.101 ng

RT: 7.10 min Scan# 337

Delta R.T. -0.00 min

Lab File: BE093469.D

Acq: 14 Jul 2017 13:30

Instrument :

BNA_E

ClientSampleId :

DUP05-20170710


Tot Ion: 99 Resp: 2051

Ion Ratio Lower Upper

99 100

42 26.4 0.0 0.0#




71 43.1 0.0 0.0#



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.72 min Scan# 578

Delta R.T. 0.00 min

Lab File: BE093469.D

Acq: 14 Jul 2017 13:30

Tgt Ion: 136 Resp: 23204


Ion Ratio Lower Upper

136 100

137 11.4 9.8 14.8

54 30.6 10.3 15.5#

68 6.4 9.0 13.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 0.376 ng

RT: 9.08 min Scan# 480

Delta R.T. 0.00 min

Lab File: BE093469.D

Acq: 14 Jul 2017 13:30

Instrument :

BNA_E

ClientSampleId :

DUP05-20170710


Tot Ion: 82 Resp: 5575

Ion Ratio Lower Upper

82 100

128 119.3 17.0 25.4#




54 212.1 53.8 80.6#



Abundance Ion 82.00 (81.70 to 82.70): BE093407.D (-478) (-)

Ion 128.00 (127.70 to 128.70): BE093407.D (-478) (-)

Ion 54.00 (53.70 to 54.70): BE093407.D (-478) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.355 ng

RT: 12.30 min Scan# 828

Delta R.T. -0.01 min

Lab File: BE093469.D


Acq: 14 Jul 2017 13:30

Tgt Ion: 152 Resp: 13141

Ion Ratio Lower Upper



152 100


151 19.4 15.1 22.7



Abundance Ion 152.00 (151.70 to 152.70): BE093407.D (-817) (-)

Ion 151.00 (150.70 to 151.70): BE093407.D (-817) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.54 min Scan# 1113

Delta R.T. -0.00 min

Lab File: BE093469.D

Acq: 14 Jul 2017 13:30

Instrument :

BNA_E

ClientSampleId :

DUP05-20170710


Tot Ion:164 Resp: 15137

Ion Ratio Lower Upper

164 100

162 104.6 84.6 127.0




160 46.0 41.8 62.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.255 ng

RT: 16.03 min Scan# 1206

Delta R.T. -0.00 min

Lab File: BE093469.D

Acq: 14 Jul 2017 13:30


Tgt Ion:330 Resp: 1211

Ion Ratio Lower Upper

330 100

332 110.8 77.7 116.5



141 0.0 56.2 84.4#




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.481 ng
RT: 13.18 min Scan# 1021
Delta R.T. -0.00 min
Lab File: BE093469.D
Acq: 14 Jul 2017 13:30




Instrument :
BNA_E
ClientSampleId :
DUP05-20170710


Tot Ion:172 Resp: 28237
Ion Ratio Lower Upper
172 100
171 32.4 29.8 44.6
170 20.1 20.7 31.1#



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.27 min Scan# 1244
Delta R.T. -0.00 min
Lab File: BE093469.D
Acq: 14 Jul 2017 13:30

Tgt Ion:188 Resp: 29445
Ion Ratio Lower Upper
188 100
94 2.9 11.3 16.9#
80 2.1 11.7 17.5#





#22

Pentachlorophenol

Concen: Below Cal

RT: 16.91 min Scan# 1233

Delta R.T. -0.00 min

Lab File: BE093469.D

Acq: 14 Jul 2017 13:30

Instrument :

BNA_E

ClientSampleId :

DUP05-20170710


Tot Ion:266 Resp: 39

Ion Ratio Lower Upper

266 100

264 90.3 58.2 87.2#




268 101.6 71.9 107.9



Abundance Ion 266.00 (265.70 to 266.70): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E



#25

Fluoranthene-d10

Concen: 0.447 ng

RT: 19.28 min Scan# 1433

Delta R.T. -0.01 min

Lab File: BE093469.D

Acq: 14 Jul 2017 13:30


Tgt Ion:212 Resp: 158685

Ion Ratio Lower Upper

212 100

106 3.4 2.4 3.6



104 1.9 1.6 2.4




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.42 min Scan# 1655

Delta R.T. -0.01 min

Lab File: BE093469.D

Acq: 14 Jul 2017 13:30

Instrument :

BNA_E

ClientSampleId :

DUP05-20170710


Tot Ion:240 Resp: 39212

Ion Ratio Lower Upper

240 100

120 13.4 4.6 7.0#




236 27.9 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.441 ng

RT: 19.87 min Scan# 1513

Delta R.T. -0.01 min

Lab File: BE093469.D

Acq: 14 Jul 2017 13:30


Tgt Ion:244 Resp: 30891

Ion Ratio Lower Upper

244 100

212 33.1 10.6 16.0#



122 11.2 15.4 23.0#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#32

Bis(2-ethylhexyl)phthalate

Concen: 0.058 ng

RT: 21.33 min Scan# 1647

Delta R.T. -0.01 min

Lab File: BE093469.D

Acq: 14 Jul 2017 13:30

Instrument :

BNA_E

ClientSampleId :

DUP05-20170710


Tot Ion:149 Resp: 8869

Ion Ratio Lower Upper

149 100

167 6.0 20.1 30.1#




279 1.3 2.2 3.4#



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.93 min Scan# 2126

Delta R.T. -0.01 min

Lab File: BE093469.D

Acq: 14 Jul 2017 13:30


Tgt Ion:264 Resp: 33450

Ion Ratio Lower Upper

264 100

260 24.3 21.0 31.4

265 27.8 24.6 36.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

