

Data Path : Z:\HPCHEM1\BNA E\DATA\BE071917\
 Data File : BE093483.D
 Acq On : 19 Jul 2017 14:05
 Operator : SJ/JU
 Sample : I4199-01
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 3561-PP1

Quant Time: Jul 20 13:11:26 2017
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE070217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 03 06:40:23 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.94	152	3588	0.40	ng	0.00
7) Naphthalene-d8	10.72	136	20758	0.40	ng	0.00
13) Acenaphthene-d10	14.54	164	13634	0.40	ng	0.00
19) Phenanthrene-d10	17.27	188	21440	0.40	ng	0.00
27) Chrysene-d12	21.41	240	36994	0.40	ng	-0.01
34) Perylene-d12	23.93	264	31806	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.53	112	2187	0.20	ng	0.00
5) Phenol-d6	7.10	99	2159	0.14	ng	0.00
8) Nitrobenzene-d5	9.08	82	6519	0.49	ng	0.00
11) 2-Methylnaphthalene-d10	12.30	152	12003	0.36	ng	0.00
14) 2,4,6-Tribromophenol	16.03	330	1402	0.33	ng	0.00
15) 2-Fluorobiphenyl	13.16	172	33804	0.64	ng	-0.01
25) Fluoranthene-d10	19.28	212	146982	0.57	ng	0.00
29) Terphenyl-d14	19.87	244	52960	0.80	ng	0.00
Target Compounds						
22) Pentachlorophenol	16.91	266	448	0.259	ng	# 87
32) Bis(2-ethylhexyl)phthalate	21.33	149	1133771	7.882	ng	# 67


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE071917\
Data File : BE093483.D
Acq On : 19 Jul 2017 14:05
Operator : SJ/JU
Sample : I4199-01
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
3561-PP1

Quant Time: Jul 20 13:11:26 2017
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE070217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 03 06:40:23 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.94 min Scan# 404
Delta R.T. -0.00 min
Lab File: BE093483.D
Acq: 19 Jul 2017 14:05

Instrument :
BNA_E
ClientSampleId :
3561-PP1

Tot Ion:152 Resp: 3588
Ion Ratio Lower Upper
152 100
150 149.4 125.1 187.7
115 65.7 55.7 83.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.202 ng
RT: 5.53 min Scan# 212
Delta R.T. -0.00 min
Lab File: BE093483.D
Acq: 19 Jul 2017 14:05

Tgt Ion:112 Resp: 2187
Ion Ratio Lower Upper
112 100
64 66.7 56.4 84.6
63 137.3 29.3 43.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE0
Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.135 ng

RT: 7.10 min Scan# 337

Delta R.T. -0.00 min

Lab File: BE093483.D

Acq: 19 Jul 2017 14:05

Instrument :

BNA_E

ClientSampleId :

3561-PP1





Tot Ion: 99 Resp: 2159

Ion Ratio Lower Upper

99 100

42 24.1 0.0 0.0#

71 41.0 0.0 0.0#



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.72 min Scan# 578

Delta R.T. 0.00 min

Lab File: BE093483.D

Acq: 19 Jul 2017 14:05

Tgt Ion: 136 Resp: 20758




Ion Ratio Lower Upper


136 100

137 11.2 9.8 14.8

54 25.3 10.3 15.5#

68 5.8 9.0 13.4#





#8

Nitrobenzene-d5

Concen: 0.492 ng

RT: 9.08 min Scan# 480

Delta R.T. 0.00 min

Lab File: BE093483.D

Acq: 19 Jul 2017 14:05

Instrument :

BNA_E

ClientSampleId :

3561-PP1


Tot Ion: 82 Resp: 6519

Ion Ratio Lower Upper




82 100

128 138.6 17.0 25.4#

54 193.3 53.8 80.6#



Abundance Ion 82.00 (81.70 to 82.70): BE0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BE0



#11

2-Methylnaphthalene-d10

Concen: 0.362 ng

RT: 12.30 min Scan# 828

Delta R.T. -0.01 min

Lab File: BE093483.D


Acq: 19 Jul 2017 14:05

Tgt Ion: 152 Resp: 12003



Ion Ratio Lower Upper


152 100

151 19.3 15.1 22.7



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 151.00 (150.70 to 151.70): E





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.54 min Scan# 1113

Delta R.T. -0.00 min

Lab File: BE093483.D

Acq: 19 Jul 2017 14:05

Instrument :




BNA_E

ClientSampleId :


3561-PP1

Tot Ion:164 Resp: 13634

Ion	Ratio	Lower	Upper
164	100		
162	103.1	84.6	127.0
160	46.5	41.8	62.6



Time-->



#14

2,4,6-Tribromophenol

Concen: 0.327 ng

RT: 16.03 min Scan# 1206




Delta R.T. -0.00 min

Lab File: BE093483.D


Acq: 19 Jul 2017 14:05

Tgt Ion:330 Resp: 1402

Ion	Ratio	Lower	Upper
330	100		
332	112.0	77.7	116.5
141	0.0	56.2	84.4#




Time-->






#15
2-Fluorobiphenyl
Concen: 0.639 ng
RT: 13.16 min Scan# 1020
Delta R.T. -0.01 min
Lab File: BE093483.D
Acq: 19 Jul 2017 14:05

Instrument :
BNA_E
ClientSampleId :
3561-PP1

Tot Ion:172 Resp: 33804
Ion Ratio Lower Upper
172 100
171 37.1 29.8 44.6
170 25.5 20.7 31.1




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.27 min Scan# 1244
Delta R.T. -0.00 min
Lab File: BE093483.D
Acq: 19 Jul 2017 14:05

Tgt Ion:188 Resp: 21440
Ion Ratio Lower Upper
188 100
94 5.0 11.3 16.9#
80 4.0 11.7 17.5#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BE0
Ion 80.00 (79.70 to 80.70): BE0





#22

Pentachlorophenol

Concen: 0.259 ng

RT: 16.91 min Scan# 1233

Delta R.T. 0.00 min

Lab File: BE093483.D

Acq: 19 Jul 2017 14:05

Instrument :

BNA_E

ClientSampleId :

3561-PP1


Tot Ion:266 Resp: 448

Ion Ratio Lower Upper

266 100

264 72.9 58.2 87.2




268 67.2 71.9 107.9#



Abundance Ion 266.00 (265.70 to 266.70): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E



#25

Fluoranthene-d10

Concen: 0.569 ng

RT: 19.28 min Scan# 1433

Delta R.T. -0.01 min

Lab File: BE093483.D

Acq: 19 Jul 2017 14:05


Tgt Ion:212 Resp: 146982

Ion Ratio Lower Upper

212 100

106 3.4 2.4 3.6



104 1.9 1.6 2.4




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.41 min Scan# 1655

Delta R.T. -0.01 min

Lab File: BE093483.D

Acq: 19 Jul 2017 14:05

Instrument :

BNA_E

ClientSampleId :

3561-PP1


Tot Ion:240 Resp: 36994

Ion Ratio Lower Upper

240 100

120 13.8 4.6 7.0#




236 27.7 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.802 ng

RT: 19.87 min Scan# 1513

Delta R.T. -0.01 min

Lab File: BE093483.D

Acq: 19 Jul 2017 14:05


Tgt Ion:244 Resp: 52960

Ion Ratio Lower Upper

244 100

212 32.9 10.6 16.0#



122 9.7 15.4 23.0#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#32

Bis(2-ethylhexyl)phthalate

Concen: 7.882 ng

RT: 21.33 min Scan# 1647

Delta R.T. -0.01 min

Lab File: BE093483.D

Acq: 19 Jul 2017 14:05

Instrument :

BNA_E

ClientSampleId :

3561-PP1





Tot Ion:149 Resp: 1133771

Ion Ratio Lower Upper

149 100

167 6.7 20.1 30.1#

279 0.9 2.2 3.4#



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.93 min Scan# 2126

Delta R.T. -0.01 min

Lab File: BE093483.D

Acq: 19 Jul 2017 14:05

Tgt Ion:264 Resp: 31806

Ion Ratio Lower Upper

264 100

260 24.7 21.0 31.4

265 27.8 24.6 36.8

