

Data Path : Z:\HPCHEM1\BNA E\DATA\BE071917\
 Data File : BE093491.D
 Acq On : 19 Jul 2017 19:03
 Operator : SJ/JU
 Sample : I4199-09
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 3569-SPP4

Quant Time: Jul 20 13:25:33 2017
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE070217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 03 06:40:23 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.94	152	4005	0.40	ng	0.00
7) Naphthalene-d8	10.72	136	22492	0.40	ng	0.00
13) Acenaphthene-d10	14.54	164	14391	0.40	ng	0.00
19) Phenanthrene-d10	17.27	188	23421	0.40	ng	0.00
27) Chrysene-d12	21.43	240	35886	0.40	ng	0.00
34) Perylene-d12	23.93	264	31085	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.53	112	2285	0.19	ng	0.00
5) Phenol-d6	7.10	99	2443	0.14	ng	0.00
8) Nitrobenzene-d5	9.08	82	7054	0.49	ng	0.00
11) 2-Methylnaphthalene-d10	12.31	152	12386	0.35	ng	0.00
14) 2,4,6-Tribromophenol	16.03	330	1799	0.40	ng	0.00
15) 2-Fluorobiphenyl	13.16	172	36165	0.65	ng	-0.01
25) Fluoranthene-d10	19.28	212	138391	0.49	ng	0.00
29) Terphenyl-d14	19.87	244	57979	0.90	ng	0.00
Target Compounds						
22) Pentachlorophenol	16.91	266	450	0.234	ng	# 85
32) Bis(2-ethylhexyl)phthalate	21.33	149	40594	0.291	ng	# 67


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE071917\
Data File : BE093491.D
Acq On : 19 Jul 2017 19:03
Operator : SJ/JU
Sample : I4199-09
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
3569-SPP4

Quant Time: Jul 20 13:25:33 2017
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE070217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 03 06:40:23 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.94 min Scan# 404

Delta R.T. 0.00 min

Lab File: BE093491.D

Acq: 19 Jul 2017 19:03

Instrument :

BNA_E

ClientSampleId :

3569-SPP4


Tot Ion:152 Resp: 4005

Ion Ratio Lower Upper

152 100

150 145.8 125.1 187.7




115 63.5 55.7 83.5



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 0.189 ng

RT: 5.53 min Scan# 212

Delta R.T. 0.00 min

Lab File: BE093491.D

Acq: 19 Jul 2017 19:03


Tgt Ion:112 Resp: 2285

Ion Ratio Lower Upper

112 100

64 72.3 56.4 84.6



63 147.1 29.3 43.9#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.137 ng

RT: 7.10 min Scan# 337

Delta R.T. 0.00 min

Lab File: BE093491.D

Acq: 19 Jul 2017 19:03

Instrument :

BNA_E

ClientSampled :

3569-SPP4


Tot Ion: 99 Resp: 2443

Ion Ratio Lower Upper

99 100

42 20.9 0.0 0.0#




71 40.1 0.0 0.0#



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.72 min Scan# 578

Delta R.T. -0.00 min

Lab File: BE093491.D

Acq: 19 Jul 2017 19:03

Tgt Ion: 136 Resp: 22492


Ion Ratio Lower Upper

136 100

137 11.5 9.8 14.8

54 31.9 10.3 15.5#

68 6.8 9.0 13.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 0.491 ng

RT: 9.08 min Scan# 480

Delta R.T. -0.00 min

Lab File: BE093491.D

Acq: 19 Jul 2017 19:03

Instrument :

BNA_E

ClientSampleId :

3569-SPP4


Tot Ion: 82 Resp: 7054

Ion Ratio Lower Upper




82 100

128 126.1 17.0 25.4#

54 219.8 53.8 80.6#



Abundance Ion 82.00 (81.70 to 82.70): BE0
Ion 128.00 (127.70 to 128.70): BE0
Ion 54.00 (53.70 to 54.70): BE0



#11

2-Methylnaphthalene-d10

Concen: 0.345 ng

RT: 12.31 min Scan# 829

Delta R.T. -0.00 min

Lab File: BE093491.D


Acq: 19 Jul 2017 19:03

Tgt Ion: 152 Resp: 12386



Ion Ratio Lower Upper


152 100

151 19.2 15.1 22.7



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 151.00 (150.70 to 151.70): E









#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.54 min Scan# 1113
 Delta R.T. 0.00 min
 Lab File: BE093491.D
 Acq: 19 Jul 2017 19:03




Instrument :
 BNA_E
 ClientSampleId :
 3569-SPP4


Tot Ion:164 Resp: 14391
 Ion Ratio Lower Upper
 164 100
 162 103.5 84.6 127.0
 160 47.2 41.8 62.6



#14
 2,4,6-Tribromophenol
 Concen: 0.398 ng
 RT: 16.03 min Scan# 1206
 Delta R.T. -0.00 min
 Lab File: BE093491.D
 Acq: 19 Jul 2017 19:03

Tgt Ion:330 Resp: 1799
 Ion Ratio Lower Upper
 330 100
 332 107.9 77.7 116.5
 141 0.0 56.2 84.4#









#15
2-Fluorobiphenyl
Concen: 0.647 ng
RT: 13.16 min Scan# 1020
Delta R.T. -0.01 min
Lab File: BE093491.D
Acq: 19 Jul 2017 19:03




Instrument :
BNA_E
ClientSampled :
3569-SPP4


Tot Ion:172 Resp: 36165
Ion Ratio Lower Upper
172 100
171 37.1 29.8 44.6
170 25.2 20.7 31.1



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.27 min Scan# 1244
Delta R.T. -0.00 min
Lab File: BE093491.D
Acq: 19 Jul 2017 19:03

Tgt Ion:188 Resp: 23421
Ion Ratio Lower Upper
188 100
94 5.7 11.3 16.9#
80 4.5 11.7 17.5#





#22

Pentachlorophenol

Concen: 0.234 ng

RT: 16.91 min Scan# 1233

Delta R.T. 0.00 min

Lab File: BE093491.D

Acq: 19 Jul 2017 19:03

Instrument :

BNA_E

ClientSampleId :

3569-SPP4


Tot Ion:266 Resp: 450

Ion Ratio Lower Upper

266 100

264 74.1 58.2 87.2




268 65.0 71.9 107.9#



Abundance Ion 266.00 (265.70 to 266.70): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E



#25

Fluoranthene-d10

Concen: 0.490 ng

RT: 19.28 min Scan# 1433

Delta R.T. -0.01 min

Lab File: BE093491.D

Acq: 19 Jul 2017 19:03


Tgt Ion:212 Resp: 138391

Ion Ratio Lower Upper

212 100

106 3.4 2.4 3.6



104 1.9 1.6 2.4




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.43 min Scan# 1656

Delta R.T. -0.00 min

Lab File: BE093491.D

Acq: 19 Jul 2017 19:03

Instrument :

BNA_E

ClientSampleId :

3569-SPP4


Tot Ion:240 Resp: 35886

Ion Ratio Lower Upper

240 100

120 7.9 4.6 7.0#




236 26.5 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.905 ng

RT: 19.87 min Scan# 1513

Delta R.T. -0.01 min

Lab File: BE093491.D

Acq: 19 Jul 2017 19:03


Tgt Ion:244 Resp: 57979

Ion Ratio Lower Upper

244 100

212 35.1 10.6 16.0#



122 11.9 15.4 23.0#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.291 ng
 RT: 21.33 min Scan# 1647
 Delta R.T. -0.01 min
 Lab File: BE093491.D
 Acq: 19 Jul 2017 19:03

Instrument :
 BNA_E
 ClientSampleId :
 3569-SPP4

Tot Ion:149 Resp: 40594
 Ion Ratio Lower Upper
 149 100
 167 6.9 20.1 30.1#
 279 1.0 2.2 3.4#



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.93 min Scan# 2127
 Delta R.T. -0.00 min
 Lab File: BE093491.D
 Acq: 19 Jul 2017 19:03

Tgt Ion:264 Resp: 31085
 Ion Ratio Lower Upper
 264 100
 260 24.9 21.0 31.4
 265 31.9 24.6 36.8

