

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE072215\
 Data File : BE090219.D
 Acq On : 22 Jul 2015 4:28
 Operator : TP/IZ
 Sample : MDL-02-S
 Misc : MDL-SIM-SOIL-0.15PPM
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 MDL-02-S

Manual Integrations
 APPROVED

apatel
 7/22/2015 3:26:31 PM

Quant Time: Jul 22 08:41:08 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM02.2-EPA-SIM-BE072215.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 22 05:40:44 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.61	152	651	0.40	ng/ul	0.00
2) Naphthalene-d8	10.37	136	3215	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.21	164	1945	0.40	ng/ul	0.00
10) Phenanthrene-d10	16.95	188	5323	0.40	ng/ul	0.01
16) Chrysene-d12	21.12	240	2445	0.40	ng/ul	0.00
20) Perylene-d12	23.42	264	1250	0.40	ng/ul	0.00

System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	11.96	152	2233	0.44	ng/ul	0.00
14) Fluoranthene-d10	18.98	212	5855	0.38	ng/ul	0.00

Target Compounds						Qvalue
3) Naphthalene	10.41	128	1060	0.12	ng/ul#	84
5) 2-Methylnaphthalene	12.03	142	699	0.12	ng/ul	98
7) Acenaphthylene	13.93	152	4908	0.12	ng/ul#	92
8) Acenaphthene	14.27	153	3519	0.12	ng/ul	100
9) Fluorene	15.27	166	1027	0.11	ng/ul#	94
12) Phenanthrene	16.99	178	6793	0.11	ng/ul#	94
13) Anthracene	17.07	178	6818	0.12	ng/ul#	90
15) Fluoranthene	19.00	202	7911	0.11	ng/ul	92
17) Pyrene	19.37	202	7723	0.19	ng/ul#	93
18) Benzo(a)anthracene	21.10	228	382	0.10	ng/ul#	77
19) Chrysene	21.15	228	1448m	0.15	ng/ul	
21) Benzo(b)fluoranthene	22.72	252	234	0.15	ng/ul#	51
22) Benzo(k)fluoranthene	22.77	252	369m	0.08	ng/ul	
23) Benzo(a)pyrene	23.32	252	250	0.10	ng/ul#	44
24) Indeno(1,2,3-cd)pyrene	25.81	276	879	0.12	ng/ul#	95
25) Dibenzo(a,h)anthracene	25.83	278	143	0.12	ng/ul#	50
26) Benzo(g,h,i)perylene	26.54	276	1008	0.10	ng/ul#	48

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA_E\DATA\BE072215\
Data File : BE090219.D
Acq On : 22 Jul 2015 4:28
Operator : TP/IZ
Sample : MDL-02-S
Misc : MDL-SIM-SOIL-0.15PPM
ALS Vial : 18 Sample Multiplier: 1


Instrument :
BNA_E
ClientSampleId :
MDL-02-S

Manual Integrations
APPROVED

apatel
7/22/2015 3:26:31 PM

Quant Time: Jul 22 08:41:08 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM02.2-EPA-SIM-BE072215.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 22 05:40:44 2015
Response via : Initial Calibration





#3

Naphthalene

Concen: 0.12 ng/ul

RT: 10.41 min Scan# 1293

Delta R.T. -0.00 min

Lab File: BE090219.D

Acq: 22 Jul 2015 4:28

Instrument :

BNA_E


ClientSampleId :

MDL-02-S


Tgt Ion:	128	Resp:	1060
Ion Ratio	Lower	Upper	
128	100		
129	18.9	10.2	15.2#
127	21.5	11.8	17.6#

Manual Integrations
APPROVED



apatel
7/22/2015 3:26:31 PM



Abundance Ion 128.00 (127.70 to 128.70): E
Ion 129.00 (128.70 to 129.70): E
Ion 127.00 (126.70 to 127.70): E



Time-->



#5

2-Methylnaphthalene

Concen: 0.12 ng/ul


RT: 12.03 min Scan# 1630

Delta R.T. 0.00 min


Lab File: BE090219.D

Acq: 22 Jul 2015 4:28


Tgt Ion:	142	Resp:	699
Ion Ratio	Lower	Upper	
142	100		
141	89.3	73.0	109.6






Abundance Ion 142.00 (141.70 to 142.70): E
Ion 141.00 (140.70 to 141.70): E



Time-->





#7

Acenaphthylene

Concen: 0.12 ng/ul

RT: 13.93 min Scan# 1905

Delta R.T. 0.00 min

Lab File: BE090219.D

Acq: 22 Jul 2015 4:28

Instrument :

BNA_E





ClientSampleId :

MDL-02-S

Tgt Ion	Ratio	Lower	Upper
152	100		
151	6.2	4.2	6.4
153	18.5	11.5	17.3

Manual Integrations
APPROVED

apatel
7/22/2015 3:26:31 PM



#8

Acenaphthene

Concen: 0.12 ng/ul


RT: 14.27 min Scan# 1944


Delta R.T. 0.00 min

Lab File: BE090219.D

Acq: 22 Jul 2015 4:28

Tgt Ion	Ratio	Lower	Upper
153	100		
152	56.0	45.0	67.4
154	20.6	16.8	25.2





#9

Fluorene

Concen: 0.11 ng/ul

RT: 15.27 min Scan# 2058

Delta R.T. 0.01 min

Lab File: BE090219.D


Acq: 22 Jul 2015 4:28

Instrument :

BNA_E

ClientSampleId :




MDL-02-S



Tgt Ion:	166	Resp:	1027
Ion Ratio	Lower	Upper	
166	100		
165	106.7	81.9	122.9
167	23.8	12.2	18.2#

Manual Integrations
APPROVED

apatel
7/22/2015 3:26:31 PM



#12

Phenanthrene

Concen: 0.11 ng/ul




RT: 16.99 min Scan# 2218


Delta R.T. 0.00 min

Lab File: BE090219.D

Acq: 22 Jul 2015 4:28

Tgt Ion:	178	Resp:	6793
Ion Ratio	Lower	Upper	
178	100		
176	22.5	17.6	26.4
179	20.7	12.2	18.4#









#13
 Anthracene
 Concen: 0.12 ng/ul
 RT: 17.07 min Scan# 2225
 Delta R.T. 0.00 min
 Lab File: BE090219.D
 Acq: 22 Jul 2015 4:28

Instrument :
 BNA_E
 ClientSampleId :
 MDL-02-S

Tgt Ion	Ratio	Lower	Upper
178	100		
176	25.0	15.9	23.9#
179	19.9	13.3	19.9#




Manual Integrations
 APPROVED


apatel
 7/22/2015 3:26:31 PM



#15
 Fluoranthene
 Concen: 0.11 ng/ul
 RT: 19.00 min Scan# 2430
 Delta R.T. 0.00 min
 Lab File: BE090219.D
 Acq: 22 Jul 2015 4:28

Tgt Ion	Ratio	Lower	Upper
202	100		
101	3.8	0.0	23.0
203	21.9	0.0	37.8





#17

Pyrene

Concen: 0.19 ng/ul

RT: 19.37 min Scan# 2486

Delta R.T. 0.01 min

Lab File: BE090219.D

Acq: 22 Jul 2015 4:28

Instrument :

BNA_E





ClientSampleId :

MDL-02-S

Tgt	Ion	202	Resp:	7723
Ion	Ratio	Lower	Upper	
202	100			
200	6.4	4.4	6.6	
203	22.2	14.6	22.0	#

Manual Integrations
APPROVED

apatel
7/22/2015 3:26:31 PM



#18

Benzo(a)anthracene

Concen: 0.10 ng/ul




RT: 21.10 min Scan# 2820


Delta R.T. -0.00 min

Lab File: BE090219.D

Acq: 22 Jul 2015 4:28

Tgt	Ion	228	Resp:	382
Ion	Ratio	Lower	Upper	
228	100			
226	42.0	24.1	36.1	#
229	34.3	17.9	26.9	#





#19

Chrysene

Concen: 0.15 ng/ul m

RT: 21.15 min Scan# 2831

Delta R.T. -0.00 min

Lab File: BE090219.D


Acq: 22 Jul 2015 4:28

Instrument :

BNA_E

ClientSampleId :




MDL-02-S



Tgt Ion:	228	Resp:	1448
Ion Ratio	Lower	Upper	
228	100		
226	39.8	24.6	36.8#
229	27.9	17.4	26.2#

Manual Integrations
APPROVED

apatel
7/22/2015 3:26:31 PM



#21

Benzo(b)fluoranthene


Concen: 0.15 ng/ul

RT: 22.72 min Scan# 3173



Delta R.T. 0.00 min


Lab File: BE090219.D

Acq: 22 Jul 2015 4:28



Tgt Ion:	252	Resp:	234
Ion Ratio	Lower	Upper	
252	100		
253	50.0	0.0	56.8
125	45.8	0.0	37.0#





#22

Benzo(k)fluoranthene

Concen: 0.08 ng/ul m

RT: 22.77 min Scan# 3183

Delta R.T. -0.00 min

Lab File: BE090219.D


Acq: 22 Jul 2015 4:28

Instrument :

BNA_E

ClientSampleId :



MDL-02-S



Tgt Ion	Ratio	Lower	Upper
252	100		
253	45.0	19.5	29.3#
125	41.7	11.9	17.9#

Manual Integrations
APPROVED

apatel
7/22/2015 3:26:31 PM



#23

Benzo(a)pyrene


Concen: 0.10 ng/ul

RT: 23.32 min Scan# 3304



Delta R.T. -0.00 min


Lab File: BE090219.D

Acq: 22 Jul 2015 4:28



Tgt Ion	Ratio	Lower	Upper
252	100		
253	55.1	23.7	35.5#
125	50.3	15.4	23.2#









#24
 Indeno(1,2,3-cd)pyrene
 Concen: 0.12 ng/ul
 RT: 25.81 min Scan# 3795
 Delta R.T. -0.01 min
 Lab File: BE090219.D
 Acq: 22 Jul 2015 4:28

Instrument :
 BNA_E
 ClientSampleId :
 MDL-02-S

Tgt Ion	Ratio	Lower	Upper
276	100		
138	21.3	16.9	25.3
277	25.9	17.0	25.4




Manual Integrations
 APPROVED




apatel
 7/22/2015 3:26:31 PM



#25
 Dibenzo(a,h)anthracene
 Concen: 0.12 ng/ul
 RT: 25.83 min Scan# 3798
 Delta R.T. -0.01 min
 Lab File: BE090219.D
 Acq: 22 Jul 2015 4:28

Tgt Ion	Ratio	Lower	Upper
278	100		
139	0.0	0.0	0.0
279	67.5	30.1	45.1





#26

Benzo(g,h,i)perylene

Concen: 0.10 ng/ul

RT: 26.54 min Scan# 3907

Delta R.T. -0.01 min

Lab File: BE090219.D

Acq: 22 Jul 2015 4:28

Instrument :

BNA_E

ClientSampleId :

MDL-02-S

Tgt Ion: 276 Resp: 1008

Ion Ratio Lower Upper

276 100

277 57.4 24.6 36.8#

138 59.4 23.5 35.3#

Manual Integrations
APPROVED

apatel
7/22/2015 3:26:31 PM

