

Data Path : Z:\HPCHEM1\BNA E\DATA\BE072417\
 Data File : BE093547.D
 Acq On : 24 Jul 2017 20:32
 Operator : SJ/JU
 Sample : I4213-02
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 C0B26

Quant Time: Jul 25 01:24:15 2017
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE072417.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 24 18:07:15 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.92	152	3441	0.40	ng/ul	0.00
2) Naphthalene-d8	10.71	136	18219	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.53	164	12166	0.40	ng/ul	0.00
10) Phenanthrene-d10	0.00	188	0	0.00	ng/ul	-17.26
16) Chrysene-d12	21.41	240	34028	0.40	ng/ul	0.00
20) Perylene-d12	23.76	264	1860158	0.40	ng/ul	-0.16
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.29	152	7352	0.25	ng/ul	0.00
14) Fluoranthene-d10	19.28	212	24682	0.00	ng/ul	0.00
Target Compounds						
3) Naphthalene	10.76	128	1830	0.041	ng/ul#	93
17) Pyrene	19.67	202	5207	0.052	ng/ul#	93
18) Benzo(a)anthracene	21.40	228	3512	0.036	ng/ul#	88
19) Chrysene	21.40	228	3512	0.037	ng/ul	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE072417\
Data File : BE093547.D
Acq On : 24 Jul 2017 20:32
Operator : SJ/JU
Sample : I4213-02
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
C0B26

Quant Time: Jul 25 01:24:15 2017
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE072417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 24 18:07:15 2017
Response via : Initial Calibration





#3

Naphthalene

Concen: 0.041 ng/ul

RT: 10.76 min Scan# 1267

Delta R.T. -0.00 min

Lab File: BE093547.D

Acq: 24 Jul 2017 20:32

Instrument :

BNA_E

ClientSampleId :

C0B26


Tot Ion:128 Resp: 1830

Ion Ratio Lower Upper

128 100

129 15.9 11.3 16.9




127 0.0 4.0 6.0#



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#17

Pyrene

Concen: 0.052 ng/ul

RT: 19.67 min Scan# 2832

Delta R.T. -0.00 min

Lab File: BE093547.D

Acq: 24 Jul 2017 20:32


Tgt Ion:202 Resp: 5207

Ion Ratio Lower Upper

202 100

101 17.4 18.2 27.4#



100 18.2 15.6 23.4




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): E





#18

Benzo(a)anthracene

Concen: 0.036 ng/ul

RT: 21.40 min Scan# 3208

Delta R.T. -0.00 min

Lab File: BE093547.D

Acq: 24 Jul 2017 20:32

Instrument :

BNA_E

ClientSampleId :

C0B26


Tot Ion:228 Resp: 3512

Ion Ratio Lower Upper




228 100

229 25.3 22.8 34.2

226 30.2 17.0 25.6#



Abundance Ion 228.00 (227.70 to 228.70): E
Ion 229.00 (228.70 to 229.70): E
Ion 226.00 (225.70 to 226.70): E



#19

Chrysene

Concen: 0.037 ng/ul

RT: 21.40 min Scan# 3208

Delta R.T. -0.06 min

Lab File: BE093547.D

Acq: 24 Jul 2017 20:32


Tgt Ion:228 Resp: 3512

Ion Ratio Lower Upper

228 100

226 30.2 23.4 35.0

229 25.3 17.7 26.5



Abundance Ion 228.00 (227.70 to 228.70): E
Ion 226.00 (225.70 to 226.70): E
Ion 229.00 (228.70 to 229.70): E

