

Data Path : Z:\HPCHEM1\BNA E\DATA\BE072417\
 Data File : BE093548.D
 Acq On : 24 Jul 2017 21:08
 Operator : SJ/JU
 Sample : I4213-01
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 C0B25

Quant Time: Jul 25 01:24:21 2017
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE072417.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 24 18:07:15 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.93	152	2932	0.40	ng/ul	0.00
2) Naphthalene-d8	10.71	136	15407	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.53	164	10248	0.40	ng/ul	0.00
10) Phenanthrene-d10	0.00	188	0	0.00	ng/ul	-17.26
16) Chrysene-d12	21.41	240	29889	0.40	ng/ul	0.00
20) Perylene-d12	23.76	264	1676338	0.40	ng/ul	-0.16
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.29	152	6224	0.25	ng/ul	0.00
14) Fluoranthene-d10	19.28	212	22190	0.00	ng/ul	0.00
Target Compounds				Ovalue		
3) Naphthalene	10.76	128	1794	0.048	ng/ul#	92
17) Pyrene	19.67	202	3828	0.044	ng/ul#	91
18) Benzo(a)anthracene	21.40	228	2349	0.027	ng/ul#	89
19) Chrysene	21.45	228	2497	0.030	ng/ul#	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE072417\
Data File : BE093548.D
Acq On : 24 Jul 2017 21:08
Operator : SJ/JU
Sample : I4213-01
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
C0B25

Quant Time: Jul 25 01:24:21 2017
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE072417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 24 18:07:15 2017
Response via : Initial Calibration





#3

Naphthalene

Concen: 0.048 ng/ul

RT: 10.76 min Scan# 1267

Delta R.T. -0.00 min

Lab File: BE093548.D

Acq: 24 Jul 2017 21:08

Instrument :

BNA_E

ClientSampleId :

C0B25


Tot Ion:128 Resp: 1794

Ion Ratio Lower Upper

128 100

129 16.4 11.3 16.9




127 0.0 4.0 6.0#



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#17

Pyrene

Concen: 0.044 ng/ul

RT: 19.67 min Scan# 2831

Delta R.T. -0.00 min

Lab File: BE093548.D

Acq: 24 Jul 2017 21:08


Tgt Ion:202 Resp: 3828

Ion Ratio Lower Upper

202 100

101 16.4 18.2 27.4#



100 18.1 15.6 23.4




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): E





#18

Benzo(a)anthracene

Concen: 0.027 ng/ul

RT: 21.40 min Scan# 3207

Delta R.T. -0.00 min

Lab File: BE093548.D

Acq: 24 Jul 2017 21:08

Instrument :

BNA_E

ClientSampleId :

C0B25





Tot Ion:228 Resp: 2349

Ion Ratio Lower Upper

228 100

229 28.2 22.8 34.2

226 32.6 17.0 25.6#



#19

Chrysene

Concen: 0.030 ng/ul

RT: 21.45 min Scan# 3219

Delta R.T. -0.00 min

Lab File: BE093548.D

Acq: 24 Jul 2017 21:08

Tgt Ion:228 Resp: 2497

Ion Ratio Lower Upper

228 100

226 35.6 23.4 35.0#

229 27.5 17.7 26.5#

