

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE072417\
 Data File : BE093548.D
 Acq On : 24 Jul 2017 21:08
 Operator : SJ/JU
 Sample : I4213-01
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 C0B25

Manual Integrations
 APPROVED

Sohil
 7/25/2017 5:33:09 PM

Quant Time: Jul 25 10:52:09 2017
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE072417.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 25 06:10:24 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.93	152	2932	0.40	ng/ul	0.00
2) Naphthalene-d8	10.71	136	15407	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.53	164	10248	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.26	188	26686m	0.40	ng/ul	0.00
16) Chrysene-d12	21.41	240	29876	0.40	ng/ul	0.00
20) Perylene-d12	23.92	264	24104m	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.29	152	6224	0.25	ng/ul	0.00
14) Fluoranthene-d10	19.28	212	22185	0.26	ng/ul	0.00
Target Compounds				Qvalue		
3) Naphthalene	10.76	128	1794	0.048	ng/ul#	92
15) Fluoranthene	19.31	202	3769	0.041	ng/ul	86
17) Pyrene	19.67	202	3828	0.044	ng/ul#	91
18) Benzo(a)anthracene	21.40	228	2349	0.027	ng/ul#	89
19) Chrysene	21.45	228	2497	0.030	ng/ul#	88
21) Benzo(b)fluoranthene	23.15	252	4245	0.057	ng/ul#	64
23) Benzo(a)pyrene	23.81	252	2972m	0.042	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE072417\
Data File : BE093548.D
Acq On : 24 Jul 2017 21:08
Operator : SJ/JU
Sample : I4213-01
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
C0B25

Manual Integrations
APPROVED

Sohil
7/25/2017 5:33:09 PM

Quant Time: Jul 25 10:52:09 2017
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE072417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 25 06:10:24 2017
Response via : Initial Calibration

