

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE072417\
 Data File : BE093558.D
 Acq On : 25 Jul 2017 3:18
 Operator : SJ/JU
 Sample : I4209-09
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 C0B12

Manual Integrations
 APPROVED

Sohil
 7/25/2017 5:33:54 PM

Quant Time: Jul 25 11:39:10 2017
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE072417.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 25 06:10:24 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.93	152	3236	0.40	ng/ul	0.00
2) Naphthalene-d8	10.71	136	17418	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.53	164	11805	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.26	188	29288m	0.40	ng/ul	0.00
16) Chrysene-d12	21.41	240	32592	0.40	ng/ul	0.00
20) Perylene-d12	23.92	264	26293m	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.29	152	7314	0.26	ng/ul	0.00
14) Fluoranthene-d10	19.28	212	25636	0.28	ng/ul	0.00
Target Compounds					Qvalue	
3) Naphthalene	10.76	128	1985	0.047	ng/ul#	93
12) Phenanthrene	17.29	178	3074	0.039	ng/ul#	89
15) Fluoranthene	19.30	202	5903	0.059	ng/ul	85
17) Pyrene	19.67	202	7173m	0.075	ng/ul	
18) Benzo(a)anthracene	21.39	228	5125	0.054	ng/ul#	89
19) Chrysene	21.45	228	7230	0.080	ng/ul	96
21) Benzo(b)fluoranthene	23.15	252	9680	0.119	ng/ul	92
22) Benzo(k)fluoranthene	23.20	252	3357m	0.042	ng/ul	
23) Benzo(a)pyrene	23.81	252	7089m	0.092	ng/ul	
26) Benzo(g,h,i)perylene	27.37	276	3740m	0.052	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE072417\
Data File : BE093558.D
Acq On : 25 Jul 2017 3:18
Operator : SJ/JU
Sample : I4209-09
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
C0B12

Manual Integrations
APPROVED

Sohil
7/25/2017 5:33:54 PM

Quant Time: Jul 25 11:39:10 2017
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE072417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 25 06:10:24 2017
Response via : Initial Calibration

