

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE072417\
 Data File : BE093561.D
 Acq On : 25 Jul 2017 5:09
 Operator : SJ/JU
 Sample : I4213-09
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 C0B33

Manual Integrations
 APPROVED

Sohil
 7/25/2017 5:34:01 PM

Quant Time: Jul 25 11:49:37 2017
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE072417.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 25 06:10:24 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.93	152	3053	0.40	ng/ul	0.00
2) Naphthalene-d8	10.71	136	16600	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.53	164	11338	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.26	188	28485m	0.40	ng/ul	0.00
16) Chrysene-d12	21.41	240	30984	0.40	ng/ul	0.00
20) Perylene-d12	23.91	264	25292m	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.29	152	8567	0.32	ng/ul	0.00
14) Fluoranthene-d10	19.28	212	29672	0.33	ng/ul	0.00
Target Compounds						
3) Naphthalene	10.76	128	2069	0.051	ng/ul#	95
15) Fluoranthene	19.31	202	6546	0.067	ng/ul	85
17) Pyrene	19.67	202	6439	0.071	ng/ul#	87
18) Benzo(a)anthracene	21.40	228	3727	0.041	ng/ul#	88
19) Chrysene	21.45	228	3883	0.045	ng/ul	93
21) Benzo(b)fluoranthene	23.15	252	6170	0.079	ng/ul	92
23) Benzo(a)pyrene	23.81	252	4367m	0.059	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE072417\
Data File : BE093561.D
Acq On : 25 Jul 2017 5:09
Operator : SJ/JU
Sample : I4213-09
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
C0B33

Manual Integrations
APPROVED

Sohil
7/25/2017 5:34:01 PM

Quant Time: Jul 25 11:49:37 2017
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE072417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 25 06:10:24 2017
Response via : Initial Calibration

