

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE072417\
 Data File : BE093568.D
 Acq On : 25 Jul 2017 9:25
 Operator : SJ/JU
 Sample : I4209-07
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 C0B10

Manual Integrations
 APPROVED

Sohil
 7/25/2017 5:34:13 PM

Quant Time: Jul 25 12:13:37 2017
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE072417.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 25 06:10:24 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.93	152	2177	0.40	ng/ul	0.00
2) Naphthalene-d8	10.71	136	11700	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.53	164	7899	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.26	188	19555m	0.40	ng/ul	0.00
16) Chrysene-d12	21.41	240	22457	0.40	ng/ul	0.00
20) Perylene-d12	23.92	264	18495m	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.29	152	5881	0.31	ng/ul	0.00
14) Fluoranthene-d10	19.28	212	19344	0.31	ng/ul	0.00
Target Compounds					Qvalue	
3) Naphthalene	10.76	128	1525	0.054	ng/ul#	90
12) Phenanthrene	17.29	178	1541	0.029	ng/ul#	91
15) Fluoranthene	19.30	202	2911	0.044	ng/ul	87
17) Pyrene	19.67	202	2924	0.045	ng/ul#	89
18) Benzo(a)anthracene	21.40	228	2478	0.038	ng/ul#	89
19) Chrysene	21.45	228	2597m	0.042	ng/ul	
21) Benzo(b)fluoranthene	23.14	252	4513	0.079	ng/ul#	80
23) Benzo(a)pyrene	23.80	252	4019m	0.074	ng/ul	
24) Indeno(1,2,3-cd)pyrene	26.55	276	2556m	0.043	ng/ul	
26) Benzo(g,h,i)perylene	27.37	276	2610m	0.052	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE072417\
Data File : BE093568.D
Acq On : 25 Jul 2017 9:25
Operator : SJ/JU
Sample : I4209-07
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
C0B10

Manual Integrations
APPROVED

Sohil
7/25/2017 5:34:13 PM

Quant Time: Jul 25 12:13:37 2017
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE072417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 25 06:10:24 2017
Response via : Initial Calibration

