

Data Path : Z:\HPCHEM1\BNA E\DATA\BE072517\
 Data File : BE093585.D
 Acq On : 25 Jul 2017 19:55
 Operator : SJ/JU
 Sample : I4213-17
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 C0B41

Quant Time: Jul 26 02:49:01 2017
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE072417.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 25 06:10:24 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.93	152	2372	0.40	ng/ul	0.00
2) Naphthalene-d8	10.71	136	12526	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.53	164	8460	0.40	ng/ul	0.00
10) Phenanthrene-d10	0.00	188	0	0.00	ng/ul	-17.26
16) Chrysene-d12	21.41	240	22739	0.40	ng/ul	0.00
20) Perylene-d12	23.76	264	1704523	0.40	ng/ul	-0.15
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.29	152	6743	0.33	ng/ul	0.00
14) Fluoranthene-d10	19.27	212	22609	0.00	ng/ul	0.00
Target Compounds						
3) Naphthalene	10.76	128	2630	0.086	ng/ul#	95
5) 2-Methylnaphthalene	12.36	142	543	0.024	ng/ul	97
17) Pyrene	19.66	202	3946	0.059	ng/ul#	92
18) Benzo(a)anthracene	21.39	228	2759	0.042	ng/ul#	88
19) Chrysene	21.39	228	2759	0.044	ng/ul	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE072517\
Data File : BE093585.D
Acq On : 25 Jul 2017 19:55
Operator : SJ/JU
Sample : I4213-17
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
C0B41

Quant Time: Jul 26 02:49:01 2017
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE072417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 25 06:10:24 2017
Response via : Initial Calibration





#3

Naphthalene

Concen: 0.086 ng/ul

RT: 10.76 min Scan# 1267

Delta R.T. 0.00 min

Lab File: BE093585.D

Acq: 25 Jul 2017 19:55

Instrument :

BNA_E

ClientSampleId :

C0B41


Tot Ion:128 Resp: 2630

Ion Ratio Lower Upper

128 100

129 14.8 11.3 16.9

127 0.0 4.0 6.0#



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E

10.76

1500



1000

500

0

Time-->

10.70 10.75 10.80



#5

2-Methylnaphthalene

Concen: 0.024 ng/ul

RT: 12.36 min Scan# 1754

Delta R.T. -0.00 min

Lab File: BE093585.D


Acq: 25 Jul 2017 19:55

Tgt Ion:142 Resp: 543

Ion Ratio Lower Upper

142 100

141 87.7 72.6 108.8



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

12.36

400

300


200


100

0

Time-->

12.30 12.35 12.40





#17

Pvrene

Concen: 0.059 ng/ul

RT: 19.66 min Scan# 2831

Delta R.T. -0.00 min

Lab File: BE093585.D

Acq: 25 Jul 2017 19:55

Instrument :

BNA_E

ClientSampleId :

C0B41


Tot Ion:202 Resp: 3946

Ion Ratio Lower Upper

202 100

101 17.8 18.2 27.4#




100 21.4 15.6 23.4



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): E



#18

Benzo(a)anthracene

Concen: 0.042 ng/ul

RT: 21.39 min Scan# 3207

Delta R.T. -0.00 min

Lab File: BE093585.D

Acq: 25 Jul 2017 19:55


Tgt Ion:228 Resp: 2759

Ion Ratio Lower Upper

228 100

229 25.6 22.8 34.2



226 30.9 17.0 25.6#






Abundance Ion 228.00 (227.70 to 228.70): E

Ion 229.00 (228.70 to 229.70): E

Ion 226.00 (225.70 to 226.70): E





#19

Chrysene

Concen: 0.044 ng/ul

RT: 21.39 min Scan# 3207

Delta R.T. -0.06 min

Lab File: BE093585.D

Acq: 25 Jul 2017 19:55

Instrument :

BNA_E

ClientSampleId :

C0B41

Tot Ion: 228 Resp: 2759

Ion Ratio Lower Upper

228 100

226 30.9 23.4 35.0

229 25.6 17.7 26.5

