

Data Path : Z:\HPCHEM1\BNA E\DATA\BE080216\
 Data File : BE092134.D
 Acq On : 3 Aug 2016 5:36
 Operator : UM/SJ
 Sample : H4205-05
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 GW-38-6.5-15.0

Quant Time: Aug 03 07:56:49 2016
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-PAH-BE080216.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 02 16:59:37 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.17	152	11116	5.00	ng	0.00
6) Naphthalene-d8	10.99	136	47923	5.00	ng	0.00
10) Acenaphthene-d10	14.85	164	25002	5.00	ng	0.00
16) Phenanthrene-d10	17.56	188	52906	5.00	ng	-0.02
22) Chrysene-d12	21.75	240	62659	5.00	ng	0.00
28) Perylene-d12	24.14	264	66359	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.70	112	21579	7.56	ng	0.00
5) Phenol-d6	7.34	99	18478	4.86	ng	-0.01
7) Nitrobenzene-d5	9.34	82	24629	6.51	ng	-0.01
11) 2,4,6-Tribromophenol	16.33	330	11241	13.85	ng	0.00
12) 2-Fluorobiphenyl	13.46	172	52541	6.63	ng	0.00
24) Terphenyl-d14	20.19	244	70122	7.79	ng	-0.02
Target Compounds						
20) Anthracene	17.70	178	668	0.05	ng	Qvalue 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE080216\
Data File : BE092134.D
Acq On : 3 Aug 2016 5:36
Operator : UM/SJ
Sample : H4205-05
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
GW-38-6.5-15.0

Quant Time: Aug 03 07:56:49 2016
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-PAH-BE080216.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 02 16:59:37 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 8.17 min Scan# 479

Delta R.T. -0.00 min

Lab File: BE092134.D

Acq: 3 Aug 2016 5:36

Instrument :

BNA_E

ClientSampleId :

GW-38-6.5-15.0


Tot Ion:152 Resp: 11116

Ion Ratio Lower Upper

152 100

150 169.2 106.0 159.0#



115 72.8 36.9 55.3#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 7.56 ng

RT: 5.70 min Scan# 267

Delta R.T. 0.00 min

Lab File: BE092134.D

Acq: 3 Aug 2016 5:36


Tgt Ion:112 Resp: 21579

Ion Ratio Lower Upper

112 100

64 66.7 55.9 83.9



63 36.2 31.1 46.7



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 4.86 ng

RT: 7.34 min Scan# 409

Delta R.T. -0.01 min

Lab File: BE092134.D

Acq: 3 Aug 2016 5:36

Instrument :

BNA_E

ClientSampled :

GW-38-6.5-15.0


Tot Ion: 99 Resp: 18478

Ion Ratio Lower Upper

99 100

42 24.9 22.4 33.6




71 35.1 28.9 43.3



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.99 min Scan# 704

Delta R.T. -0.00 min

Lab File: BE092134.D

Acq: 3 Aug 2016 5:36

Tgt Ion: 136 Resp: 47923


Ion Ratio Lower Upper

136 100

137 11.7 9.1 13.7

54 5.3 2.7 4.1#

68 4.1 2.2 3.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 6.51 ng

RT: 9.34 min Scan# 580

Delta R.T. -0.01 min

Lab File: BE092134.D

Acq: 3 Aug 2016 5:36

Instrument :

BNA_E

ClientSampleId :

GW-38-6.5-15.0


Tot Ion: 82 Resp: 24629

Ion Ratio Lower Upper

82 100

128 32.8 33.0 49.4#




54 61.8 42.6 63.8



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#10

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.85 min Scan# 999

Delta R.T. 0.00 min

Lab File: BE092134.D

Acq: 3 Aug 2016 5:36


Tgt Ion: 164 Resp: 25002

Ion Ratio Lower Upper

164 100

162 88.9 69.5 104.3



160 35.2 27.6 41.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#11
 2,4,6-Tribromophenol
 Concen: 13.85 ng
 RT: 16.33 min Scan# 1107
 Delta R.T. -0.00 min
 Lab File: BE092134.D
 Acq: 3 Aug 2016 5:36




Instrument :
 BNA_E
 ClientSampleId :
 GW-38-6.5-15.0


Tot Ion:330 Resp: 11241
 Ion Ratio Lower Upper
 330 100
 332 96.1 74.2 111.4
 141 43.8 139.8 209.8#



#12
 2-Fluorobiphenyl
 Concen: 6.63 ng
 RT: 13.46 min Scan# 904
 Delta R.T. -0.00 min
 Lab File: BE092134.D
 Acq: 3 Aug 2016 5:36

Tgt Ion:172 Resp: 52541
 Ion Ratio Lower Upper
 172 100
 171 32.7 30.3 45.5
 170 20.6 21.6 32.4#









#16
Phenanthrene-d10
Concen: 5.00 ng
RT: 17.56 min Scan# 1171
Delta R.T. -0.02 min
Lab File: BE092134.D
Acq: 3 Aug 2016 5:36




Instrument :
BNA_E
ClientSampleId :
GW-38-6.5-15.0


Tot Ion:188 Resp: 52906
Ion Ratio Lower Upper
188 100
94 18.2 3.9 5.9#
80 19.5 3.4 5.0#



#20
Anthracene
Concen: 0.05 ng
RT: 17.70 min Scan# 1177
Delta R.T. -0.00 min
Lab File: BE092134.D
Acq: 3 Aug 2016 5:36

Tgt Ion:178 Resp: 668
Ion Ratio Lower Upper
178 100
176 18.4 15.2 22.8
179 17.4 12.2 18.4









#22
Chrysene-d12
Concen: 5.00 ng
RT: 21.75 min Scan# 1407
Delta R.T. -0.00 min
Lab File: BE092134.D
Acq: 3 Aug 2016 5:36




Instrument :
BNA_E
ClientSampleId :
GW-38-6.5-15.0




Tot Ion:240 Resp: 62659
Ion Ratio Lower Upper
240 100
120 1.5 0.6 1.0#
236 22.4 18.2 27.4



#24
Terphenyl-d14
Concen: 7.79 ng
RT: 20.19 min Scan# 1317
Delta R.T. -0.02 min
Lab File: BE092134.D
Acq: 3 Aug 2016 5:36

Tgt Ion:244 Resp: 70122
Ion Ratio Lower Upper
244 100
212 9.0 9.1 13.7#
122 8.3 11.0 16.4#





#28

Pervlene-d12

Concen: 5.00 ng

RT: 24.14 min Scan# 1591

Delta R.T. 0.00 min

Lab File: BE092134.D

Acq: 3 Aug 2016 5:36

Instrument :

BNA_E

ClientSampleId :

GW-38-6.5-15.0

Tot Ion: 264 Resp: 66359

Ion Ratio Lower Upper

264 100

260 24.7 20.8 31.2

265 22.4 16.6 25.0

