

Data Path : Z:\HPCHEM1\BNA E\DATA\BE080217\
 Data File : BE093645.D
 Acq On : 3 Aug 2017 2:44
 Operator : SJ/JU
 Sample : I4425-11MSD
 Misc : I4426-07
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 CSSB-30-2MSD

Quant Time: Aug 03 04:23:27 2017
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE080117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 02 10:58:31 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.92	152	2608	0.40	ng	-0.01
7) Naphthalene-d8	10.71	136	12760	0.40	ng	0.00
13) Acenaphthene-d10	14.53	164	7297	0.40	ng	0.00
19) Phenanthrene-d10	17.24	188	20008	0.40	ng	0.00
27) Chrysene-d12	21.40	240	18908	0.40	ng	-0.01
34) Perylene-d12	23.91	264	16639	0.40	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Fluorophenol	5.51	112	2725	0.35	ng	0.00
5) Phenol-d6	7.09	99	4045	0.35	ng	-0.01
8) Nitrobenzene-d5	9.06	82	3033	0.31	ng	0.00
11) 2-Methylnaphthalene-d10	12.29	152	5495	0.27	ng	0.00
14) 2,4,6-Tribromophenol	16.00	330	628	0.39	ng	0.00
15) 2-Fluorobiphenyl	13.15	172	8110	0.28	ng	-0.02
25) Fluoranthene-d10	19.27	212	59484	0.26	ng	0.00
29) Terphenyl-d14	19.86	244	10241	0.30	ng	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) 1,4-Dioxane	3.44	88	1151	0.272	ng	# 57
3) n-Nitrosodimethylamine	3.74	42	1414	0.357	ng	# 98
6) bis(2-Chloroethyl)ether	7.34	93	2962	0.301	ng	# 96
9) Naphthalene	10.76	128	44610	0.302	ng	100
10) Hexachlorobutadiene	11.04	225	1342	0.245	ng	99
12) 2-Methylnaphthalene	12.36	142	10165	0.416	ng	97
16) Acenaphthylene	14.24	152	10653	0.306	ng	# 85
17) Acenaphthene	14.58	154	7128	0.290	ng	98
18) Fluorene	15.56	166	9996	0.304	ng	# 81
20) 4-Bromophenyl-phenylether	16.42	248	1569	0.216	ng	# 1
21) Hexachlorobenzene	16.55	284	1436	0.211	ng	# 100
22) Pentachlorophenol	16.91	266	1217	0.462	ng	93
23) Phenanthrene	17.27	178	14831	0.337	ng	# 79
24) Anthracene	17.37	178	18092	0.301	ng	# 86
26) Fluoranthene	19.30	202	17914	0.256	ng	99
28) Pyrene	19.66	202	18681	0.306	ng	# 97
30) Benzo(a)anthracene	21.39	228	16036	0.288	ng	96
31) Chrysene	21.45	228	15493	0.250	ng	96
32) Bis(2-ethylhexyl)phthalate	21.30	149	47157	0.622	ng	98
33) Indeno(1,2,3-cd)pyrene	26.55	276	13653	0.243	ng	94
35) Benzo(b)fluoranthene	23.14	252	14546	0.245	ng	97
36) Benzo(k)fluoranthene	23.19	252	14116	0.233	ng	98
37) Benzo(a)pyrene	23.80	252	13275	0.247	ng	99
38) Dibenzo(a,h)anthracene	26.56	278	11431	0.220	ng	# 93
39) Benzo(g,h,i)perylene	27.36	276	11224	0.213	ng	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE080217\
Data File : BE093645.D
Acq On : 3 Aug 2017 2:44
Operator : SJ/JU
Sample : I4425-11MSD
Misc : I4426-07
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
CSSB-30-2MSD

Quant Time: Aug 03 04:23:27 2017
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE080117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 02 10:58:31 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.92 min Scan# 402
 Delta R.T. -0.01 min
 Lab File: BE093645.D
 Acq: 3 Aug 2017 2:44

Instrument :
 BNA_E
 ClientSampleId :
 CSSB-30-2MSD

Tot Ion:152 Resp: 2608
 Ion Ratio Lower Upper
 152 100
 150 159.9 125.1 187.7
 115 73.5 55.7 83.5




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
 Concen: 0.272 ng
 RT: 3.44 min Scan# 46
 Delta R.T. -0.00 min
 Lab File: BE093645.D
 Acq: 3 Aug 2017 2:44

Tgt Ion: 88 Resp: 1151
 Ion Ratio Lower Upper
 88 100
 58 111.1 62.2 93.4#
 43 0.0 23.2 34.8#



Abundance Ion 88.00 (87.70 to 88.70): BE0
 Ion 58.00 (57.70 to 58.70): BE0
 Ion 43.00 (42.70 to 43.70): BE0





#3

n-Nitrosodimethylamine

Concen: 0.357 ng

RT: 3.74 min Scan# 70

Delta R.T. -0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44

Instrument :

BNA_E

ClientSampleId :

CSSB-30-2MSD


Tot Ion: 42 Resp: 1414

Ion Ratio Lower Upper

42 100

74 123.8 99.1 148.7




44 0.0 7.4 11.2#



Abundance Ion 42.00 (41.70 to 42.70): BE0

Ion 74.00 (73.70 to 74.70): BE0

Ion 44.00 (43.70 to 44.70): BE0



#4

2-Fluorophenol

Concen: 0.351 ng

RT: 5.51 min Scan# 211

Delta R.T. -0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44


Tgt Ion: 112 Resp: 2725

Ion Ratio Lower Upper

112 100

64 70.9 56.4 84.6



63 143.1 29.3 43.9#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.346 ng

RT: 7.09 min Scan# 336

Delta R.T. -0.01 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44

Instrument :

BNA_E

ClientSampleId :

CSSB-30-2MSD


Tot Ion: 99 Resp: 4045

Ion Ratio Lower Upper

99 100

42 36.4 0.0 0.0#




71 38.9 0.0 0.0#



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#6

bis(2-Chloroethyl)ether

Concen: 0.301 ng

RT: 7.34 min Scan# 356

Delta R.T. -0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44


Tgt Ion: 93 Resp: 2962

Ion Ratio Lower Upper

93 100

63 344.6 0.0 0.0#



95 34.0 25.4 38.0




Abundance Ion 93.00 (92.70 to 93.70): BE0

Ion 63.00 (62.70 to 63.70): BE0

Ion 95.00 (94.70 to 95.70): BE0





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.71 min Scan# 577

Delta R.T. 0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44

Instrument :

BNA_E

ClientSampleId :

CSSB-30-2MSD

Tot Ion:136 Resp: 12760





Ion Ratio Lower Upper

136 100

137 11.1 9.8 14.8

54 29.1 10.3 15.5#

68 6.6 9.0 13.4#



#8

Nitrobenzene-d5

Concen: 0.311 ng

RT: 9.06 min Scan# 479

Delta R.T. 0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44




Tgt Ion: 82 Resp: 3033


Ion Ratio Lower Upper

82 100

128 116.7 17.0 25.4#

54 222.0 53.8 80.6#





#9

Naphthalene

Concen: 0.302 ng

RT: 10.76 min Scan# 580

Delta R.T. 0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44

Instrument :

BNA_E

ClientSampleId :

CSSB-30-2MSD


Tot Ion:128 Resp: 44610

Ion Ratio Lower Upper

128 100

129 3.0 2.4 3.6




127 3.3 2.4 3.6



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#10

Hexachlorobutadiene

Concen: 0.245 ng

RT: 11.04 min Scan# 597

Delta R.T. -0.02 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44


Tgt Ion:225 Resp: 1342

Ion Ratio Lower Upper

225 100

223 62.2 49.7 74.5



227 64.6 50.3 75.5




Abundance Ion 225.00 (224.70 to 225.70): E

Ion 223.00 (222.70 to 223.70): E

Ion 227.00 (226.70 to 227.70): E





#11

2-Methylnaphthalene-d10

Concen: 0.273 ng

RT: 12.29 min Scan# 824

Delta R.T. -0.01 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44

Instrument :

BNA_E

ClientSampleId :





CSSB-30-2MSD

Tot Ion:152 Resp: 5495

Ion Ratio Lower Upper

152 100

151 20.2 15.1 22.7



#12

2-Methylnaphthalene

Concen: 0.416 ng

RT: 12.36 min Scan# 843

Delta R.T. -0.01 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44




Tgt Ion:142 Resp: 10165


Ion Ratio Lower Upper

142 100

141 88.6 72.6 108.8

115 37.0 32.2 48.2









#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.53 min Scan# 1112
 Delta R.T. -0.00 min
 Lab File: BE093645.D
 Acq: 3 Aug 2017 2:44




Instrument :
 BNA_E
 ClientSampleId :
 CSSB-30-2MSD


Tot Ion:164 Resp: 7297
 Ion Ratio Lower Upper
 164 100
 162 102.4 84.6 127.0
 160 47.6 41.8 62.6



#14
 2,4,6-Tribromophenol
 Concen: 0.394 ng
 RT: 16.00 min Scan# 1205
 Delta R.T. 0.00 min
 Lab File: BE093645.D
 Acq: 3 Aug 2017 2:44

Tgt Ion:330 Resp: 628
 Ion Ratio Lower Upper
 330 100
 332 82.5 77.7 116.5
 141 60.7 56.2 84.4









#15
2-Fluorobiphenyl
Concen: 0.278 ng
RT: 13.15 min Scan# 1019
Delta R.T. -0.02 min
Lab File: BE093645.D
Acq: 3 Aug 2017 2:44

Instrument :
BNA_E
ClientSampleId :
CSSB-30-2MSD

Tot Ion:172 Resp: 8110
Ion Ratio Lower Upper
172 100
171 35.8 29.8 44.6
170 25.0 20.7 31.1




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#16
Acenaphthylene
Concen: 0.306 ng
RT: 14.24 min Scan# 1093
Delta R.T. -0.00 min
Lab File: BE093645.D
Acq: 3 Aug 2017 2:44

Tgt Ion:152 Resp: 10653
Ion Ratio Lower Upper
152 100
151 20.2 4.0 6.0#
153 14.2 10.3 15.5



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 151.00 (150.70 to 151.70): E
Ion 153.00 (152.70 to 153.70): E









#17
Acenaphthene
Concen: 0.290 ng
RT: 14.58 min Scan# 1116
Delta R.T. -0.00 min
Lab File: BE093645.D
Acq: 3 Aug 2017 2:44




Instrument :
BNA_E
ClientSampleId :
CSSB-30-2MSD


Tot Ion:154 Resp: 7128
Ion Ratio Lower Upper
154 100
153 116.3 91.2 136.8
152 56.5 44.8 67.2



#18
Fluorene
Concen: 0.304 ng
RT: 15.56 min Scan# 1182
Delta R.T. -0.00 min
Lab File: BE093645.D
Acq: 3 Aug 2017 2:44

Tgt Ion:166 Resp: 9996
Ion Ratio Lower Upper
166 100
165 100.8 78.6 117.8
167 67.3 11.1 16.7#





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.24 min Scan# 1243

Delta R.T. 0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44

Instrument :

BNA_E

ClientSampleId :

CSSB-30-2MSD


Tot Ion:188 Resp: 20008

Ion Ratio Lower Upper

188 100

94 12.9 11.3 16.9




80 13.5 11.7 17.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#20

4-Bromophenyl-phenylether

Concen: 0.216 ng

RT: 16.42 min Scan# 1218

Delta R.T. -0.03 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44


Tgt Ion:248 Resp: 1569

Ion Ratio Lower Upper

248 100

250 45.9 128.0 192.0#



141 337.4 12.0 18.0#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E





#21

Hexachlorobenzene

Concen: 0.211 ng

RT: 16.55 min Scan# 1222

Delta R.T. -0.03 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44

Instrument :

BNA_E

ClientSampleId :

CSSB-30-2MSD


Tot Ion:284 Resp: 1436

Ion Ratio Lower Upper

284 100

142 80.8 0.0 0.0#




249 62.4 0.0 0.0#



Abundance Ion 283.80 (283.50 to 284.50): E

Ion 142.00 (141.70 to 142.70): E

Ion 249.00 (248.70 to 249.70): E



#22

Pentachlorophenol

Concen: 0.462 ng

RT: 16.91 min Scan# 1233

Delta R.T. 0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44


Tgt Ion:266 Resp: 1217

Ion Ratio Lower Upper

266 100

264 62.8 56.0 84.0



268 68.8 52.0 78.0




Abundance Ion 266.00 (265.70 to 266.70): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E





#23

Phenanthrene

Concen: 0.337 ng

RT: 17.27 min Scan# 1244

Delta R.T. 0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44

Instrument :

BNA_E

ClientSampleId :

CSSB-30-2MSD





Tot Ion:178 Resp: 14831

Ion Ratio Lower Upper

178 100

176 21.6 15.0 22.4

179 0.0 12.7 19.1#



#24

Anthracene

Concen: 0.301 ng

RT: 17.37 min Scan# 1247

Delta R.T. 0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44




Tgt Ion:178 Resp: 18092


Ion Ratio Lower Upper

178 100

176 19.5 14.6 22.0

179 26.8 12.0 18.0#





#25

Fluoranthene-d10

Concen: 0.262 ng

RT: 19.27 min Scan# 1432

Delta R.T. 0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44

Instrument :

BNA_E

ClientSampleId :

CSSB-30-2MSD


Tot Ion:212 Resp: 59484

Ion Ratio Lower Upper

212 100

106 3.5 2.4 3.6




104 1.9 1.6 2.4



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#26

Fluoranthene

Concen: 0.256 ng

RT: 19.30 min Scan# 1436

Delta R.T. 0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44


Tgt Ion:202 Resp: 17914

Ion Ratio Lower Upper

202 100

101 12.3 9.6 14.4



203 17.3 14.4 21.6




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E









#27
Chrysene-d12
Concen: 0.400 ng
RT: 21.40 min Scan# 1654
Delta R.T. -0.01 min
Lab File: BE093645.D
Acq: 3 Aug 2017 2:44




Instrument :
BNA_E
ClientSampleId :
CSSB-30-2MSD


Tot Ion:240 Resp: 18908
Ion Ratio Lower Upper
240 100
120 12.2 4.6 7.0#
236 27.1 20.8 31.2



#28
Pyrene
Concen: 0.306 ng
RT: 19.66 min Scan# 1484
Delta R.T. -0.01 min
Lab File: BE093645.D
Acq: 3 Aug 2017 2:44

Tgt Ion:202 Resp: 18681
Ion Ratio Lower Upper
202 100
200 20.7 0.0 0.0#
203 18.5 13.7 20.5





#29

Terphenyl-d14

Concen: 0.302 ng

RT: 19.86 min Scan# 1511

Delta R.T. -0.01 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44

Instrument :

BNA_E

ClientSampleId :

CSSB-30-2MSD


Tot Ion:244 Resp: 10241

Ion Ratio Lower Upper

244 100

212 36.1 10.6 16.0#




122 13.0 15.4 23.0#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#30

Benzo(a)anthracene

Concen: 0.288 ng

RT: 21.39 min Scan# 1653

Delta R.T. 0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44


Tgt Ion:228 Resp: 16036

Ion Ratio Lower Upper

228 100

226 26.1 19.7 29.5



229 21.2 19.2 28.8




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E





#31

Chrysene

Concen: 0.250 ng

RT: 21.45 min Scan# 1658

Delta R.T. 0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44

Instrument :




BNA_E

ClientSampleId :


CSSB-30-2MSD

Tot Ion:228 Resp: 15493

Ion	Ratio	Lower	Upper
228	100		
226	28.3	21.5	32.3
229	20.3	18.6	28.0



Time-->



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.622 ng

RT: 21.30 min Scan# 1645



Delta R.T. -0.01 min

Lab File: BE093645.D


Acq: 3 Aug 2017 2:44

Tgt Ion:149 Resp: 47157

Ion	Ratio	Lower	Upper
149	100		
167	6.8	4.8	7.2
279	0.9	0.8	1.2



Time-->



#33

Indeno(1,2,3-cd)pyrene

Concen: 0.243 ng

RT: 26.55 min Scan# 2697

Delta R.T. -0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44

Instrument :

BNA_E

ClientSampleId :

CSSB-30-2MSD


Tot Ion:276 Resp: 13653

Ion Ratio Lower Upper

276 100

138 28.2 27.4 41.2




277 24.7 20.1 30.1



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 138.00 (137.70 to 138.70): E

Ion 277.00 (276.70 to 277.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.91 min Scan# 2122

Delta R.T. -0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44


Tgt Ion:264 Resp: 16639

Ion Ratio Lower Upper

264 100

260 24.8 21.0 31.4



265 25.5 24.6 36.8




Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E





#35

Benzo(b)fluoranthene

Concen: 0.245 ng

RT: 23.14 min Scan# 1953

Delta R.T. 0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44

Instrument :

BNA_E

ClientSampleId :

CSSB-30-2MSD


Tot Ion:252 Resp: 14546

Ion Ratio Lower Upper

252 100

253 24.0 18.5 27.7




125 14.6 13.4 20.0



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#36

Benzo(k)fluoranthene

Concen: 0.233 ng

RT: 23.19 min Scan# 1964

Delta R.T. 0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44


Tgt Ion:252 Resp: 14116

Ion Ratio Lower Upper

252 100

253 25.0 20.3 30.5



125 13.4 12.2 18.4




Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E





#37

Benzo(a)pyrene

Concen: 0.247 ng

RT: 23.80 min Scan# 2097

Delta R.T. 0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44

Instrument :

BNA_E

ClientSampleId :

CSSB-30-2MSD


Tot Ion:252 Resp: 13275

Ion Ratio Lower Upper




252 100

253 24.7 19.9 29.9

125 18.6 14.6 21.8



Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E



#38

Dibenzo(a,h)anthracene

Concen: 0.220 ng

RT: 26.56 min Scan# 2701

Delta R.T. -0.01 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44


Tgt Ion:278 Resp: 11431

Ion Ratio Lower Upper



278 100


139 21.2 21.4 32.0#

279 26.0 22.2 33.2



Abundance Ion 278.00 (277.70 to 278.70): E
Ion 139.00 (138.70 to 139.70): E
Ion 279.00 (278.70 to 279.70): E





#39

Benzo(a,h,i)perylene

Concen: 0.213 ng

RT: 27.36 min Scan# 2876

Delta R.T. -0.00 min

Lab File: BE093645.D

Acq: 3 Aug 2017 2:44

Instrument :

BNA_E

ClientSampleId :

CSSB-30-2MSD


Tot Ion: 276 Resp: 11224

Ion Ratio Lower Upper

276 100

277 25.2 21.2 31.8

138 26.0 24.5 36.7



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

