

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE080316\
 Data File : BE092179.D
 Acq On : 4 Aug 2016 12:50
 Operator : UM/SJ
 Sample : PB92567BL
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 PB92567BL

Quant Time: Aug 04 14:31:51 2016
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-PAH-BE080216.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 02 16:59:37 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.17	152	13854	5.00	ng	0.00
6) Naphthalene-d8	10.98	136	57015	5.00	ng	-0.01
10) Acenaphthene-d10	14.85	164	27910	5.00	ng	0.00
16) Phenanthrene-d10	17.56	188	55832	5.00	ng	-0.02
22) Chrysene-d12	21.75	240	56309	5.00	ng	0.00
28) Perylene-d12	24.14	264	60025	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.69	112	403138	113.31	ng	0.00
5) Phenol-d6	7.35	99	527897	111.37	ng	0.00
7) Nitrobenzene-d5	9.34	82	327624	72.82	ng	-0.01
11) 2,4,6-Tribromophenol	16.33	330	107718	118.86	ng	0.00
12) 2-Fluorobiphenyl	13.46	172	566889	64.10	ng	0.00
24) Terphenyl-d14	20.19	244	536284	66.32	ng	-0.02


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE080316\
Data File : BE092179.D
Acq On : 4 Aug 2016 12:50
Operator : UM/SJ
Sample : PB92567BL
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
PB92567BL

Quant Time: Aug 04 14:31:51 2016
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-PAH-BE080216.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 02 16:59:37 2016
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 5.00 ng
 RT: 8.17 min Scan# 479
 Delta R.T. -0.00 min
 Lab File: BE092179.D
 Acq: 4 Aug 2016 12:50




Instrument :
 BNA_E
 ClientSampleId :
 PB92567BL


Tgt Ion:152 Resp: 13854
 Ion Ratio Lower Upper
 152 100
 150 160.8 106.0 159.0#
 115 62.1 36.9 55.3#



#4
 2-Fluorophenol
 Concen: 113.31 ng
 RT: 5.69 min Scan# 267
 Delta R.T. -0.00 min
 Lab File: BE092179.D
 Acq: 4 Aug 2016 12:50

Tgt Ion:112 Resp: 403138
 Ion Ratio Lower Upper
 112 100
 64 69.6 55.9 83.9
 63 37.2 31.1 46.7





#5

Phenol-d6

Concen: 111.37 ng

RT: 7.35 min Scan# 410

Delta R.T. -0.00 min

Lab File: BE092179.D

Acq: 4 Aug 2016 12:50

Instrument :

BNA_E

ClientSampleId :

PB92567BL


Tgt Ion: 99 Resp: 527897

Ion Ratio Lower Upper




99 100

42 25.1 22.4 33.6

71 36.0 28.9 43.3



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.98 min Scan# 703

Delta R.T. -0.01 min

Lab File: BE092179.D

Acq: 4 Aug 2016 12:50

Tgt Ion: 136 Resp: 57015


Ion Ratio Lower Upper

136 100



137 10.4 9.1 13.7


54 11.3 2.7 4.1#

68 7.7 2.2 3.4#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 72.82 ng

RT: 9.34 min Scan# 580

Delta R.T. -0.01 min

Lab File: BE092179.D

Acq: 4 Aug 2016 12:50

Instrument :

BNA_E

ClientSampleId :

PB92567BL


Tgt Ion: 82 Resp: 327624

Ion Ratio Lower Upper

82 100

128 34.8 33.0 49.4




54 61.3 42.6 63.8



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#10

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.85 min Scan# 999

Delta R.T. -0.00 min

Lab File: BE092179.D

Acq: 4 Aug 2016 12:50


Tgt Ion: 164 Resp: 27910

Ion Ratio Lower Upper

164 100

162 91.9 69.5 104.3



160 36.6 27.6 41.4




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#11
 2,4,6-Tribromophenol
 Concen: 118.86 ng
 RT: 16.33 min Scan# 1107
 Delta R.T. 0.00 min
 Lab File: BE092179.D
 Acq: 4 Aug 2016 12:50




Instrument :
 BNA_E
 ClientSampleId :
 PB92567BL


Tgt Ion:330 Resp: 107718
 Ion Ratio Lower Upper
 330 100
 332 96.3 74.2 111.4
 141 42.8 139.8 209.8#



#12
 2-Fluorobiphenyl
 Concen: 64.10 ng
 RT: 13.46 min Scan# 904
 Delta R.T. -0.00 min
 Lab File: BE092179.D
 Acq: 4 Aug 2016 12:50

Tgt Ion:172 Resp: 566889
 Ion Ratio Lower Upper
 172 100
 171 32.6 30.3 45.5
 170 20.1 21.6 32.4#





#16

Phenanthrene-d10

Concen: 5.00 ng

RT: 17.56 min Scan# 1171

Delta R.T. -0.02 min

Lab File: BE092179.D

Acq: 4 Aug 2016 12:50

Instrument :

BNA_E

ClientSampleId :

PB92567BL


Tgt Ion:188 Resp: 55832

Ion Ratio Lower Upper

188 100

94 15.6 3.9 5.9#




80 16.8 3.4 5.0#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#22

Chrysene-d12

Concen: 5.00 ng

RT: 21.75 min Scan# 1407

Delta R.T. 0.00 min

Lab File: BE092179.D

Acq: 4 Aug 2016 12:50


Tgt Ion:240 Resp: 56309

Ion Ratio Lower Upper

240 100

120 2.0 0.6 1.0#



236 22.9 18.2 27.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#24

Terphenyl-d14

Concen: 66.32 ng

RT: 20.19 min Scan# 1317

Delta R.T. -0.02 min

Lab File: BE092179.D

Acq: 4 Aug 2016 12:50

Instrument :

BNA_E

ClientSampleId :

PB92567BL


Tgt Ion:244 Resp: 536284

Ion Ratio Lower Upper




244 100

212 9.5 9.1 13.7

122 10.8 11.0 16.4#



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#28

Perylene-d12

Concen: 5.00 ng

RT: 24.14 min Scan# 1591

Delta R.T. 0.00 min

Lab File: BE092179.D

Acq: 4 Aug 2016 12:50


Tgt Ion:264 Resp: 60025

Ion Ratio Lower Upper

264 100

260 25.2 20.8 31.2

265 22.4 16.6 25.0



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

