

Data Path : Z:\HPCHEM1\BNA E\DATA\BE080317\
 Data File : BE093650.D
 Acq On : 3 Aug 2017 9:51
 Operator : SJ/JU
 Sample : I4425-12
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 CSSB-31-1

Quant Time: Aug 04 04:21:06 2017
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE080117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 02 10:58:31 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.92	152	2184	0.40	ng	-0.01
7) Naphthalene-d8	10.71	136	10333	0.40	ng	0.00
13) Acenaphthene-d10	14.52	164	5996	0.40	ng	0.00
19) Phenanthrene-d10	17.23	188	16058	0.40	ng	0.00
27) Chrysene-d12	21.40	240	20380	0.40	ng	-0.01
34) Perylene-d12	23.91	264	17885	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.51	112	2073	0.32	ng	0.00
5) Phenol-d6	7.09	99	3127	0.32	ng	-0.01
8) Nitrobenzene-d5	9.06	82	2273	0.29	ng	0.00
11) 2-Methylnaphthalene-d10	12.29	152	4007	0.25	ng	0.00
14) 2,4,6-Tribromophenol	16.00	330	372	0.31	ng	0.00
15) 2-Fluorobiphenyl	13.15	172	5788	0.24	ng	-0.02
25) Fluoranthene-d10	19.28	212	44705	0.25	ng	0.00
29) Terphenyl-d14	19.86	244	7792	0.21	ng	0.00
Target Compounds						
26) Fluoranthene	19.30	202	1923	0.034	ng	# 83
28) Pyrene	19.66	202	1411	0.021	ng	# 92
32) Bis(2-ethylhexyl)phthalate	21.30	149	35049	0.429	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE080317\
Data File : BE093650.D
Acq On : 3 Aug 2017 9:51
Operator : SJ/JU
Sample : I4425-12
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
CSSB-31-1

Quant Time: Aug 04 04:21:06 2017
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE080117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 02 10:58:31 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.92 min Scan# 402
Delta R.T. -0.01 min
Lab File: BE093650.D
Acq: 3 Aug 2017 9:51

Instrument :
BNA_E
ClientSampled :
CSSB-31-1

Tot Ion:152 Resp: 2184
Ion Ratio Lower Upper
152 100
150 158.8 125.1 187.7
115 73.6 55.7 83.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.319 ng
RT: 5.51 min Scan# 211
Delta R.T. 0.00 min
Lab File: BE093650.D
Acq: 3 Aug 2017 9:51

Tgt Ion:112 Resp: 2073
Ion Ratio Lower Upper
112 100
64 71.6 56.4 84.6
63 140.2 29.3 43.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE0
Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.319 ng

RT: 7.09 min Scan# 336

Delta R.T. -0.01 min

Lab File: BE093650.D

Acq: 3 Aug 2017 9:51

Instrument :

BNA_E

ClientSampleId :

CSSB-31-1


Tot Ion: 99 Resp: 3127

Ion Ratio Lower Upper

99 100

42 29.5 0.0 0.0#




71 35.1 0.0 0.0#



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.71 min Scan# 577

Delta R.T. 0.00 min

Lab File: BE093650.D

Acq: 3 Aug 2017 9:51

Tgt Ion: 136 Resp: 10333


Ion Ratio Lower Upper

136 100

137 10.9 9.8 14.8

54 32.3 10.3 15.5#

68 6.9 9.0 13.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 0.288 ng

RT: 9.06 min Scan# 479

Delta R.T. 0.00 min

Lab File: BE093650.D

Acq: 3 Aug 2017 9:51

Instrument :

BNA_E

ClientSampleId :

CSSB-31-1


Tot Ion: 82 Resp: 2273

Ion Ratio Lower Upper

82 100

128 121.2 17.0 25.4#




54 244.7 53.8 80.6#



Abundance Ion 82.00 (81.70 to 82.70): BE093650.D (-470) (-)

Ion 128.00 (127.70 to 128.70): BE093650.D (-470) (-)

Ion 54.00 (53.70 to 54.70): BE093650.D (-470) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.245 ng

RT: 12.29 min Scan# 824

Delta R.T. -0.01 min

Lab File: BE093650.D


Acq: 3 Aug 2017 9:51

Tgt Ion: 152 Resp: 4007

Ion Ratio Lower Upper



152 100


151 19.5 15.1 22.7



Abundance Ion 152.00 (151.70 to 152.70): BE093650.D (-800) (-)

Ion 151.00 (150.70 to 151.70): BE093650.D (-800) (-)









#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.52 min Scan# 1112
 Delta R.T. -0.00 min
 Lab File: BE093650.D
 Acq: 3 Aug 2017 9:51




Instrument :
 BNA_E
 ClientSampleId :
 CSSB-31-1


Tot Ion:164 Resp: 5996
 Ion Ratio Lower Upper
 164 100
 162 103.2 84.6 127.0
 160 46.8 41.8 62.6



#14
 2,4,6-Tribromophenol
 Concen: 0.314 ng
 RT: 16.00 min Scan# 1205
 Delta R.T. -0.00 min
 Lab File: BE093650.D
 Acq: 3 Aug 2017 9:51

Tgt Ion:330 Resp: 372
 Ion Ratio Lower Upper
 330 100
 332 90.9 77.7 116.5
 141 73.1 56.2 84.4





#15

2-Fluorobiphenyl

Concen: 0.241 ng

RT: 13.15 min Scan# 1019

Delta R.T. -0.02 min

Lab File: BE093650.D

Acq: 3 Aug 2017 9:51

Instrument :

BNA_E

ClientSampleId :

CSSB-31-1


Tot Ion:172 Resp: 5788

Ion Ratio Lower Upper

172 100

171 37.2 29.8 44.6




170 26.4 20.7 31.1



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.23 min Scan# 1243

Delta R.T. -0.00 min

Lab File: BE093650.D

Acq: 3 Aug 2017 9:51


Tgt Ion:188 Resp: 16058

Ion Ratio Lower Upper

188 100

94 16.9 11.3 16.9



80 17.8 11.7 17.5#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0





#25

Fluoranthene-d10

Concen: 0.245 ng

RT: 19.28 min Scan# 1432

Delta R.T. 0.00 min

Lab File: BE093650.D

Acq: 3 Aug 2017 9:51

Instrument :

BNA_E

ClientSampleId :

CSSB-31-1


Tot Ion:212 Resp: 44705

Ion Ratio Lower Upper

212 100

106 3.5 2.4 3.6




104 2.0 1.6 2.4



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#26

Fluoranthene

Concen: 0.034 ng

RT: 19.30 min Scan# 1436

Delta R.T. 0.00 min

Lab File: BE093650.D

Acq: 3 Aug 2017 9:51


Tgt Ion:202 Resp: 1923

Ion Ratio Lower Upper

202 100

101 26.5 9.6 14.4#



203 19.2 14.4 21.6




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.40 min Scan# 1654

Delta R.T. -0.01 min

Lab File: BE093650.D

Acq: 3 Aug 2017 9:51

Instrument :

BNA_E

ClientSampleId :

CSSB-31-1


Tot Ion:240 Resp: 20380

Ion Ratio Lower Upper

240 100

120 12.1 4.6 7.0#




236 27.4 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#28

Pyrene

Concen: 0.021 ng

RT: 19.66 min Scan# 1484

Delta R.T. -0.01 min

Lab File: BE093650.D

Acq: 3 Aug 2017 9:51


Tgt Ion:202 Resp: 1411

Ion Ratio Lower Upper

202 100

200 21.8 0.0 0.0#



203 20.5 13.7 20.5




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E





#29

Terphenyl-d14

Concen: 0.213 ng

RT: 19.86 min Scan# 1511

Delta R.T. -0.01 min

Lab File: BE093650.D

Acq: 3 Aug 2017 9:51

Instrument :

BNA_E

ClientSampleId :

CSSB-31-1





Tot Ion:244 Resp: 7792

Ion Ratio Lower Upper

244 100

212 34.8 10.6 16.0#

122 12.2 15.4 23.0#



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.429 ng

RT: 21.30 min Scan# 1645

Delta R.T. -0.01 min

Lab File: BE093650.D

Acq: 3 Aug 2017 9:51




Tgt Ion:149 Resp: 35049




Ion Ratio Lower Upper

149 100

167 6.5 4.8 7.2

279 0.8 0.8 1.2





#34

Pervlene-d12

Concen: 0.400 ng

RT: 23.91 min Scan# 2122

Delta R.T. -0.01 min

Lab File: BE093650.D

Acq: 3 Aug 2017 9:51

Instrument :

BNA_E

ClientSampleId :

CSSB-31-1

Tot Ion:264 Resp: 17885

Ion Ratio Lower Upper

264 100

260 24.7 21.0 31.4

265 25.7 24.6 36.8

