

Data Path : Z:\HPCHEM1\BNA\_E\DATA\BE080416\  
 Data File : BE092197.D  
 Acq On : 5 Aug 2016 00:19  
 Operator : UM/SJ  
 Sample : H4269-21  
 Misc :  
 ALS Vial : 15 Sample Multiplier: 1

Instrument :  
 BNA\_E  
 ClientSampleId :  
 GW-56-15.0-19.5

Quant Time: Aug 05 03:15:56 2016  
 Quant Method : Z:\HPCHEM1\BNA\_E\METHODS\8270-PAH-BE080216.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Tue Aug 02 16:59:37 2016  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|---------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 8.17  | 152  | 11880    | 5.00 | ng    | 0.00     |
| 6) Naphthalene-d8         | 10.98 | 136  | 54814    | 5.00 | ng    | -0.01    |
| 10) Acenaphthene-d10      | 14.83 | 164  | 30112    | 5.00 | ng    | -0.02    |
| 16) Phenanthrene-d10      | 17.56 | 188  | 68902    | 5.00 | ng    | -0.02    |
| 22) Chrysene-d12          | 21.75 | 240  | 90922    | 5.00 | ng    | 0.00     |
| 28) Perylene-d12          | 24.14 | 264  | 90149    | 5.00 | ng    | 0.00     |

| System Monitoring Compounds | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|-----------------------------|-------|------|----------|------|-------|----------|
| 4) 2-Fluorophenol           | 5.69  | 112  | 12642    | 4.14 | ng    | 0.00     |
| 5) Phenol-d6                | 7.35  | 99   | 10929    | 2.69 | ng    | 0.00     |
| 7) Nitrobenzene-d5          | 9.34  | 82   | 14005    | 3.24 | ng    | -0.01    |
| 11) 2,4,6-Tribromophenol    | 16.33 | 330  | 8226     | 8.41 | ng    | 0.00     |
| 12) 2-Fluorobiphenyl        | 13.46 | 172  | 32055    | 3.36 | ng    | 0.00     |
| 24) Terphenyl-d14           | 20.19 | 244  | 50793    | 3.89 | ng    | -0.02    |


| Target Compounds          | R.T.  | QIon | Response | Conc      | Units | Qvalue |
|---------------------------|-------|------|----------|-----------|-------|--------|
| 2) 1,4-Dioxane            | 3.45  | 88   | 43       | 0.03      | ng    | # 20   |
| 3) n-Nitrosodimethylamine | 3.72  | 42   | 137      | 0.15      | ng    | # 1    |
| 8) Naphthalene            | 11.03 | 128  | 112      | Below Cal |       | # 5    |
| 18) Pentachlorophenol     | 17.24 | 266  | 30       | 0.22      | ng    | # 84   |
| 19) Phenanthrene          | 17.61 | 178  | 550      | Below Cal |       | # 86   |
| 25) Benzo(a)anthracene    | 21.73 | 228  | 2552     | 0.03      | ng    | # 48   |
| 26) Chrysene              | 21.73 | 228  | 2477     | 0.02      | ng    | # 51   |
| 30) Benzo(k)fluoranthene  | 23.45 | 252  | 92       | Below Cal |       | # 1    |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA\_E\DATA\BE080416\  
Data File : BE092197.D  
Acq On : 5 Aug 2016 00:19  
Operator : UM/SJ  
Sample : H4269-21  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
BNA\_E  
ClientSampleId :  
GW-56-15.0-19.5

Quant Time: Aug 05 03:15:56 2016  
Quant Method : Z:\HPCHEM1\BNA\_E\METHODS\8270-PAH-BE080216.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Tue Aug 02 16:59:37 2016  
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 8.17 min Scan# 479

Delta R.T. -0.00 min

Lab File: BE092197.D

Acq: 5 Aug 2016 00:19

Instrument :

BNA\_E

ClientSampleId :

GW-56-15.0-19.5


Tgt Ion:152 Resp: 11880

Ion Ratio Lower Upper

152 100

150 161.2 106.0 159.0#



115 63.3 36.9 55.3#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 0.03 ng

RT: 3.45 min Scan# 74

Delta R.T. -0.00 min

Lab File: BE092197.D

Acq: 5 Aug 2016 00:19


Tgt Ion: 88 Resp: 43

Ion Ratio Lower Upper

88 100

58 0.0 62.1 93.1#



43 0.0 27.2 40.8#




Abundance Ion 88.00 (87.70 to 88.70): BE0

Ion 58.00 (57.70 to 58.70): BE0

Ion 43.00 (42.70 to 43.70): BE0





#3

n-Nitrosodimethylamine

Concen: 0.15 ng

RT: 3.72 min Scan# 98

Delta R.T. -0.08 min

Lab File: BE092197.D

Acq: 5 Aug 2016 00:19

Instrument :

BNA\_E

ClientSampleId :

GW-56-15.0-19.5


Tgt Ion: 42 Resp: 137

Ion Ratio Lower Upper

42 100

74 1.5 82.8 124.2#




44 139.4 9.0 13.4#



Abundance Ion 42.00 (41.70 to 42.70): BE0

Ion 74.00 (73.70 to 74.70): BE0

Ion 44.00 (43.70 to 44.70): BE0



#4

2-Fluorophenol

Concen: 4.14 ng

RT: 5.69 min Scan# 267

Delta R.T. 0.00 min

Lab File: BE092197.D

Acq: 5 Aug 2016 00:19


Tgt Ion: 112 Resp: 12642

Ion Ratio Lower Upper

112 100

64 67.0 55.9 83.9



63 36.7 31.1 46.7



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 2.69 ng

RT: 7.35 min Scan# 410

Delta R.T. 0.00 min

Lab File: BE092197.D

Acq: 5 Aug 2016 00:19

Instrument :

BNA\_E

ClientSampleId :

GW-56-15.0-19.5


Tgt Ion: 99 Resp: 10929

Ion Ratio Lower Upper




99 100

42 24.6 22.4 33.6

71 35.0 28.9 43.3



Abundance Ion 99.00 (98.70 to 99.70): BE0  
Ion 42.00 (41.70 to 42.70): BE0  
Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.98 min Scan# 703

Delta R.T. -0.01 min

Lab File: BE092197.D

Acq: 5 Aug 2016 00:19

Tgt Ion: 136 Resp: 54814


Ion Ratio Lower Upper

136 100



137 10.5 9.1 13.7

54 9.7 2.7 4.1#

68 6.9 2.2 3.4#



Abundance Ion 136.00 (135.70 to 136.70): E  
Ion 137.00 (136.70 to 137.70): E  
Ion 54.00 (53.70 to 54.70): BE0  
Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 3.24 ng

RT: 9.34 min Scan# 580

Delta R.T. -0.01 min

Lab File: BE092197.D

Acq: 5 Aug 2016 00:19

Instrument :

BNA\_E

ClientSampleId :

GW-56-15.0-19.5


Tgt Ion: 82 Resp: 14005

Ion Ratio Lower Upper

82 100

128 32.0 33.0 49.4#




54 62.9 42.6 63.8



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#10

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.83 min Scan# 998

Delta R.T. -0.02 min

Lab File: BE092197.D

Acq: 5 Aug 2016 00:19


Tgt Ion: 164 Resp: 30112

Ion Ratio Lower Upper

164 100

162 111.6 69.5 104.3#



160 53.9 27.6 41.4#




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#11  
 2,4,6-Tribromophenol  
 Concen: 8.41 ng  
 RT: 16.33 min Scan# 1107  
 Delta R.T. 0.00 min  
 Lab File: BE092197.D  
 Acq: 5 Aug 2016 00:19




Instrument :  
 BNA\_E  
 ClientSampleId :  
 GW-56-15.0-19.5


Tgt Ion:330 Resp: 8226  
 Ion Ratio Lower Upper  
 330 100  
 332 96.8 74.2 111.4  
 141 43.9 139.8 209.8#



#12  
 2-Fluorobiphenyl  
 Concen: 3.36 ng  
 RT: 13.46 min Scan# 904  
 Delta R.T. -0.00 min  
 Lab File: BE092197.D  
 Acq: 5 Aug 2016 00:19

Tgt Ion:172 Resp: 32055  
 Ion Ratio Lower Upper  
 172 100  
 171 30.8 30.3 45.5  
 170 18.5 21.6 32.4#





#16

Phenanthrene-d10

Concen: 5.00 ng

RT: 17.56 min Scan# 1171

Delta R.T. -0.02 min

Lab File: BE092197.D

Acq: 5 Aug 2016 00:19

Instrument :

BNA\_E

ClientSampleId :

GW-56-15.0-19.5


Tgt Ion:188 Resp: 68902

Ion Ratio Lower Upper

188 100

94 14.1 3.9 5.9#




80 14.3 3.4 5.0#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#18

Pentachlorophenol

Concen: 0.22 ng

RT: 17.24 min Scan# 1157

Delta R.T. 0.00 min

Lab File: BE092197.D

Acq: 5 Aug 2016 00:19


Tgt Ion:266 Resp: 30

Ion Ratio Lower Upper

266 100

268 96.7 62.7 94.1#



264 88.3 63.5 95.3




Abundance Ion 265.70 (265.40 to 266.40): E

Ion 268.00 (267.70 to 268.70): E

Ion 264.00 (263.70 to 264.70): E





#22

Chrysene-d12

Concen: 5.00 ng

RT: 21.75 min Scan# 1407

Delta R.T. 0.00 min

Lab File: BE092197.D

Acq: 5 Aug 2016 00:19

Instrument :

BNA\_E

ClientSampleId :

GW-56-15.0-19.5


Tgt Ion:240 Resp: 90922

Ion Ratio Lower Upper

240 100

120 1.2 0.6 1.0#




236 21.9 18.2 27.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#24

Terphenyl-d14

Concen: 3.89 ng

RT: 20.19 min Scan# 1317

Delta R.T. -0.02 min

Lab File: BE092197.D

Acq: 5 Aug 2016 00:19


Tgt Ion:244 Resp: 50793

Ion Ratio Lower Upper

244 100

212 8.8 9.1 13.7#



122 6.7 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#25

Benzo(a)anthracene

Concen: 0.03 ng

RT: 21.73 min Scan# 1406

Delta R.T. 0.02 min

Lab File: BE092197.D

Acq: 5 Aug 2016 00:19

Instrument :

BNA\_E

ClientSampleId :

GW-56-15.0-19.5


Tgt Ion:228 Resp: 2552

Ion Ratio Lower Upper

228 100

226 42.9 22.1 33.1#




229 56.9 15.1 22.7#



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#26

Chrysene

Concen: 0.02 ng

RT: 21.73 min Scan# 1406

Delta R.T. -0.03 min

Lab File: BE092197.D

Acq: 5 Aug 2016 00:19


Tgt Ion:228 Resp: 2477

Ion Ratio Lower Upper

228 100

226 42.9 22.3 33.5#



229 56.9 16.9 25.3#




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E





#28

Perylene-d12

Concen: 5.00 ng

RT: 24.14 min Scan# 1591

Delta R.T. 0.00 min

Lab File: BE092197.D


Acq: 5 Aug 2016 00:19

Instrument :

BNA\_E

ClientSampleId :

GW-56-15.0-19.5




Tgt Ion:264 Resp: 90149

Ion Ratio Lower Upper

264 100

260 25.0 20.8 31.2

265 22.3 16.6 25.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

