

Data Path : Z:\HPCHEM1\BNA E\DATA\BE080416\
 Data File : BE092205.D
 Acq On : 5 Aug 2016 5:47
 Operator : UM/SJ
 Sample : H4287-17
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 GW-61-8.2-19.0

Quant Time: Aug 05 06:39:22 2016
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-PAH-BE080216.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 02 16:59:37 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.17	152	11959	5.00	ng	0.00
6) Naphthalene-d8	10.98	136	53091	5.00	ng	-0.01
10) Acenaphthene-d10	14.83	164	27850	5.00	ng	-0.02
16) Phenanthrene-d10	17.56	188	62477	5.00	ng	-0.02
22) Chrysene-d12	21.73	240	78811	5.00	ng	-0.02
28) Perylene-d12	24.14	264	81200	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.69	112	15407	5.02	ng	0.00
5) Phenol-d6	7.35	99	13894	3.40	ng	0.00
7) Nitrobenzene-d5	9.34	82	13720	3.28	ng	-0.01
11) 2,4,6-Tribromophenol	16.33	330	6851	7.58	ng	0.00
12) 2-Fluorobiphenyl	13.46	172	30670	3.48	ng	0.00
24) Terphenyl-d14	20.19	244	42978	3.80	ng	-0.02


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE080416\
Data File : BE092205.D
Acq On : 5 Aug 2016 5:47
Operator : UM/SJ
Sample : H4287-17
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
GW-61-8.2-19.0

Quant Time: Aug 05 06:39:22 2016
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-PAH-BE080216.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 02 16:59:37 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 8.17 min Scan# 479

Delta R.T. -0.00 min

Lab File: BE092205.D

Acq: 5 Aug 2016 5:47

Instrument :

BNA_E

ClientSampleId :

GW-61-8.2-19.0


Tot Ion:152 Resp: 11959

Ion Ratio Lower Upper

152 100

150 161.0 106.0 159.0#




115 61.7 36.9 55.3#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 5.02 ng

RT: 5.69 min Scan# 267

Delta R.T. -0.00 min

Lab File: BE092205.D

Acq: 5 Aug 2016 5:47


Tgt Ion:112 Resp: 15407

Ion Ratio Lower Upper

112 100

64 67.1 55.9 83.9



63 36.5 31.1 46.7



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 3.40 ng

RT: 7.35 min Scan# 410

Delta R.T. -0.00 min

Lab File: BE092205.D

Acq: 5 Aug 2016 5:47

Instrument :

BNA_E

ClientSampleId :

GW-61-8.2-19.0





Tot Ion: 99 Resp: 13894

Ion Ratio Lower Upper

99 100

42 25.2 22.4 33.6

71 35.5 28.9 43.3



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.98 min Scan# 703

Delta R.T. -0.01 min

Lab File: BE092205.D

Acq: 5 Aug 2016 5:47

Tgt Ion: 136 Resp: 53091




Ion Ratio Lower Upper


136 100

137 10.7 9.1 13.7

54 9.9 2.7 4.1#

68 6.9 2.2 3.4#





#7

Nitrobenzene-d5

Concen: 3.28 ng

RT: 9.34 min Scan# 580

Delta R.T. -0.01 min

Lab File: BE092205.D

Acq: 5 Aug 2016 5:47

Instrument :

BNA_E

ClientSampleId :

GW-61-8.2-19.0


Tot Ion: 82 Resp: 13720

Ion Ratio Lower Upper

82 100

128 31.6 33.0 49.4#




54 63.8 42.6 63.8



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#10

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.83 min Scan# 998

Delta R.T. -0.02 min

Lab File: BE092205.D

Acq: 5 Aug 2016 5:47


Tgt Ion: 164 Resp: 27850

Ion Ratio Lower Upper

164 100

162 117.9 69.5 104.3#



160 59.2 27.6 41.4#



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#11
 2,4,6-Tribromophenol
 Concen: 7.58 ng
 RT: 16.33 min Scan# 1107
 Delta R.T. -0.00 min
 Lab File: BE092205.D
 Acq: 5 Aug 2016 5:47




Instrument :
 BNA_E
 ClientSampleId :
 GW-61-8.2-19.0


Tot Ion:330 Resp: 6851
 Ion Ratio Lower Upper
 330 100
 332 97.4 74.2 111.4
 141 44.5 139.8 209.8#



#12
 2-Fluorobiphenyl
 Concen: 3.48 ng
 RT: 13.46 min Scan# 904
 Delta R.T. 0.00 min
 Lab File: BE092205.D
 Acq: 5 Aug 2016 5:47

Tgt Ion:172 Resp: 30670
 Ion Ratio Lower Upper
 172 100
 171 31.3 30.3 45.5
 170 19.6 21.6 32.4#









#16
Phenanthrene-d10
Concen: 5.00 ng
RT: 17.56 min Scan# 1171
Delta R.T. -0.02 min
Lab File: BE092205.D
Acq: 5 Aug 2016 5:47

Instrument :
BNA_E
ClientSampleId :
GW-61-8.2-19.0

Tot Ion:188 Resp: 62477
Ion Ratio Lower Upper
188 100
94 14.8 3.9 5.9#
80 15.0 3.4 5.0#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BE0
Ion 80.00 (79.70 to 80.70): BE0






#22
Chrysene-d12
Concen: 5.00 ng
RT: 21.73 min Scan# 1406
Delta R.T. -0.02 min
Lab File: BE092205.D
Acq: 5 Aug 2016 5:47

Tgt Ion:240 Resp: 78811
Ion Ratio Lower Upper
240 100
120 15.3 0.6 1.0#
236 32.7 18.2 27.4#



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#24

Terphenyl-d14

Concen: 3.80 ng

RT: 20.19 min Scan# 1317

Delta R.T. -0.02 min

Lab File: BE092205.D

Acq: 5 Aug 2016 5:47

Instrument :

BNA_E

ClientSampleId :

GW-61-8.2-19.0


Tot Ion:244 Resp: 42978

Ion Ratio Lower Upper




244 100

212 8.8 9.1 13.7#

122 6.1 11.0 16.4#



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#28

Perylene-d12

Concen: 5.00 ng

RT: 24.14 min Scan# 1591

Delta R.T. 0.00 min

Lab File: BE092205.D

Acq: 5 Aug 2016 5:47


Tgt Ion:264 Resp: 81200

Ion Ratio Lower Upper

264 100

260 23.9 20.8 31.2

265 22.8 16.6 25.0



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

