

Data Path : Z:\HPCHEM1\BNA E\DATA\BE080715\
 Data File : BE090402.D
 Acq On : 7 Aug 2015 17:52
 Operator : TP/UM
 Sample : PB84793BSD
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 PB84793BSD

Manual Integrations
 APPROVED

MMDadoda
 8/10/2015 7:11:33 PM

Quant Time: Aug 08 00:08:41 2015
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE080515.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 06 12:28:08 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.58	152	22129	5.00	ng	0.00
6) Naphthalene-d8	10.34	136	102894	5.00	ng	0.00
12) Acenaphthene-d10	14.20	164	60417	5.00	ng	0.00
18) Phenanthrene-d10	16.94	188	140452	5.00	ng	0.00
25) Chrysene-d12	21.09	240	181273	5.00	ng	0.00
32) Perylene-d12	23.40	264	150300	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.22	112	27310	8.23	ng	0.00
5) Phenol-d6	6.76	99	46578	6.51	ng	-0.01
7) Nitrobenzene-d5	8.72	82	32266	3.90	ng	-0.01
13) 2,4,6-Tribromophenol	15.69	330	10149	6.17	ng	-0.02
14) 2-Fluorobiphenyl	12.82	172	73450	4.42	ng	0.00
27) Terphenyl-d14	19.55	244	125306	4.69	ng	-0.01
Target Compounds						Qvalue
2) 1,4-Dioxane	3.20	88	11215	4.28	ng	98
3) n-Nitrosodimethylamine	3.49	42	14123	4.13	ng	95
8) Nitrobenzene	8.77	77	33914	3.84	ng	97
9) Naphthalene	10.38	128	89160	3.92	ng	98
10) Hexachlorobutadiene	10.68	225	15063	4.38	ng	99
11) 2-Methylnaphthalene	12.00	142	58287	4.42	ng	98
15) Acenaphthylene	13.91	152	416765	4.26	ng	100
16) Acenaphthene	14.26	154	62458	4.11	ng	91
17) Fluorene	15.26	166	84317	4.27	ng	97
19) 4-Bromophenyl-phenylether	16.14	248	23995	4.39	ng	97
20) Hexachlorobenzene	16.27	284	109879	3.89	ng	99
21) Pentachlorophenol	16.60	266	15617	7.35	ng	90
22) Phenanthrene	16.98	178	146728	4.17	ng	100
23) Anthracene	17.07	178	141005	4.88	ng	100
24) Fluoranthene	18.98	202	167779	4.85	ng	100
26) Pyrene	19.34	202	185316	4.72	ng	99
28) Benzo(a)anthracene	21.08	228	181118	4.51	ng	99
29) Chrysene	21.14	228	195964	4.04	ng	100
30) Bis(2-ethylhexyl)phthalate	21.03	149	48145	3.70	ng	99
31) Indeno(1,2,3-cd)pyrene	25.78	276	149677	3.50	ng	95
33) Benzo(b)fluoranthene	22.70	252	145932	4.32	ng	98
34) Benzo(k)fluoranthene	22.75	252	186447m	4.45	ng	
35) Benzo(a)pyrene	23.30	252	134397	4.22	ng	100
36) Dibenzo(a,h)anthracene	25.80	278	120371	3.89	ng	97
37) Benzo(g,h,i)perylene	26.51	276	131896	4.75	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA E\DATA\BE080715\
Data File : BE090402.D
Acq On : 7 Aug 2015 17:52
Operator : TP/UM
Sample : PB84793BSD
Misc :
ALS Vial : 35 Sample Multiplier: 1


Instrument :
BNA_E
ClientSampleId :
PB84793BSD

Manual Integrations
APPROVED

MMDadoda
8/10/2015 7:11:33 PM

Quant Time: Aug 08 00:08:41 2015
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE080515.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 06 12:28:08 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.58 min Scan# 845

Delta R.T. -0.01 min

Lab File: BE090402.D

Acq: 7 Aug 2015 17:52

Instrument :

BNA_E





ClientSampleId :

PB84793BSD

Tot Ion:	152	Resp:	22129
Ion	Ratio	Lower	Upper
152	100		
150	153.6	123.0	184.4
115	61.6	48.9	73.3

Manual Integrations
APPROVED

MMDadoda
8/10/2015 7:11:33 PM



#2

1,4-Dioxane

Concen: 4.28 ng




RT: 3.20 min Scan# 88


Delta R.T. 0.00 min

Lab File: BE090402.D

Acq: 7 Aug 2015 17:52

Tgt Ion:	88	Resp:	11215
Ion	Ratio	Lower	Upper
88	100		
58	87.0	70.0	105.0
43	33.1	28.4	42.6





#3





n-Nitrosodimethylamine
 Concen: 4.13 ng
 RT: 3.49 min Scan# 131
 Delta R.T. -0.01 min
 Lab File: BE090402.D
 Acq: 7 Aug 2015 17:52

Instrument :
 BNA_E
 ClientSampleId :
 PB84793BSD

Manual Integrations
 APPROVED

MMDadoda
 8/10/2015 7:11:33 PM




Tot Ion	Ratio	Lower	Upper
42	100		
74	99.5	75.2	112.8
44	9.8	8.7	13.1




#4

2-Fluorophenol
 Concen: 8.23 ng
 RT: 5.22 min Scan# 386
 Delta R.T. 0.00 min
 Lab File: BE090402.D
 Acq: 7 Aug 2015 17:52

Tgt Ion	Ratio	Lower	Upper
112	100		
64	70.3	37.1	55.7#
63	36.5	19.5	29.3#





#5

Phenol-d6

Concen: 6.51 ng

RT: 6.76 min Scan# 665

Delta R.T. -0.01 min

Lab File: BE090402.D

Acq: 7 Aug 2015 17:52

Instrument :

BNA_E





ClientSampleId :

PB84793BSD

Manual Integrations
APPROVED

MMDadoda
8/10/2015 7:11:33 PM

Tot Ion:	99	Resp:	46578
Ion	Ratio	Lower	Upper
99	100		
42	23.2	18.2	27.4
71	35.4	27.4	41.0



#6

Naphthalene-d8

Concen: 5.00 ng




RT: 10.34 min Scan# 1371


Delta R.T. 0.00 min

Lab File: BE090402.D

Acq: 7 Aug 2015 17:52

Tgt Ion:	136	Resp:	102894
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.7	13.1
54	10.7	9.4	14.0
68	7.5	6.5	9.7





#7

Nitrobenzene-d5

Concen: 3.90 ng

RT: 8.72 min Scan# 1091

Delta R.T. -0.01 min

Lab File: BE090402.D

Acq: 7 Aug 2015 17:52

Instrument :

BNA_E





ClientSampleId :

PB84793BSD

Manual Integrations
APPROVED

MMDadoda
8/10/2015 7:11:33 PM

Tot Ion:	82	Resp:	32266
Ion	Ratio	Lower	Upper
82	100		
128	30.3	25.0	37.6
54	60.5	48.8	73.2



#8

Nitrobenzene

Concen: 3.84 ng




RT: 8.77 min Scan# 1101


Delta R.T. -0.01 min

Lab File: BE090402.D

Acq: 7 Aug 2015 17:52

Tgt Ion:	77	Resp:	33914
Ion	Ratio	Lower	Upper
77	100		
123	33.0	25.1	37.7
65	12.5	9.3	13.9





#9

Naphthalene

Concen: 3.92 ng

RT: 10.38 min Scan# 1377

Delta R.T. -0.01 min

Lab File: BE090402.D

Acq: 7 Aug 2015 17:52

Instrument :

BNA_E





ClientSampleId :

PB84793BSD

Tot Ion:	128	Resp:	89160
Ion Ratio	Lower	Upper	
128	100		
129	11.0	9.8	14.6
127	13.1	10.6	16.0

Manual Integrations
APPROVED

MMDadoda
8/10/2015 7:11:33 PM



#10

Hexachlorobutadiene

Concen: 4.38 ng




RT: 10.68 min Scan# 1416


Delta R.T. -0.01 min

Lab File: BE090402.D

Acq: 7 Aug 2015 17:52

Tgt Ion:	225	Resp:	15063
Ion Ratio	Lower	Upper	
225	100		
223	62.2	50.6	75.8
227	63.7	50.7	76.1





#11

2-Methylnaphthalene

Concen: 4.42 ng

RT: 12.00 min Scan# 1649

Delta R.T. -0.01 min

Lab File: BE090402.D

Acq: 7 Aug 2015 17:52

Instrument :

BNA_E

ClientSampleId :

PB84793BSD

Tot Ion:142 Resp: 58287

Ion Ratio Lower Upper





142 100

141 89.6 72.6 109.0

115 37.2 31.6 47.4

Manual Integrations
APPROVED

MMDadoda
8/10/2015 7:11:33 PM



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.20 min Scan# 2075

Delta R.T. 0.00 min

Lab File: BE090402.D

Acq: 7 Aug 2015 17:52




Tgt Ion:164 Resp: 60417


Ion Ratio Lower Upper

164 100

162 100.8 81.8 122.8

160 49.4 44.2 66.4









#13
 2,4,6-Tribromophenol
 Concen: 6.17 ng
 RT: 15.69 min Scan# 2205
 Delta R.T. -0.02 min
 Lab File: BE090402.D
 Acq: 7 Aug 2015 17:52

Instrument :
 BNA_E
 ClientSampleId :
 PB84793BSD

Manual Integrations
 APPROVED




MMDadoda
 8/10/2015 7:11:33 PM


Tot Ion	Ratio	Lower	Upper
330	100		
332	97.5	75.8	113.6
141	167.8	114.4	171.6



#14
 2-Fluorobiphenyl
 Concen: 4.42 ng
 RT: 12.82 min Scan# 1828
 Delta R.T. -0.00 min
 Lab File: BE090402.D
 Acq: 7 Aug 2015 17:52

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.4	28.5	42.7
170	23.3	19.8	29.8









#15
Acenaphthylene
Concen: 4.26 ng
RT: 13.91 min Scan# 2031
Delta R.T. 0.00 min
Lab File: BE090402.D
Acq: 7 Aug 2015 17:52

Instrument :
BNA_E
ClientSampleId :
PB84793BSD

Tot Ion	Ratio	Lower	Upper
152	100		
151	4.8	3.8	5.8
153	12.9	10.3	15.5




Manual Integrations
APPROVED


MMDadoda
8/10/2015 7:11:33 PM



#16
Acenaphthene
Concen: 4.11 ng
RT: 14.26 min Scan# 2084
Delta R.T. 0.00 min
Lab File: BE090402.D
Acq: 7 Aug 2015 17:52

Tgt Ion	Ratio	Lower	Upper
154	100		
153	461.4	376.2	564.2
152	259.0	235.0	352.4









#17
Fluorene
 Concen: 4.27 ng
 RT: 15.26 min Scan# 2180
 Delta R.T. 0.00 min
 Lab File: BE090402.D
 Acq: 7 Aug 2015 17:52

Instrument :
 BNA_E
 ClientSampleId :
 PB84793BSD

Tot Ion	Ratio	Lower	Upper
166	100		
165	99.0	81.5	122.3
167	13.4	11.4	17.0




Manual Integrations
 APPROVED


MMDadoda
 8/10/2015 7:11:33 PM



#18
Phenanthrene-d10
 Concen: 5.00 ng
 RT: 16.94 min Scan# 2277
 Delta R.T. 0.00 min
 Lab File: BE090402.D
 Acq: 7 Aug 2015 17:52

Tgt Ion	Ratio	Lower	Upper
188	100		
94	5.2	5.7	8.5#
80	5.3	5.8	8.8#









#19
4-Bromophenyl-phenylether
Concen: 4.39 ng
RT: 16.14 min Scan# 2231
Delta R.T. 0.00 min
Lab File: BE090402.D
Acq: 7 Aug 2015 17:52

Instrument :
BNA_E
ClientSampleId :
PB84793BSD

Tot Ion	Ratio	Lower	Upper
248	100		
250	93.6	79.0	118.6
141	302.8	239.5	359.3




Manual Integrations
APPROVED


MMDadoda
8/10/2015 7:11:33 PM



#20
Hexachlorobenzene
Concen: 3.89 ng
RT: 16.27 min Scan# 2238
Delta R.T. 0.00 min
Lab File: BE090402.D
Acq: 7 Aug 2015 17:52

Tgt Ion	Ratio	Lower	Upper
284	100		
142	37.9	30.1	45.1
249	31.0	25.7	38.5









#21
Pentachlorophenol
Concen: 7.35 ng
RT: 16.60 min Scan# 2257
Delta R.T. -0.02 min
Lab File: BE090402.D
Acq: 7 Aug 2015 17:52

Instrument :
BNA_E
ClientSampleId :
PB84793BSD

Tot Ion	Ratio	Resp	Lower	Upper
266	100	15617		
268	60.0		58.5	87.7
264	67.1		56.0	84.0




Manual Integrations
APPROVED


MMDadoda
8/10/2015 7:11:33 PM



#22
Phenanthrene
Concen: 4.17 ng
RT: 16.98 min Scan# 2279
Delta R.T. 0.00 min
Lab File: BE090402.D
Acq: 7 Aug 2015 17:52

Tgt Ion	Ratio	Resp	Lower	Upper
178	100	146728		
176	19.4		15.4	23.2
179	15.3		12.5	18.7









#23
 Anthracene
 Concen: 4.88 ng
 RT: 17.07 min Scan# 2284
 Delta R.T. -0.02 min
 Lab File: BE090402.D
 Acq: 7 Aug 2015 17:52

Instrument :
 BNA_E
 ClientSampleId :
 PB84793BSD

Tot Ion:	178	Resp:	141005
Ion Ratio	Lower	Upper	
178	100		
176	18.6	14.9	22.3
179	15.4	12.2	18.4




Manual Integrations
 APPROVED


MMDadoda
 8/10/2015 7:11:33 PM



#24
 Fluoranthene
 Concen: 4.85 ng
 RT: 18.98 min Scan# 2505
 Delta R.T. -0.01 min
 Lab File: BE090402.D
 Acq: 7 Aug 2015 17:52

Tgt Ion:	202	Resp:	167779
Ion Ratio	Lower	Upper	
202	100		
101	13.2	10.3	15.5
203	17.2	13.7	20.5





#25

Chrysene-d12

Concen: 5.00 ng

RT: 21.09 min Scan# 2864

Delta R.T. -0.01 min

Lab File: BE090402.D

Acq: 7 Aug 2015 17:52

Instrument :

BNA_E





ClientSampleId :

PB84793BSD

Tot Ion:	240	Resp:	181273
Ion Ratio	Lower	Upper	
240	100		
120	13.8	8.3	12.5#
236	27.8	21.0	31.4

Manual Integrations
APPROVED

MMDadoda
8/10/2015 7:11:33 PM



#26

Pyrene

Concen: 4.72 ng




RT: 19.34 min Scan# 2573


Delta R.T. -0.01 min

Lab File: BE090402.D

Acq: 7 Aug 2015 17:52

Tgt Ion:	202	Resp:	185316
Ion Ratio	Lower	Upper	
202	100		
200	21.1	16.7	25.1
203	18.1	13.8	20.8





#27

Terphenyl-d14

Concen: 4.69 ng

RT: 19.55 min Scan# 2613

Delta R.T. -0.01 min

Lab File: BE090402.D


Acq: 7 Aug 2015 17:52

Instrument :

BNA_E

ClientSampleId :




PB84793BSD



Tot Ion:	244	Resp:	125306
Ion Ratio	Lower	Upper	
244	100		
212	8.4	6.6	9.8
122	15.0	10.2	15.4

Manual Integrations
APPROVED

MMDadoda
8/10/2015 7:11:33 PM



#28

Benzo(a)anthracene

Concen: 4.51 ng




RT: 21.08 min Scan# 2862


Delta R.T. 0.00 min

Lab File: BE090402.D

Acq: 7 Aug 2015 17:52

Tgt Ion:	228	Resp:	181118
Ion Ratio	Lower	Upper	
228	100		
226	26.8	21.9	32.9
229	19.7	15.4	23.0









#29
Chrysene
Concen: 4.04 ng
RT: 21.14 min Scan# 2870
Delta R.T. 0.00 min
Lab File: BE090402.D
Acq: 7 Aug 2015 17:52

Instrument :
BNA_E
ClientSampleId :
PB84793BSD

Tot Ion	Ratio	Resp	Lower	Upper
228	100	195964		
226	28.9		23.1	34.7
229	19.7		15.8	23.8




Manual Integrations
APPROVED


MMDadoda
8/10/2015 7:11:33 PM



#30
Bis(2-ethylhexyl)phthalate
Concen: 3.70 ng
RT: 21.03 min Scan# 2854
Delta R.T. 0.00 min
Lab File: BE090402.D
Acq: 7 Aug 2015 17:52

Tgt Ion	Ratio	Resp	Lower	Upper
149	100	48145		
167	25.5		19.8	29.8
279	3.0		2.4	3.6









#31
Indeno(1,2,3-cd)pyrene
Concen: 3.50 ng
RT: 25.78 min Scan# 3827
Delta R.T. -0.00 min
Lab File: BE090402.D
Acq: 7 Aug 2015 17:52

Instrument :
BNA_E
ClientSampleId :
PB84793BSD

Tot Ion	Ratio	Lower	Upper
276	100		
138	26.5	18.8	28.2
277	24.9	18.2	27.4




Manual Integrations
APPROVED


MMDadoda
8/10/2015 7:11:33 PM



#32
Perylene-d12
Concen: 5.00 ng
RT: 23.40 min Scan# 3308
Delta R.T. 0.00 min
Lab File: BE090402.D
Acq: 7 Aug 2015 17:52

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.9	20.1	30.1
265	21.8	17.2	25.8









#33
Benzo(b)fluoranthene
Concen: 4.32 ng
RT: 22.70 min Scan# 3153
Delta R.T. -0.01 min
Lab File: BE090402.D
Acq: 7 Aug 2015 17:52

Instrument :
BNA_E
ClientSampleId :
PB84793BSD

Tot Ion	Ratio	Lower	Upper
252	100		
253	21.6	18.1	27.1
125	11.2	9.4	14.2




Manual Integrations
APPROVED


MMDadoda
8/10/2015 7:11:33 PM



#34
Benzo(k)fluoranthene
Concen: 4.45 ng m
RT: 22.75 min Scan# 3164
Delta R.T. -0.00 min
Lab File: BE090402.D
Acq: 7 Aug 2015 17:52

Tgt Ion	Ratio	Lower	Upper
252	100		
253	21.9	18.1	27.1
125	11.1	9.1	13.7









#35
Benzo(a)pyrene
Concen: 4.22 ng
RT: 23.30 min Scan# 3285
Delta R.T. 0.00 min
Lab File: BE090402.D
Acq: 7 Aug 2015 17:52

Instrument :
BNA_E
ClientSampleId :
PB84793BSD

Tot Ion	Ratio	Lower	Upper
252	100		
253	22.2	17.6	26.4
125	12.2	9.8	14.6




Manual Integrations
APPROVED




MMDadoda
8/10/2015 7:11:33 PM



#36
Dibenzo(a,h)anthracene
Concen: 3.89 ng
RT: 25.80 min Scan# 3832
Delta R.T. -0.00 min
Lab File: BE090402.D
Acq: 7 Aug 2015 17:52

Tgt Ion	Ratio	Lower	Upper
278	100		
139	16.6	14.2	21.4
279	23.7	20.1	30.1





#37
 Benzo(a,h,i)perylene
 Concen: 4.75 ng
 RT: 26.51 min Scan# 3987
 Delta R.T. -0.01 min
 Lab File: BE090402.D
 Acq: 7 Aug 2015 17:52

Instrument :
 BNA_E
 ClientSampleId :
 PB84793BSD

Tot Ion	Ratio	Resp Lower	Upper
276	100		
277	23.9	20.1	30.1
138	23.2	18.1	27.1

Manual Integrations
 APPROVED

MMDadoda
 8/10/2015 7:11:33 PM

