

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081016\
 Data File : BE092253.D
 Acq On : 10 Aug 2016 14:05
 Operator : UM/SJ
 Sample : H4383-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 MW-1-080416

Quant Time: Aug 11 01:11:30 2016
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE080916.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 10 11:12:32 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.17	152	12982	5.00	ng	0.00
7) Naphthalene-d8	10.97	136	58872	5.00	ng	0.00
12) Acenaphthene-d10	14.83	164	33394	5.00	ng	0.00
18) Phenanthrene-d10	17.56	188	82856	5.00	ng	0.00
24) Chrysene-d12	21.73	240	87857	5.00	ng	-0.02
31) Perylene-d12	24.13	264	99064	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.69	112	5326	1.88	ng	-0.01
5) Phenol-d6	7.34	99	7470	1.83	ng	-0.02
8) Nitrobenzene-d5	9.34	82	4940	1.19	ng	-0.02
13) 2,4,6-Tribromophenol	16.33	330	9133	7.03	ng	0.00
14) 2-Fluorobiphenyl	13.46	172	25988	2.52	ng	-0.01
26) Terphenyl-d14	20.19	244	61730	4.16	ng	0.00
Target Compounds						
29) Bis(2-ethylhexyl)phthalate	21.63	149	2232	0.36	ng	Qvalue # 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081016\
Data File : BE092253.D
Acq On : 10 Aug 2016 14:05
Operator : UM/SJ
Sample : H4383-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleID :
MW-1-080416

Quant Time: Aug 11 01:11:30 2016
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE080916.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 10 11:12:32 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 8.17 min Scan# 577

Delta R.T. -0.00 min

Lab File: BE092253.D

Acq: 10 Aug 2016 14:05

Instrument :

BNA_E

ClientSampleId :

MW-1-080416


Tgt Ion:152 Resp: 12982

Ion Ratio Lower Upper

152 100

150 163.3 135.6 203.4




115 66.4 59.4 89.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 1.88 ng

RT: 5.69 min Scan# 367

Delta R.T. -0.01 min

Lab File: BE092253.D

Acq: 10 Aug 2016 14:05


Tgt Ion:112 Resp: 5326

Ion Ratio Lower Upper

112 100

64 66.7 53.2 79.8



63 36.8 27.4 41.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 1.83 ng

RT: 7.34 min Scan# 541

Delta R.T. -0.02 min

Lab File: BE092253.D

Acq: 10 Aug 2016 14:05

Instrument :

BNA_E

ClientSampleId :

MW-1-080416


Tgt Ion: 99 Resp: 7470

Ion Ratio Lower Upper

99 100

42 25.0 0.0 0.0#




71 34.1 29.8 44.8



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 5.00 ng

RT: 10.97 min Scan# 709

Delta R.T. -0.00 min

Lab File: BE092253.D

Acq: 10 Aug 2016 14:05

Tgt Ion: 136 Resp: 58872


Ion Ratio Lower Upper

136 100

137 11.0 8.8 13.2

54 7.6 6.2 9.4

68 5.5 4.6 6.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0









#8
 Nitrobenzene-d5
 Concen: 1.19 ng
 RT: 9.34 min Scan# 628
 Delta R.T. -0.02 min
 Lab File: BE092253.D
 Acq: 10 Aug 2016 14:05

Instrument :
 BNA_E
 ClientSampleId :
 MW-1-080416

Tgt Ion: 82 Resp: 4940
 Ion Ratio Lower Upper
 82 100
 128 19.1 45.0 67.4#
 54 69.5 45.4 68.2#




Abundance Ion 82.00 (81.70 to 82.70): BE0
 Ion 128.00 (127.70 to 128.70): BE0
 Ion 54.00 (53.70 to 54.70): BE0






#12
 Acenaphthene-d10
 Concen: 5.00 ng
 RT: 14.83 min Scan# 981
 Delta R.T. -0.00 min
 Lab File: BE092253.D
 Acq: 10 Aug 2016 14:05

Tgt Ion: 164 Resp: 33394
 Ion Ratio Lower Upper
 164 100
 162 105.7 83.3 124.9
 160 47.5 38.0 57.0



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#13
 2,4,6-Tribromophenol
 Concen: 7.03 ng
 RT: 16.33 min Scan# 1090
 Delta R.T. 0.00 min
 Lab File: BE092253.D
 Acq: 10 Aug 2016 14:05




Instrument :
 BNA_E
 ClientSampleId :
 MW-1-080416


Tgt Ion: 330 Resp: 9133
 Ion Ratio Lower Upper
 330 100
 332 96.1 75.4 113.0
 141 45.2 37.7 56.5



#14
 2-Fluorobiphenyl
 Concen: 2.52 ng
 RT: 13.46 min Scan# 886
 Delta R.T. -0.01 min
 Lab File: BE092253.D
 Acq: 10 Aug 2016 14:05

Tgt Ion: 172 Resp: 25988
 Ion Ratio Lower Upper
 172 100
 171 34.1 26.8 40.2
 170 22.5 17.8 26.6





#18

Phenanthrene-d10

Concen: 5.00 ng

RT: 17.56 min Scan# 1154

Delta R.T. 0.00 min

Lab File: BE092253.D

Acq: 10 Aug 2016 14:05

Instrument :

BNA_E

ClientSampleId :

MW-1-080416


Tgt Ion:188 Resp: 82856

Ion Ratio Lower Upper

188 100

94 10.8 9.2 13.8




80 10.4 9.1 13.7



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#24

Chrysene-d12

Concen: 5.00 ng

RT: 21.73 min Scan# 1375

Delta R.T. -0.02 min

Lab File: BE092253.D

Acq: 10 Aug 2016 14:05


Tgt Ion:240 Resp: 87857

Ion Ratio Lower Upper

240 100

120 16.8 1.2 1.8#



236 35.4 17.1 25.7#




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#26
 Terphenyl-d14
 Concen: 4.16 ng
 RT: 20.19 min Scan# 1300
 Delta R.T. 0.00 min
 Lab File: BE092253.D
 Acq: 10 Aug 2016 14:05




Instrument :
 BNA_E
 ClientSampleId :
 MW-1-080416


Tgt Ion:244 Resp: 61730
 Ion Ratio Lower Upper
 244 100
 212 7.9 10.2 15.2#
 122 3.2 15.9 23.9#



#29
 Bis(2-ethylhexyl)phthalate
 Concen: 0.36 ng
 RT: 21.63 min Scan# 1371
 Delta R.T. 0.00 min
 Lab File: BE092253.D
 Acq: 10 Aug 2016 14:05

Tgt Ion:149 Resp: 2232
 Ion Ratio Lower Upper
 149 100
 167 29.2 22.1 33.1
 279 0.0 0.0 0.0





#31

Perylene-d12

Concen: 5.00 ng

RT: 24.13 min Scan# 1548

Delta R.T. -0.00 min

Lab File: BE092253.D

Acq: 10 Aug 2016 14:05

Instrument :

BNA_E

ClientSampleId :

MW-1-080416

Tgt Ion: 264 Resp: 99064

Ion Ratio Lower Upper

264 100

260 24.1 19.5 29.3

265 22.6 18.2 27.4

