




Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081017\
Data File : BE093747.D
Acq On : 10 Aug 2017 14:01
Operator : SJ/JU
Sample : I4455-14
Misc :
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 11 17:29:49 2017
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE072417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 11 06:07:04 2017
Response via : Initial Calibration



TIC: BE093747.D

(10) Phenanthrene-d10 (I)




17.256min (-17.256) 0.00ng/ul

response 0

Ion	Exp%	Act%
188.00	100	0.00
94.00	11.00	0.00#
80.00	11.80	0.00#
0.00	0.00	0.00

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081017\
Data File : BE093747.D
Acq On : 10 Aug 2017 14:01
Operator : SJ/JU
Sample : I4455-14
Misc :
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 11 17:29:49 2017
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE072417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 11 06:07:04 2017
Response via : Initial Calibration



TIC: BE093747.D

(10) Phenanthrene-d10 (I)




17.256min (+0.000) 0.40ng/ul m

response 21568

Ion	Exp%	Act%
188.00	100	100
94.00	11.00	6.40#
80.00	11.80	5.80#
0.00	0.00	0.00

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081017\
Data File : BE093747.D
Acq On : 10 Aug 2017 14:01
Operator : SJ/JU
Sample : I4455-14
Misc :
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 11 18:00:18 2017
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE072417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 11 06:07:04 2017
Response via : Initial Calibration



TIC: BE093747.D

(20) Perylene-d12 (I)




23.755min (-0.155) 0.40ng/ul

response 1516463

Ion	Exp%	Act%
264.00	100	100
260.00	30.10	21.57#
265.00	103.50	21.64#
0.00	0.00	0.00

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081017\
Data File : BE093747.D
Acq On : 10 Aug 2017 14:01
Operator : SJ/JU
Sample : I4455-14
Misc :
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 11 18:00:18 2017
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE072417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 11 06:07:04 2017
Response via : Initial Calibration



TIC: BE093747.D

(20) Perylene-d12 (I)

23.910min (+0.000) 0.40ng/ul m

response 17696

Ion	Exp%	Act%
264.00	100	100
260.00	30.10	24.26
265.00	103.50	25.63#
0.00	0.00	0.00

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081017\
 Data File : BE093747.D
 Acq On : 10 Aug 2017 14:01
 Operator : SJ/JU
 Sample : I4455-14
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 11 18:01:41 2017
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE072417.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 11 06:07:04 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.92	152	3096	0.40	ng/ul	0.00
2) Naphthalene-d8	10.71	136	16169	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.52	164	10033	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.26	188	21568m	0.40	ng/ul	0.00
16) Chrysene-d12	21.41	240	21800	0.40	ng/ul	0.00
20) Perylene-d12	23.91	264	17696m	0.40	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Methylnaphthalene-d10	12.29	152	7094	0.27	ng/ul	0.00
14) Fluoranthene-d10	19.27	212	19945	0.29	ng/ul	0.00

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081017\
Data File : BE093747.D
Acq On : 10 Aug 2017 14:01
Operator : SJ/JU
Sample : I4455-14
Misc :
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 11 18:01:41 2017
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE072417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 11 06:07:04 2017
Response via : Initial Calibration

