

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081115\
 Data File : BE090438.D
 Acq On : 11 Aug 2015 21:11
 Operator : UM/IZ
 Sample : G3235-04
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 080915-D506-E-U-M

Quant Time: Aug 12 05:39:16 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE080515.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 06 12:28:08 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.58	152	21488	5.00	ng	0.00
6) Naphthalene-d8	10.34	136	98768	5.00	ng	0.00
12) Acenaphthene-d10	14.20	164	59035	5.00	ng	0.00
18) Phenanthrene-d10	16.94	188	134051	5.00	ng	0.00
25) Chrysene-d12	21.09	240	156363	5.00	ng	0.00
32) Perylene-d12	23.40	264	142603	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.22	112	14231	4.41	ng	0.00
5) Phenol-d6	6.77	99	13075	2.06	ng	0.00
7) Nitrobenzene-d5	8.73	82	25680	3.27	ng	0.00
13) 2,4,6-Tribromophenol	15.71	330	14766	8.12	ng	0.00
14) 2-Fluorobiphenyl	12.82	172	62818	3.87	ng	0.00
27) Terphenyl-d14	19.55	244	116068	5.04	ng	-0.01
Target Compounds						
30) Bis(2-ethylhexyl)phthalate	21.03	149	2012	0.35	ng	Qvalue 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081115\
Data File : BE090438.D
Acq On : 11 Aug 2015 21:11
Operator : UM/IZ
Sample : G3235-04
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
080915-D506-E-U-M

Quant Time: Aug 12 05:39:16 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE080515.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 06 12:28:08 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.58 min Scan# 845

Delta R.T. -0.00 min

Lab File: BE090438.D

Acq: 11 Aug 2015 21:11

Instrument :

BNA_E

ClientSampleId :

080915-D506-E-U-M


Tgt Ion:152 Resp: 21488

Ion Ratio Lower Upper

152 100

150 154.4 123.0 184.4




115 62.4 48.9 73.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 4.41 ng

RT: 5.22 min Scan# 386

Delta R.T. 0.00 min

Lab File: BE090438.D

Acq: 11 Aug 2015 21:11


Tgt Ion:112 Resp: 14231

Ion Ratio Lower Upper

112 100

64 70.7 37.1 55.7#



63 36.6 19.5 29.3#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 2.06 ng

RT: 6.77 min Scan# 667

Delta R.T. -0.00 min

Lab File: BE090438.D

Acq: 11 Aug 2015 21:11

Instrument :

BNA_E

ClientSampleId :

080915-D506-E-U-M





Tgt Ion: 99 Resp: 13075

Ion Ratio Lower Upper

99 100

42 22.0 18.2 27.4

71 35.8 27.4 41.0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.34 min Scan# 1371

Delta R.T. 0.00 min

Lab File: BE090438.D

Acq: 11 Aug 2015 21:11

Tgt Ion: 136 Resp: 98768




Ion Ratio Lower Upper


136 100

137 10.9 8.7 13.1

54 11.7 9.4 14.0

68 8.4 6.5 9.7





#7

Nitrobenzene-d5

Concen: 3.27 ng

RT: 8.73 min Scan# 1093

Delta R.T. -0.00 min

Lab File: BE090438.D

Acq: 11 Aug 2015 21:11

Instrument :

BNA_E

ClientSampleId :

080915-D506-E-U-M


Tgt Ion: 82 Resp: 25680

Ion Ratio Lower Upper

82 100

128 30.6 25.0 37.6

54 59.2 48.8 73.2





Abundance Ion 82.00 (81.70 to 82.70): BE090438.D (-1050) (-)

Ion 128.00 (127.70 to 128.70): BE090438.D (-1050) (-)

Ion 54.00 (53.70 to 54.70): BE090438.D (-1050) (-)

Time-->



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.20 min Scan# 2075

Delta R.T. -0.00 min

Lab File: BE090438.D

Acq: 11 Aug 2015 21:11


Tgt Ion: 164 Resp: 59035

Ion Ratio Lower Upper

164 100

162 101.6 81.8 122.8

160 49.0 44.2 66.4




Abundance Ion 164.00 (163.70 to 164.70): BE090438.D (-2044) (-)

Ion 162.00 (161.70 to 162.70): BE090438.D (-2044) (-)

Ion 160.00 (159.70 to 160.70): BE090438.D (-2044) (-)

Time-->








#13
 2,4,6-Tribromophenol
 Concen: 8.12 ng
 RT: 15.71 min Scan# 2206
 Delta R.T. 0.00 min
 Lab File: BE090438.D
 Acq: 11 Aug 2015 21:11




Instrument :
 BNA_E
 ClientSampleId :
 080915-D506-E-U-M

Tgt Ion:330 Resp: 14766
 Ion Ratio Lower Upper
 330 100
 332 96.5 75.8 113.6
 141 161.2 114.4 171.6



#14
 2-Fluorobiphenyl
 Concen: 3.87 ng
 RT: 12.82 min Scan# 1828
 Delta R.T. -0.00 min
 Lab File: BE090438.D
 Acq: 11 Aug 2015 21:11

Tgt Ion:172 Resp: 62818
 Ion Ratio Lower Upper
 172 100
 171 35.0 28.5 42.7
 170 23.6 19.8 29.8





#18

Phenanthrene-d10

Concen: 5.00 ng

RT: 16.94 min Scan# 2277

Delta R.T. 0.00 min

Lab File: BE090438.D

Acq: 11 Aug 2015 21:11

Instrument :

BNA_E

ClientSampleId :

080915-D506-E-U-M


Tgt Ion:188 Resp: 134051

Ion Ratio Lower Upper

188 100

94 6.4 5.7 8.5



80 6.7 5.8 8.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#25

Chrysene-d12

Concen: 5.00 ng

RT: 21.09 min Scan# 2864

Delta R.T. -0.01 min

Lab File: BE090438.D

Acq: 11 Aug 2015 21:11


Tgt Ion:240 Resp: 156363

Ion Ratio Lower Upper

240 100

120 12.8 8.3 12.5#



236 27.6 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#27
 Terphenyl-d14
 Concen: 5.04 ng
 RT: 19.55 min Scan# 2613
 Delta R.T. -0.01 min
 Lab File: BE090438.D
 Acq: 11 Aug 2015 21:11




Instrument :
 BNA_E
 ClientSampleId :
 080915-D506-E-U-M


Tgt Ion: 244 Resp: 116068
 Ion Ratio Lower Upper
 244 100
 212 8.1 6.6 9.8
 122 13.7 10.2 15.4



#30
 Bis(2-ethylhexyl)phthalate
 Concen: 0.35 ng
 RT: 21.03 min Scan# 2854
 Delta R.T. 0.00 min
 Lab File: BE090438.D
 Acq: 11 Aug 2015 21:11

Tgt Ion: 149 Resp: 2012
 Ion Ratio Lower Upper
 149 100
 167 23.6 19.8 29.8
 279 3.6 2.4 3.6





#32

Perylene-d12

Concen: 5.00 ng

RT: 23.40 min Scan# 3307

Delta R.T. -0.00 min

Lab File: BE090438.D

Acq: 11 Aug 2015 21:11

Instrument :

BNA_E

ClientSampleId :

080915-D506-E-U-M

Tgt Ion: 264 Resp: 142603

Ion Ratio Lower Upper

264 100

260 24.9 20.1 30.1

265 22.1 17.2 25.8

