

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081115\
 Data File : BE090450.D
 Acq On : 12 Aug 2015 4:36
 Operator : UM/IZ
 Sample : G3236-02
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 080715-D534-F-D-M

Quant Time: Aug 12 06:56:04 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE080515.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 06 12:28:08 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.58	152	19562	5.00	ng	0.00
6) Naphthalene-d8	10.34	136	90202	5.00	ng	0.00
12) Acenaphthene-d10	14.20	164	51939	5.00	ng	0.00
18) Phenanthrene-d10	16.94	188	124752	5.00	ng	0.00
25) Chrysene-d12	21.09	240	141256	5.00	ng	0.00
32) Perylene-d12	23.40	264	124431	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.22	112	13401	4.57	ng	0.00
5) Phenol-d6	6.77	99	12661	2.18	ng	0.00
7) Nitrobenzene-d5	8.73	82	23298	3.25	ng	0.00
13) 2,4,6-Tribromophenol	15.71	330	15951	9.31	ng	0.00
14) 2-Fluorobiphenyl	12.82	172	59086	4.14	ng	0.00
27) Terphenyl-d14	19.55	244	117713	5.66	ng	-0.01
Target Compounds						
30) Bis(2-ethylhexyl)phthalate	21.03	149	1154	0.26	ng	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081115\
Data File : BE090450.D
Acq On : 12 Aug 2015 4:36
Operator : UM/IZ
Sample : G3236-02
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
080715-D534-F-D-M

Quant Time: Aug 12 06:56:04 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE080515.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 06 12:28:08 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.58 min Scan# 845

Delta R.T. -0.01 min

Lab File: BE090450.D

Acq: 12 Aug 2015 4:36

Instrument :

BNA_E

ClientSampleId :

080715-D534-F-D-M


Tgt Ion:152 Resp: 19562

Ion Ratio Lower Upper

152 100

150 157.6 123.0 184.4




115 64.0 48.9 73.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 4.57 ng

RT: 5.22 min Scan# 386

Delta R.T. 0.00 min

Lab File: BE090450.D

Acq: 12 Aug 2015 4:36


Tgt Ion:112 Resp: 13401

Ion Ratio Lower Upper

112 100

64 71.5 37.1 55.7#



63 36.4 19.5 29.3#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 2.18 ng

RT: 6.77 min Scan# 667

Delta R.T. -0.01 min

Lab File: BE090450.D

Acq: 12 Aug 2015 4:36

Instrument :

BNA_E

ClientSampleId :

080715-D534-F-D-M


Tgt Ion: 99 Resp: 12661

Ion Ratio Lower Upper

99 100

42 22.0 18.2 27.4




71 35.3 27.4 41.0



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.34 min Scan# 1371

Delta R.T. 0.00 min

Lab File: BE090450.D

Acq: 12 Aug 2015 4:36

Tgt Ion: 136 Resp: 90202


Ion Ratio Lower Upper

136 100

137 10.9 8.7 13.1

54 11.4 9.4 14.0

68 8.1 6.5 9.7






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 3.25 ng

RT: 8.73 min Scan# 1093

Delta R.T. -0.00 min

Lab File: BE090450.D

Acq: 12 Aug 2015 4:36

Instrument :

BNA_E

ClientSampleId :

080715-D534-F-D-M


Tgt Ion: 82 Resp: 23298

Ion Ratio Lower Upper

82 100

128 30.1 25.0 37.6

54 59.5 48.8 73.2




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0


Ion 54.00 (53.70 to 54.70): BE0

Time-->



8.73

Time-->



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.20 min Scan# 2075

Delta R.T. 0.00 min

Lab File: BE090450.D

Acq: 12 Aug 2015 4:36


Tgt Ion: 164 Resp: 51939

Ion Ratio Lower Upper

164 100

162 102.7 81.8 122.8

160 50.2 44.2 66.4




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E

Time-->



14.20





Time-->



#13
 2,4,6-Tribromophenol
 Concen: 9.31 ng
 RT: 15.71 min Scan# 2206
 Delta R.T. 0.00 min
 Lab File: BE090450.D
 Acq: 12 Aug 2015 4:36




Instrument :
 BNA_E
 ClientSampleId :
 080715-D534-F-D-M

Tgt Ion: 330 Resp: 15951
 Ion Ratio Lower Upper
 330 100
 332 96.6 75.8 113.6
 141 156.3 114.4 171.6



#14
 2-Fluorobiphenyl
 Concen: 4.14 ng
 RT: 12.82 min Scan# 1828
 Delta R.T. -0.00 min
 Lab File: BE090450.D
 Acq: 12 Aug 2015 4:36

Tgt Ion: 172 Resp: 59086
 Ion Ratio Lower Upper
 172 100
 171 34.2 28.5 42.7
 170 23.2 19.8 29.8





#18

Phenanthrene-d10

Concen: 5.00 ng

RT: 16.94 min Scan# 2277

Delta R.T. 0.00 min

Lab File: BE090450.D

Acq: 12 Aug 2015 4:36

Instrument :

BNA_E

ClientSampleId :

080715-D534-F-D-M


Tgt Ion:188 Resp: 124752

Ion Ratio Lower Upper

188 100

94 5.7 5.7 8.5



80 6.0 5.8 8.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#25

Chrysene-d12

Concen: 5.00 ng

RT: 21.09 min Scan# 2864

Delta R.T. -0.01 min

Lab File: BE090450.D

Acq: 12 Aug 2015 4:36


Tgt Ion:240 Resp: 141256

Ion Ratio Lower Upper

240 100

120 11.8 8.3 12.5



236 27.1 21.0 31.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#27
 Terphenyl-d14
 Concen: 5.66 ng
 RT: 19.55 min Scan# 2613
 Delta R.T. -0.01 min
 Lab File: BE090450.D
 Acq: 12 Aug 2015 4:36




Instrument :
 BNA_E
 ClientSampleId :
 080715-D534-F-D-M


Tgt Ion: 244 Resp: 117713
 Ion Ratio Lower Upper
 244 100
 212 8.0 6.6 9.8
 122 12.4 10.2 15.4



#30
 Bis(2-ethylhexyl)phthalate
 Concen: 0.26 ng
 RT: 21.03 min Scan# 2854
 Delta R.T. 0.00 min
 Lab File: BE090450.D
 Acq: 12 Aug 2015 4:36

Tgt Ion: 149 Resp: 1154
 Ion Ratio Lower Upper
 149 100
 167 24.1 19.8 29.8
 279 2.9 2.4 3.6





#32

Perylene-d12

Concen: 5.00 ng

RT: 23.40 min Scan# 3307

Delta R.T. -0.00 min

Lab File: BE090450.D

Acq: 12 Aug 2015 4:36

Instrument :

BNA_E

ClientSampleId :

080715-D534-F-D-M

Tgt Ion: 264 Resp: 124431

Ion Ratio Lower Upper

264 100

260 25.2 20.1 30.1

265 22.2 17.2 25.8

