

Data Path : Z:\HPCHEM1\BNA\_E\DATA\BE081117\  
 Data File : BE093776.D  
 Acq On : 11 Aug 2017 18:58  
 Operator : SJ/JU  
 Sample : I4489-03  
 Misc :  
 ALS Vial : 7 Sample Multiplier: 1

Instrument :  
 BNA\_E  
 ClientSampleId :  
 X2A53

Manual Integrations  
 APPROVED

sohil  
 8/14/2017 7:00:39 PM

Quant Time: Aug 12 02:35:03 2017  
 Quant Method : Z:\HPCHEM1\BNA\_E\METHODS\SOM-EPA-SIM-BE072417.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Sat Aug 12 02:01:53 2017  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc  | Units  | Dev(Min) |
|-----------------------------|-------|------|----------|-------|--------|----------|
| 1) 1,4-Dichlorobenzene-d4   | 7.92  | 152  | 2666     | 0.40  | ng/ul  | 0.00     |
| 2) Naphthalene-d8           | 10.71 | 136  | 13825    | 0.40  | ng/ul  | 0.00     |
| 6) Acenaphthene-d10         | 14.53 | 164  | 7821     | 0.40  | ng/ul  | 0.00     |
| 10) Phenanthrene-d10        | 17.26 | 188  | 18281    | 0.40  | ng/ul  | 0.00     |
| 16) Chrysene-d12            | 21.41 | 240  | 19402    | 0.40  | ng/ul  | 0.00     |
| 20) Perylene-d12            | 23.91 | 264  | 17237m   | 0.40  | ng/ul  | 0.00     |
| System Monitoring Compounds |       |      |          |       |        |          |
| 4) 2-Methylnaphthalene-d10  | 12.29 | 152  | 6892     | 0.31  | ng/ul  | 0.00     |
| 14) Fluoranthene-d10        | 19.27 | 212  | 16918    | 0.29  | ng/ul  | 0.00     |
| Target Compounds            |       |      |          |       |        | Qvalue   |
| 3) Naphthalene              | 10.75 | 128  | 7813     | 0.232 | ng/ul# | 92       |
| 5) 2-Methylnaphthalene      | 12.36 | 142  | 5995     | 0.244 | ng/ul  | 98       |
| 7) Acenaphthylene           | 14.24 | 152  | 23808    | 0.728 | ng/ul  | 96       |
| 8) Acenaphthene             | 14.59 | 153  | 7872     | 0.306 | ng/ul  | 98       |
| 9) Fluorene                 | 15.57 | 166  | 9704     | 0.298 | ng/ul# | 94       |
| 11) Pentachlorophenol       | 16.93 | 266  | 506      | 0.168 | ng/ul  | 97       |
| 12) Phenanthrene            | 17.29 | 178  | 32494    | 0.653 | ng/ul# | 89       |
| 13) Anthracene              | 17.38 | 178  | 10502    | 0.217 | ng/ul# | 89       |
| 15) Fluoranthene            | 19.30 | 202  | 21269    | 0.342 | ng/ul  | 84       |
| 17) Pyrene                  | 19.66 | 202  | 23853    | 0.421 | ng/ul# | 82       |
| 18) Benzo(a)anthracene      | 21.39 | 228  | 38413    | 0.683 | ng/ul# | 85       |
| 19) Chrysene                | 21.44 | 228  | 21277    | 0.394 | ng/ul  | 96       |
| 21) Benzo(b)fluoranthene    | 23.14 | 252  | 16847m   | 0.316 | ng/ul  |          |
| 23) Benzo(a)pyrene          | 23.80 | 252  | 24272m   | 0.479 | ng/ul  |          |
| 24) Indeno(1,2,3-cd)pyrene  | 26.55 | 276  | 20280m   | 0.362 | ng/ul  |          |
| 25) Dibenzo(a,h)anthracene  | 26.57 | 278  | 17822m   | 0.381 | ng/ul  |          |
| 26) Benzo(g,h,i)perylene    | 27.37 | 276  | 19559m   | 0.415 | ng/ul  |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA\_E\DATA\BE081117\  
Data File : BE093776.D  
Acq On : 11 Aug 2017 18:58  
Operator : SJ/JU  
Sample : I4489-03  
Misc :  
ALS Vial : 7 Sample Multiplier: 1

Instrument :  
BNA\_E  
ClientSampleId :  
X2A53

Manual Integrations  
APPROVED

sohil  
8/14/2017 7:00:39 PM

Quant Time: Aug 12 02:35:03 2017  
Quant Method : Z:\HPCHEM1\BNA\_E\METHODS\SOM-EPA-SIM-BE072417.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Sat Aug 12 02:01:53 2017  
Response via : Initial Calibration

