

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081215\
 Data File : BE090477.D
 Acq On : 12 Aug 2015 21:09
 Operator : UM/IZ
 Sample : G3251-01
 Misc :
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 08115-D506-F-D-B

Quant Time: Aug 13 02:18:16 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE080515.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 06 12:28:08 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.58	152	17471	5.00	ng	0.00
6) Naphthalene-d8	10.34	136	77366	5.00	ng	0.00
12) Acenaphthene-d10	14.20	164	45671	5.00	ng	0.00
18) Phenanthrene-d10	16.94	188	115246	5.00	ng	0.00
25) Chrysene-d12	21.09	240	141099	5.00	ng	0.00
32) Perylene-d12	23.40	264	130543	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.22	112	11043	4.21	ng	0.00
5) Phenol-d6	6.77	99	10113	1.97	ng	0.00
7) Nitrobenzene-d5	8.73	82	21214	3.43	ng	0.00
13) 2,4,6-Tribromophenol	15.69	330	11304	8.06	ng	-0.02
14) 2-Fluorobiphenyl	12.82	172	52736	4.20	ng	0.00
27) Terphenyl-d14	19.55	244	115188	5.54	ng	-0.01
Target Compounds						
30) Bis(2-ethylhexyl)phthalate	21.03	149	1717	0.34	ng	Qvalue # 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081215\
Data File : BE090477.D
Acq On : 12 Aug 2015 21:09
Operator : UM/IZ
Sample : G3251-01
Misc :
ALS Vial : 44 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
08115-D506-F-D-B

Quant Time: Aug 13 02:18:16 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE080515.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 06 12:28:08 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.58 min Scan# 845

Delta R.T. -0.01 min

Lab File: BE090477.D

Acq: 12 Aug 2015 21:09

Instrument :

BNA_E

ClientSampleId :

08115-D506-F-D-B


Tgt Ion:152 Resp: 17471

Ion Ratio Lower Upper

152 100

150 155.1 123.0 184.4




115 62.2 48.9 73.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 4.21 ng

RT: 5.22 min Scan# 386

Delta R.T. -0.00 min

Lab File: BE090477.D

Acq: 12 Aug 2015 21:09


Tgt Ion:112 Resp: 11043

Ion Ratio Lower Upper

112 100

64 69.2 37.1 55.7#



63 36.2 19.5 29.3#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 1.97 ng

RT: 6.77 min Scan# 667

Delta R.T. -0.01 min

Lab File: BE090477.D

Acq: 12 Aug 2015 21:09

Instrument :

BNA_E

ClientSampleId :

08115-D506-F-D-B


Tgt Ion: 99 Resp: 10113

Ion Ratio Lower Upper




99 100

42 21.3 18.2 27.4

71 35.9 27.4 41.0



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.34 min Scan# 1371

Delta R.T. 0.00 min

Lab File: BE090477.D

Acq: 12 Aug 2015 21:09

Tgt Ion: 136 Resp: 77366


Ion Ratio Lower Upper

136 100



137 11.1 8.7 13.1

54 10.7 9.4 14.0

68 8.0 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 3.43 ng

RT: 8.73 min Scan# 1093

Delta R.T. -0.00 min

Lab File: BE090477.D

Acq: 12 Aug 2015 21:09

Instrument :

BNA_E

ClientSampleId :

08115-D506-F-D-B


Tgt Ion: 82 Resp: 21214

Ion Ratio Lower Upper




82 100

128 31.3 25.0 37.6

54 58.5 48.8 73.2



Abundance Ion 82.00 (81.70 to 82.70): BE0
Ion 128.00 (127.70 to 128.70): BE0
Ion 54.00 (53.70 to 54.70): BE0



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.20 min Scan# 2075

Delta R.T. -0.00 min

Lab File: BE090477.D

Acq: 12 Aug 2015 21:09


Tgt Ion: 164 Resp: 45671

Ion Ratio Lower Upper



164 100


162 102.3 81.8 122.8

160 50.0 44.2 66.4



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#13
 2,4,6-Tribromophenol
 Concen: 8.06 ng
 RT: 15.69 min Scan# 2206
 Delta R.T. -0.02 min
 Lab File: BE090477.D
 Acq: 12 Aug 2015 21:09

Instrument :
 BNA_E
 ClientSampleId :
 08115-D506-F-D-B

Tgt Ion: 330 Resp: 11304
 Ion Ratio Lower Upper
 330 100
 332 96.9 75.8 113.6
 141 161.4 114.4 171.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#14
 2-Fluorobiphenyl
 Concen: 4.20 ng
 RT: 12.82 min Scan# 1828
 Delta R.T. -0.00 min
 Lab File: BE090477.D
 Acq: 12 Aug 2015 21:09

Tgt Ion: 172 Resp: 52736
 Ion Ratio Lower Upper
 172 100
 171 34.1 28.5 42.7
 170 22.7 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#18
Phenanthrene-d10
Concen: 5.00 ng
RT: 16.94 min Scan# 2278
Delta R.T. 0.00 min
Lab File: BE090477.D
Acq: 12 Aug 2015 21:09




Instrument :
BNA_E
ClientSampleId :
08115-D506-F-D-B

Tgt Ion:188 Resp: 115246
Ion Ratio Lower Upper
188 100
94 5.3 5.7 8.5#
80 5.5 5.8 8.8#



#25
Chrysene-d12
Concen: 5.00 ng
RT: 21.09 min Scan# 2865
Delta R.T. -0.01 min
Lab File: BE090477.D
Acq: 12 Aug 2015 21:09

Tgt Ion:240 Resp: 141099
Ion Ratio Lower Upper
240 100
120 13.6 8.3 12.5#
236 27.8 21.0 31.4









#27
 Terphenyl-d14
 Concen: 5.54 ng
 RT: 19.55 min Scan# 2614
 Delta R.T. -0.01 min
 Lab File: BE090477.D
 Acq: 12 Aug 2015 21:09




Instrument :
 BNA_E
 ClientSampleId :
 08115-D506-F-D-B

Tgt Ion:244 Resp: 115188
 Ion Ratio Lower Upper
 244 100
 212 8.2 6.6 9.8
 122 13.6 10.2 15.4



#30
 Bis(2-ethylhexyl)phthalate
 Concen: 0.34 ng
 RT: 21.03 min Scan# 2855
 Delta R.T. -0.00 min
 Lab File: BE090477.D
 Acq: 12 Aug 2015 21:09

Tgt Ion:149 Resp: 1717
 Ion Ratio Lower Upper
 149 100
 167 23.8 19.8 29.8
 279 3.9 2.4 3.6#






#32
 Perylene-d12
 Concen: 5.00 ng
 RT: 23.40 min Scan# 3308
 Delta R.T. -0.01 min
 Lab File: BE090477.D
 Acq: 12 Aug 2015 21:09

Instrument :
 BNA_E
 ClientSampleId :
 08115-D506-F-D-B

Tgt Ion: 264 Resp: 130543
 Ion Ratio Lower Upper
 264 100
 260 25.0 20.1 30.1
 265 21.6 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

