

Data Path : Z:\HPCHEM1\BNA E\DATA\BE081715\
 Data File : BE090549.D
 Acq On : 18 Aug 2015 1:00
 Operator : UM/IZ
 Sample : G33322-01
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :

Quant Time: Aug 18 06:12:14 2015
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE081415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 14 16:52:42 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.58	152	24830	5.00	ng	0.00
6) Naphthalene-d8	10.34	136	126325	5.00	ng	0.00
12) Acenaphthene-d10	14.19	164	69559	5.00	ng	0.00
18) Phenanthrene-d10	16.95	188	149662	5.00	ng	0.00
25) Chrysene-d12	21.09	240	154144	5.00	ng	0.00
32) Perylene-d12	23.40	264	143284	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.22	112	15945	2.22	ng	0.00
5) Phenol-d6	6.78	99	16048	1.52	ng	0.00
7) Nitrobenzene-d5	8.73	82	25980	2.58	ng	0.00
13) 2,4,6-Tribromophenol	15.69	330	20996	7.84	ng	-0.02
14) 2-Fluorobiphenyl	12.82	172	59173	2.85	ng	0.00
27) Terphenyl-d14	19.55	244	108491	3.85	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.24	88	48	Below Cal	#	15
21) Pentachlorophenol	16.61	266	59	0.32 ng	#	77
30) Bis(2-ethylhexyl)phthalate	21.02	149	6447	0.40 ng		100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE081715\
Data File : BE090549.D
Acq On : 18 Aug 2015 1:00
Operator : UM/IZ
Sample : G33322-01
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :

Quant Time: Aug 18 06:12:14 2015
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE081415.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 14 16:52:42 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.58 min Scan# 845

Delta R.T. 0.00 min

Lab File: BE090549.D

Acq: 18 Aug 2015 1:00

Instrument :

BNA_E

ClientSampleId :


Tot Ion:152 Resp: 24830

Ion Ratio Lower Upper

152 100

150 153.8 123.0 184.4




115 64.3 48.9 73.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: Below Cal

RT: 3.24 min Scan# 95

Delta R.T. 0.05 min

Lab File: BE090549.D

Acq: 18 Aug 2015 1:00


Tgt Ion: 88 Resp: 48

Ion Ratio Lower Upper

88 100

58 0.0 70.0 105.0#



43 0.0 28.4 42.6#




Abundance Ion 88.00 (87.70 to 88.70): BE0

Ion 58.00 (57.70 to 58.70): BE0

Ion 43.00 (42.70 to 43.70): BE0





#4

2-Fluorophenol

Concen: 2.22 ng

RT: 5.22 min Scan# 387

Delta R.T. 0.00 min

Lab File: BE090549.D

Acq: 18 Aug 2015 1:00

Instrument :

BNA_E

ClientSampleId :


Tot Ion:112 Resp: 15945

Ion Ratio Lower Upper

112 100

64 69.0 37.1 55.7#




63 34.9 19.5 29.3#



Abundance Ion 112.00 (111.70 to 112.70): BE090519.D (-378) (-)

Ion 64.00 (63.70 to 64.70): BE090519.D (-378) (-)

Ion 63.00 (62.70 to 63.70): BE090519.D (-378) (-)



#5

Phenol-d6

Concen: 1.52 ng

RT: 6.78 min Scan# 668

Delta R.T. 0.00 min

Lab File: BE090549.D

Acq: 18 Aug 2015 1:00


Tgt Ion: 99 Resp: 16048

Ion Ratio Lower Upper

99 100

42 19.0 18.2 27.4



71 35.7 27.4 41.0




Abundance Ion 99.00 (98.70 to 99.70): BE090519.D (-656) (-)

Ion 42.00 (41.70 to 42.70): BE090519.D (-656) (-)

Ion 71.00 (70.70 to 71.70): BE090519.D (-656) (-)





#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.34 min Scan# 1371

Delta R.T. 0.01 min

Lab File: BE090549.D

Acq: 18 Aug 2015 1:00

Instrument :

BNA_E

ClientSampleId :

Tot Ion:136 Resp: 126325


Ion Ratio Lower Upper

136 100

137 11.0 8.7 13.1

54 9.9 9.4 14.0

68 7.6 6.5 9.7






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



#7

Nitrobenzene-d5

Concen: 2.58 ng

RT: 8.73 min Scan# 1093

Delta R.T. 0.00 min

Lab File: BE090549.D

Acq: 18 Aug 2015 1:00


Tgt Ion: 82 Resp: 25980

Ion Ratio Lower Upper

82 100

128 33.7 25.0 37.6



54 55.5 48.8 73.2




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0





#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.19 min Scan# 2074

Delta R.T. 0.00 min

Lab File: BE090549.D

Acq: 18 Aug 2015 1:00

Instrument :

BNA_E

ClientSampled :


Tot Ion:164 Resp: 69559

Ion Ratio Lower Upper




164 100

162 106.7 81.8 122.8

160 51.9 44.2 66.4



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E



#13

2,4,6-Tribromophenol

Concen: 7.84 ng

RT: 15.69 min Scan# 2206

Delta R.T. -0.02 min

Lab File: BE090549.D

Acq: 18 Aug 2015 1:00


Tgt Ion:330 Resp: 20996

Ion Ratio Lower Upper



330 100


332 97.9 75.8 113.6

141 164.5 114.4 171.6



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#14
2-Fluorobiphenyl
Concen: 2.85 ng
RT: 12.82 min Scan# 1828
Delta R.T. 0.00 min
Lab File: BE090549.D
Acq: 18 Aug 2015 1:00




Instrument :
BNA_E
ClientSampleId :


Tot Ion:172 Resp: 59173
Ion Ratio Lower Upper
172 100
171 34.1 28.5 42.7
170 22.4 19.8 29.8



#18
Phenanthrene-d10
Concen: 5.00 ng
RT: 16.95 min Scan# 2278
Delta R.T. 0.00 min
Lab File: BE090549.D
Acq: 18 Aug 2015 1:00

Tgt Ion:188 Resp: 149662
Ion Ratio Lower Upper
188 100
94 4.9 5.7 8.5#
80 4.8 5.8 8.8#









#21
Pentachlorophenol
Concen: 0.32 ng
RT: 16.61 min Scan# 2259
Delta R.T. 0.00 min
Lab File: BE090549.D
Acq: 18 Aug 2015 1:00




Instrument :
BNA_E
ClientSampleId :


Tot Ion:266 Resp: 59
Ion Ratio Lower Upper
266 100
268 93.0 58.5 87.7#
264 87.7 56.0 84.0#



#25
Chrysene-d12
Concen: 5.00 ng
RT: 21.09 min Scan# 2865
Delta R.T. 0.00 min
Lab File: BE090549.D
Acq: 18 Aug 2015 1:00

Tgt Ion:240 Resp: 154144
Ion Ratio Lower Upper
240 100
120 13.0 8.3 12.5#
236 27.1 21.0 31.4









#27
 Terphenyl-d14
 Concen: 3.85 ng
 RT: 19.55 min Scan# 2614
 Delta R.T. 0.00 min
 Lab File: BE090549.D
 Acq: 18 Aug 2015 1:00




Instrument :
 BNA_E
 ClientSampleId :




Tot Ion:244 Resp: 108491
 Ion Ratio Lower Upper
 244 100
 212 7.9 6.6 9.8
 122 13.3 10.2 15.4



#30
 Bis(2-ethylhexyl)phthalate
 Concen: 0.40 ng
 RT: 21.02 min Scan# 2854
 Delta R.T. -0.01 min
 Lab File: BE090549.D
 Acq: 18 Aug 2015 1:00

Tgt Ion:149 Resp: 6447
 Ion Ratio Lower Upper
 149 100
 167 24.9 19.8 29.8
 279 2.9 2.4 3.6





#32
 Pervlene-d12
 Concen: 5.00 ng
 RT: 23.40 min Scan# 3308
 Delta R.T. 0.00 min
 Lab File: BE090549.D
 Acq: 18 Aug 2015 1:00

Instrument :
 BNA_E
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	25.2	20.1	30.1
265	21.6	17.2	25.8

