

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081715\
 Data File : BE090542.D
 Acq On : 17 Aug 2015 20:43
 Operator : UM/IZ
 Sample : G3323-07
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 081315-D534-E-U-B

Quant Time: Aug 18 07:58:47 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE081415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 14 16:52:42 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.58	152	22458	5.00	ng	0.00
6) Naphthalene-d8	10.34	136	109372	5.00	ng	0.00
12) Acenaphthene-d10	14.20	164	61251	5.00	ng	0.00
18) Phenanthrene-d10	16.95	188	134474	5.00	ng	0.00
25) Chrysene-d12	21.09	240	137395	5.00	ng	0.00
32) Perylene-d12	23.40	264	128210	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.22	112	19292	2.97	ng	0.00
5) Phenol-d6	6.78	99	16508	1.73	ng	0.00
7) Nitrobenzene-d5	8.73	82	30889	3.54	ng	0.00
13) 2,4,6-Tribromophenol	15.69	330	21597	9.16	ng	-0.02
14) 2-Fluorobiphenyl	12.82	172	63871	3.49	ng	0.00
27) Terphenyl-d14	19.56	244	100248	3.99	ng	0.00
Target Compounds						
30) Bis(2-ethylhexyl)phthalate	21.03	149	3075	0.28	ng	Qvalue # 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081715\
Data File : BE090542.D
Acq On : 17 Aug 2015 20:43
Operator : UM/IZ
Sample : G3323-07
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
081315-D534-E-U-B

Quant Time: Aug 18 07:58:47 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE081415.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 14 16:52:42 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.58 min Scan# 845

Delta R.T. -0.00 min

Lab File: BE090542.D

Acq: 17 Aug 2015 20:43

Instrument :

BNA_E

ClientSampleId :

081315-D534-E-U-B


Tgt Ion:152 Resp: 22458

Ion Ratio Lower Upper

152 100

150 154.0 123.0 184.4




115 65.3 48.9 73.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 2.97 ng

RT: 5.22 min Scan# 387

Delta R.T. 0.01 min

Lab File: BE090542.D

Acq: 17 Aug 2015 20:43


Tgt Ion:112 Resp: 19292

Ion Ratio Lower Upper

112 100

64 70.2 37.1 55.7#



63 35.7 19.5 29.3#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 1.73 ng

RT: 6.78 min Scan# 669

Delta R.T. 0.00 min

Lab File: BE090542.D

Acq: 17 Aug 2015 20:43

Instrument :

BNA_E

ClientSampleId :

081315-D534-E-U-B


Tgt Ion: 99 Resp: 16508

Ion Ratio Lower Upper




99 100

42 19.9 18.2 27.4

71 34.5 27.4 41.0



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.34 min Scan# 1371

Delta R.T. 0.01 min

Lab File: BE090542.D

Acq: 17 Aug 2015 20:43

Tgt Ion: 136 Resp: 109372


Ion Ratio Lower Upper

136 100



137 11.0 8.7 13.1


54 10.2 9.4 14.0

68 7.9 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 3.54 ng

RT: 8.73 min Scan# 1092

Delta R.T. 0.00 min

Lab File: BE090542.D

Acq: 17 Aug 2015 20:43

Instrument :

BNA_E

ClientSampleId :

081315-D534-E-U-B


Tgt Ion: 82 Resp: 30889

Ion Ratio Lower Upper

82 100

128 33.6 25.0 37.6




54 56.3 48.8 73.2



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.20 min Scan# 2075

Delta R.T. 0.01 min

Lab File: BE090542.D

Acq: 17 Aug 2015 20:43


Tgt Ion: 164 Resp: 61251

Ion Ratio Lower Upper

164 100

162 102.5 81.8 122.8



160 48.1 44.2 66.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E








#13
 2,4,6-Tribromophenol
 Concen: 9.16 ng
 RT: 15.69 min Scan# 2206
 Delta R.T. -0.02 min
 Lab File: BE090542.D
 Acq: 17 Aug 2015 20:43




Instrument :
 BNA_E
 ClientSampleId :
 081315-D534-E-U-B

Tgt Ion:330 Resp: 21597
 Ion Ratio Lower Upper
 330 100
 332 97.1 75.8 113.6
 141 161.7 114.4 171.6



#14
 2-Fluorobiphenyl
 Concen: 3.49 ng
 RT: 12.82 min Scan# 1828
 Delta R.T. 0.00 min
 Lab File: BE090542.D
 Acq: 17 Aug 2015 20:43

Tgt Ion:172 Resp: 63871
 Ion Ratio Lower Upper
 172 100
 171 34.5 28.5 42.7
 170 23.3 19.8 29.8





#18

Phenanthrene-d10

Concen: 5.00 ng

RT: 16.95 min Scan# 2278

Delta R.T. -0.00 min

Lab File: BE090542.D

Acq: 17 Aug 2015 20:43

Instrument :

BNA_E

ClientSampleId :

081315-D534-E-U-B


Tgt Ion:188 Resp: 134474

Ion Ratio Lower Upper

188 100

94 5.6 5.7 8.5#



80 5.6 5.8 8.8#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#25

Chrysene-d12

Concen: 5.00 ng

RT: 21.09 min Scan# 2864

Delta R.T. 0.00 min

Lab File: BE090542.D

Acq: 17 Aug 2015 20:43


Tgt Ion:240 Resp: 137395

Ion Ratio Lower Upper

240 100

120 15.9 8.3 12.5#



236 27.8 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#27
 Terphenyl-d14
 Concen: 3.99 ng
 RT: 19.56 min Scan# 2614
 Delta R.T. 0.00 min
 Lab File: BE090542.D
 Acq: 17 Aug 2015 20:43




Instrument :
 BNA_E
 ClientSampleId :
 081315-D534-E-U-B



Tgt Ion:244 Resp: 100248
 Ion Ratio Lower Upper
 244 100
 212 7.6 6.6 9.8
 122 13.1 10.2 15.4



#30
 Bis(2-ethylhexyl)phthalate
 Concen: 0.28 ng
 RT: 21.03 min Scan# 2854
 Delta R.T. 0.00 min
 Lab File: BE090542.D
 Acq: 17 Aug 2015 20:43

Tgt Ion:149 Resp: 3075
 Ion Ratio Lower Upper
 149 100
 167 24.5 19.8 29.8
 279 3.7 2.4 3.6#





#32

Perylene-d12

Concen: 5.00 ng

RT: 23.40 min Scan# 3308

Delta R.T. 0.00 min

Lab File: BE090542.D

Acq: 17 Aug 2015 20:43

Instrument :

BNA_E

ClientSampleId :

081315-D534-E-U-B

Tgt Ion: 264 Resp: 128210

Ion Ratio Lower Upper

264 100

260 25.2 20.1 30.1

265 22.0 17.2 25.8

