

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081815\
 Data File : BE090562.D
 Acq On : 18 Aug 2015 20:03
 Operator : UM/IZ
 Sample : G3329-06
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 081715-D534-F-U-S

Quant Time: Aug 19 03:38:21 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE081415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 19 02:30:21 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.58	152	24757	5.00	ng	0.00
6) Naphthalene-d8	10.34	136	126344	5.00	ng	0.00
12) Acenaphthene-d10	14.19	164	68370	5.00	ng	0.00
18) Phenanthrene-d10	16.94	188	144015	5.00	ng	0.00
25) Chrysene-d12	21.09	240	144825	5.00	ng	0.00
32) Perylene-d12	23.40	264	133249	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.22	112	18829	2.63	ng	0.00
5) Phenol-d6	6.78	99	15832	1.50	ng	0.00
7) Nitrobenzene-d5	8.72	82	29425	2.92	ng	0.00
13) 2,4,6-Tribromophenol	15.71	330	18937	7.20	ng	0.00
14) 2-Fluorobiphenyl	12.82	172	63169	3.09	ng	0.00
27) Terphenyl-d14	19.55	244	92308	3.48	ng	0.00
Target Compounds						
30) Bis(2-ethylhexyl)phthalate	21.02	149	2123	0.23	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE081815\
Data File : BE090562.D
Acq On : 18 Aug 2015 20:03
Operator : UM/IZ
Sample : G3329-06
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
081715-D534-F-U-S

Quant Time: Aug 19 03:38:21 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE081415.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 19 02:30:21 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.58 min Scan# 844

Delta R.T. 0.00 min

Lab File: BE090562.D

Acq: 18 Aug 2015 20:03

Instrument :

BNA_E

ClientSampleId :

081715-D534-F-U-S


Tgt Ion:152 Resp: 24757

Ion Ratio Lower Upper

152 100

150 157.9 123.0 184.4




115 68.7 48.9 73.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 2.63 ng

RT: 5.22 min Scan# 386

Delta R.T. 0.00 min

Lab File: BE090562.D

Acq: 18 Aug 2015 20:03


Tgt Ion:112 Resp: 18829

Ion Ratio Lower Upper

112 100

64 69.0 37.1 55.7#



63 35.3 19.5 29.3#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 1.50 ng

RT: 6.78 min Scan# 668

Delta R.T. 0.00 min

Lab File: BE090562.D

Acq: 18 Aug 2015 20:03

Instrument :

BNA_E

ClientSampleId :

081715-D534-F-U-S


Tgt Ion: 99 Resp: 15832

Ion Ratio Lower Upper




99 100

42 19.4 18.2 27.4

71 33.0 27.4 41.0



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.34 min Scan# 1371

Delta R.T. 0.01 min

Lab File: BE090562.D

Acq: 18 Aug 2015 20:03

Tgt Ion: 136 Resp: 126344


Ion Ratio Lower Upper

136 100



137 11.0 8.7 13.1


54 10.1 9.4 14.0

68 7.6 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 2.92 ng

RT: 8.72 min Scan# 1092

Delta R.T. 0.00 min

Lab File: BE090562.D

Acq: 18 Aug 2015 20:03

Instrument :

BNA_E

ClientSampleId :

081715-D534-F-U-S


Tgt Ion: 82 Resp: 29425

Ion Ratio Lower Upper

82 100

128 31.8 25.0 37.6

54 56.1 48.8 73.2




Abundance Ion 82.00 (81.70 to 82.70): BE090519.D (-1082) (-)


Ion 128.00 (127.70 to 128.70): BE090519.D (-1082) (-)

Ion 54.00 (53.70 to 54.70): BE090519.D (-1082) (-)

Time-->



Time-->



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.19 min Scan# 2074

Delta R.T. 0.00 min

Lab File: BE090562.D

Acq: 18 Aug 2015 20:03


Tgt Ion: 164 Resp: 68370

Ion Ratio Lower Upper

164 100

162 106.6 81.8 122.8

160 52.1 44.2 66.4




Abundance Ion 164.00 (163.70 to 164.70): BE090519.D (-2066) (-)


Ion 162.00 (161.70 to 162.70): BE090519.D (-2066) (-)

Ion 160.00 (159.70 to 160.70): BE090519.D (-2066) (-)

Time-->







Time-->



#13
 2,4,6-Tribromophenol
 Concen: 7.20 ng
 RT: 15.71 min Scan# 2206
 Delta R.T. 0.00 min
 Lab File: BE090562.D
 Acq: 18 Aug 2015 20:03




Instrument :
 BNA_E
 ClientSampleId :
 081715-D534-F-U-S


Tgt Ion:330 Resp: 18937
 Ion Ratio Lower Upper
 330 100
 332 96.4 75.8 113.6
 141 168.9 114.4 171.6



#14
 2-Fluorobiphenyl
 Concen: 3.09 ng
 RT: 12.82 min Scan# 1828
 Delta R.T. 0.00 min
 Lab File: BE090562.D
 Acq: 18 Aug 2015 20:03

Tgt Ion:172 Resp: 63169
 Ion Ratio Lower Upper
 172 100
 171 33.5 28.5 42.7
 170 22.8 19.8 29.8





#18

Phenanthrene-d10

Concen: 5.00 ng

RT: 16.94 min Scan# 2277

Delta R.T. 0.00 min

Lab File: BE090562.D

Acq: 18 Aug 2015 20:03

Instrument :

BNA_E

ClientSampleId :

081715-D534-F-U-S


Tgt Ion:188 Resp: 144015

Ion Ratio Lower Upper

188 100

94 5.8 5.7 8.5




80 6.0 5.8 8.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#25

Chrysene-d12

Concen: 5.00 ng

RT: 21.09 min Scan# 2864

Delta R.T. -0.00 min

Lab File: BE090562.D

Acq: 18 Aug 2015 20:03


Tgt Ion:240 Resp: 144825

Ion Ratio Lower Upper

240 100

120 13.8 8.3 12.5#



236 27.2 21.0 31.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#27

Terphenyl-d14

Concen: 3.48 ng

RT: 19.55 min Scan# 2613

Delta R.T. 0.00 min

Lab File: BE090562.D

Acq: 18 Aug 2015 20:03

Instrument :

BNA_E

ClientSampleId :

081715-D534-F-U-S


Tgt Ion:244 Resp: 92308

Ion Ratio Lower Upper




244 100

212 8.0 6.6 9.8

122 13.2 10.2 15.4



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#30

Bis(2-ethylhexyl)phthalate

Concen: 0.23 ng

RT: 21.02 min Scan# 2853

Delta R.T. -0.00 min

Lab File: BE090562.D

Acq: 18 Aug 2015 20:03


Tgt Ion:149 Resp: 2123

Ion Ratio Lower Upper



149 100




167 24.3 19.8 29.8

279 3.3 2.4 3.6



Abundance Ion 149.00 (148.70 to 149.70): E
Ion 167.00 (166.70 to 167.70): E
Ion 279.00 (278.70 to 279.70): E





#32

Perylene-d12

Concen: 5.00 ng

RT: 23.40 min Scan# 3307

Delta R.T. -0.00 min

Lab File: BE090562.D

Acq: 18 Aug 2015 20:03

Instrument :

BNA_E

ClientSampleId :

081715-D534-F-U-S

Tgt Ion: 264 Resp: 133249

Ion Ratio Lower Upper

264 100

260 24.9 20.1 30.1

265 21.8 17.2 25.8

