

Data Path : Z:\HPCHEM1\BNA E\DATA\BE082615\
 Data File : BE090640.D
 Acq On : 26 Aug 2015 16:53
 Operator : UM/IZ
 Sample : G3415-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 082515-D534-E-U-M

Quant Time: Aug 26 23:55:43 2015
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE081415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 26 23:44:39 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.58	152	12304	5.00	ng	0.00
6) Naphthalene-d8	10.34	136	52094	5.00	ng	0.00
12) Acenaphthene-d10	14.20	164	29844	5.00	ng	0.00
18) Phenanthrene-d10	16.95	188	81110	5.00	ng	0.00
25) Chrysene-d12	21.09	240	91224	5.00	ng	0.00
32) Perylene-d12	23.40	264	77518	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.21	112	8525	2.40	ng	0.00
5) Phenol-d6	6.79	99	5624	1.08	ng	0.01
7) Nitrobenzene-d5	8.74	82	13562	3.27	ng	0.02
13) 2,4,6-Tribromophenol	15.71	330	9449	8.23	ng	0.00
14) 2-Fluorobiphenyl	12.83	172	31854	3.57	ng	0.00
27) Terphenyl-d14	19.55	244	72477	4.34	ng	0.00
Target Compounds						
30) Bis(2-ethylhexyl)phthalate	21.02	149	613	0.18	ng	Qvalue 93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE082615\
Data File : BE090640.D
Acq On : 26 Aug 2015 16:53
Operator : UM/IZ
Sample : G3415-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
082515-D534-E-U-M

Quant Time: Aug 26 23:55:43 2015
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE081415.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 26 23:44:39 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.58 min Scan# 844

Delta R.T. 0.00 min

Lab File: BE090640.D

Acq: 26 Aug 2015 16:53

Instrument :

BNA_E

ClientSampleId :

082515-D534-E-U-M


Tot Ion:152 Resp: 12304

Ion Ratio Lower Upper

152 100

150 154.9 123.0 184.4




115 66.0 48.9 73.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 2.40 ng

RT: 5.21 min Scan# 385

Delta R.T. 0.00 min

Lab File: BE090640.D

Acq: 26 Aug 2015 16:53


Tgt Ion:112 Resp: 8525

Ion Ratio Lower Upper

112 100

64 69.8 37.1 55.7#



63 35.7 19.5 29.3#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 1.08 ng

RT: 6.79 min Scan# 670

Delta R.T. 0.01 min

Lab File: BE090640.D

Acq: 26 Aug 2015 16:53

Instrument :

BNA_E

ClientSampleId :

082515-D534-E-U-M


Tot Ion: 99 Resp: 5624

Ion Ratio Lower Upper


99 100

42 22.8 18.2 27.4



71 34.9 27.4 41.0



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



Time-->



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.34 min Scan# 1371

Delta R.T. 0.01 min

Lab File: BE090640.D

Acq: 26 Aug 2015 16:53

Tgt Ion: 136 Resp: 52094


Ion Ratio Lower Upper

136 100


137 11.2 8.7 13.1

54 11.3 9.4 14.0


68 8.5 6.5 9.7




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0



Time-->





#7

Nitrobenzene-d5

Concen: 3.27 ng

RT: 8.74 min Scan# 1096

Delta R.T. 0.02 min

Lab File: BE090640.D

Acq: 26 Aug 2015 16:53

Instrument :

BNA_E

ClientSampleId :

082515-D534-E-U-M


Tot Ion: 82 Resp: 13562

Ion Ratio Lower Upper

82 100

128 31.1 25.0 37.6




54 57.7 48.8 73.2



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.20 min Scan# 2075

Delta R.T. 0.01 min

Lab File: BE090640.D

Acq: 26 Aug 2015 16:53


Tgt Ion: 164 Resp: 29844

Ion Ratio Lower Upper

164 100

162 104.8 81.8 122.8



160 59.8 44.2 66.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E








#13
 2,4,6-Tribromophenol
 Concen: 8.23 ng
 RT: 15.71 min Scan# 2207
 Delta R.T. 0.00 min
 Lab File: BE090640.D
 Acq: 26 Aug 2015 16:53




Instrument :
 BNA_E
 ClientSampleId :
 082515-D534-E-U-M

Tot Ion:330 Resp: 9449
 Ion Ratio Lower Upper
 330 100
 332 96.8 75.8 113.6
 141 179.4 114.4 171.6#



#14
 2-Fluorobiphenyl
 Concen: 3.57 ng
 RT: 12.83 min Scan# 1830
 Delta R.T. 0.01 min
 Lab File: BE090640.D
 Acq: 26 Aug 2015 16:53

Tgt Ion:172 Resp: 31854
 Ion Ratio Lower Upper
 172 100
 171 35.5 28.5 42.7
 170 24.6 19.8 29.8









#18
Phenanthrene-d10
Concen: 5.00 ng
RT: 16.95 min Scan# 2278
Delta R.T. 0.00 min
Lab File: BE090640.D
Acq: 26 Aug 2015 16:53




Instrument :
BNA_E
ClientSampleId :
082515-D534-E-U-M

Tot Ion:188 Resp: 81110
Ion Ratio Lower Upper
188 100
94 6.7 5.7 8.5
80 7.3 5.8 8.8



#25
Chrysene-d12
Concen: 5.00 ng
RT: 21.09 min Scan# 2865
Delta R.T. -0.00 min
Lab File: BE090640.D
Acq: 26 Aug 2015 16:53

Tgt Ion:240 Resp: 91224
Ion Ratio Lower Upper
240 100
120 12.9 8.3 12.5#
236 27.4 21.0 31.4





#27

Terphenyl-d14

Concen: 4.34 ng

RT: 19.55 min Scan# 2614

Delta R.T. -0.00 min

Lab File: BE090640.D

Acq: 26 Aug 2015 16:53

Instrument :

BNA_E

ClientSampleId :

082515-D534-E-U-M


Tot Ion:244 Resp: 72477

Ion Ratio Lower Upper

244 100

212 8.0 6.6 9.8




122 13.2 10.2 15.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#30

Bis(2-ethylhexyl)phthalate

Concen: 0.18 ng

RT: 21.02 min Scan# 2854

Delta R.T. -0.00 min

Lab File: BE090640.D

Acq: 26 Aug 2015 16:53


Tgt Ion:149 Resp: 613

Ion Ratio Lower Upper

149 100

167 20.9 19.8 29.8



279 3.4 2.4 3.6





Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#32
 Pervlene-d12
 Concen: 5.00 ng
 RT: 23.40 min Scan# 3308
 Delta R.T. -0.00 min
 Lab File: BE090640.D
 Acq: 26 Aug 2015 16:53

Instrument :
 BNA_E
 ClientSampleId :
 082515-D534-E-U-M

Tot Ion:264 Resp: 77518
 Ion Ratio Lower Upper
 264 100
 260 25.2 20.1 30.1
 265 22.0 17.2 25.8

