

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE082815\
 Data File : BE090663.D
 Acq On : 28 Aug 2015 19:31
 Operator : UM/IZ
 Sample : G3460-07
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 082715-D534-F-D-S

Quant Time: Aug 31 11:44:10 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE081415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 14 16:52:42 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.58	152	19748	5.00	ng	0.00
6) Naphthalene-d8	10.34	136	85590	5.00	ng	0.00
12) Acenaphthene-d10	14.19	164	51427	5.00	ng	0.00
18) Phenanthrene-d10	16.93	188	137265	5.00	ng	-0.02
25) Chrysene-d12	21.09	240	152108	5.00	ng	0.00
32) Perylene-d12	23.39	264	128013	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.21	112	12698	2.22	ng	0.00
5) Phenol-d6	6.78	99	9662	1.15	ng	0.00
7) Nitrobenzene-d5	8.74	82	20302	2.98	ng	0.01
13) 2,4,6-Tribromophenol	15.71	330	13842	6.99	ng	0.00
14) 2-Fluorobiphenyl	12.83	172	45118	2.94	ng	0.01
27) Terphenyl-d14	19.55	244	107565	3.87	ng	0.00
Target Compounds						
30) Bis(2-ethylhexyl)phthalate	21.02	149	2662	0.25	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE082815\
Data File : BE090663.D
Acq On : 28 Aug 2015 19:31
Operator : UM/IZ
Sample : G3460-07
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
082715-D534-F-D-S

Quant Time: Aug 31 11:44:10 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE081415.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 14 16:52:42 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.58 min Scan# 843

Delta R.T. -0.01 min

Lab File: BE090663.D

Acq: 28 Aug 2015 19:31

Instrument :

BNA_E

ClientSampleId :

082715-D534-F-D-S


Tgt Ion:152 Resp: 19748

Ion Ratio Lower Upper

152 100

150 160.0 123.0 184.4




115 69.2 48.9 73.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 2.22 ng

RT: 5.21 min Scan# 385

Delta R.T. -0.01 min

Lab File: BE090663.D

Acq: 28 Aug 2015 19:31


Tgt Ion:112 Resp: 12698

Ion Ratio Lower Upper

112 100

64 71.3 37.1 55.7#



63 37.0 19.5 29.3#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 1.15 ng

RT: 6.78 min Scan# 668

Delta R.T. 0.00 min

Lab File: BE090663.D

Acq: 28 Aug 2015 19:31

Instrument :

BNA_E

ClientSampleId :

082715-D534-F-D-S


Tgt Ion: 99 Resp: 9662

Ion Ratio Lower Upper




99 100

42 21.7 18.2 27.4

71 35.5 27.4 41.0



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.34 min Scan# 1371

Delta R.T. 0.01 min

Lab File: BE090663.D

Acq: 28 Aug 2015 19:31

Tgt Ion: 136 Resp: 85590


Ion Ratio Lower Upper

136 100



137 11.3 8.7 13.1


54 10.7 9.4 14.0

68 8.0 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 2.98 ng

RT: 8.74 min Scan# 1095

Delta R.T. 0.01 min

Lab File: BE090663.D

Acq: 28 Aug 2015 19:31

Instrument :

BNA_E

ClientSampleId :

082715-D534-F-D-S


Tgt Ion: 82 Resp: 20302

Ion Ratio Lower Upper

82 100

128 31.2 25.0 37.6




54 58.8 48.8 73.2



Abundance Ion 82.00 (81.70 to 82.70): BE090663.D (-1048) (-)

Ion 128.00 (127.70 to 128.70): BE090663.D (-1048) (-)

Ion 54.00 (53.70 to 54.70): BE090663.D (-1048) (-)



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.19 min Scan# 2075

Delta R.T. 0.00 min

Lab File: BE090663.D

Acq: 28 Aug 2015 19:31


Tgt Ion: 164 Resp: 51427

Ion Ratio Lower Upper

164 100

162 106.6 81.8 122.8



160 62.1 44.2 66.4




Abundance Ion 164.00 (163.70 to 164.70): BE090663.D (-2044) (-)

Ion 162.00 (161.70 to 162.70): BE090663.D (-2044) (-)

Ion 160.00 (159.70 to 160.70): BE090663.D (-2044) (-)









#13
 2,4,6-Tribromophenol
 Concen: 6.99 ng
 RT: 15.71 min Scan# 2207
 Delta R.T. -0.00 min
 Lab File: BE090663.D
 Acq: 28 Aug 2015 19:31

Instrument :
 BNA_E
 ClientSampleId :
 082715-D534-F-D-S

Tgt Ion:330 Resp: 13842
 Ion Ratio Lower Upper
 330 100
 332 95.3 75.8 113.6
 141 175.6 114.4 171.6#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#14
 2-Fluorobiphenyl
 Concen: 2.94 ng
 RT: 12.83 min Scan# 1830
 Delta R.T. 0.01 min
 Lab File: BE090663.D
 Acq: 28 Aug 2015 19:31

Tgt Ion:172 Resp: 45118
 Ion Ratio Lower Upper
 172 100
 171 34.7 28.5 42.7
 170 24.1 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#18

Phenanthrene-d10

Concen: 5.00 ng

RT: 16.93 min Scan# 2277

Delta R.T. -0.02 min

Lab File: BE090663.D

Acq: 28 Aug 2015 19:31

Instrument :

BNA_E

ClientSampleId :

082715-D534-F-D-S


Tgt Ion:188 Resp: 137265

Ion Ratio Lower Upper

188 100

94 18.0 5.7 8.5#




80 20.1 5.8 8.8#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#25

Chrysene-d12

Concen: 5.00 ng

RT: 21.09 min Scan# 2865

Delta R.T. 0.00 min

Lab File: BE090663.D

Acq: 28 Aug 2015 19:31


Tgt Ion:240 Resp: 152108

Ion Ratio Lower Upper

240 100

120 11.1 8.3 12.5



236 26.6 21.0 31.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#27

Terphenyl-d14

Concen: 3.87 ng

RT: 19.55 min Scan# 2613

Delta R.T. -0.00 min

Lab File: BE090663.D

Acq: 28 Aug 2015 19:31

Instrument :

BNA_E

ClientSampleId :

082715-D534-F-D-S


Tgt Ion:244 Resp: 107565

Ion Ratio Lower Upper

244 100

212 8.2 6.6 9.8




122 14.9 10.2 15.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#30

Bis(2-ethylhexyl)phthalate

Concen: 0.25 ng

RT: 21.02 min Scan# 2854

Delta R.T. -0.01 min

Lab File: BE090663.D

Acq: 28 Aug 2015 19:31


Tgt Ion:149 Resp: 2662

Ion Ratio Lower Upper

149 100

167 25.8 19.8 29.8



279 3.3 2.4 3.6






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#32

Perylene-d12

Concen: 5.00 ng

RT: 23.39 min Scan# 3307

Delta R.T. -0.00 min

Lab File: BE090663.D

Acq: 28 Aug 2015 19:31

Instrument :

BNA_E

ClientSampleId :

082715-D534-F-D-S

Tgt Ion:264 Resp: 128013

Ion Ratio Lower Upper

264 100

260 24.6 20.1 30.1

265 22.3 17.2 25.8

