

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE090115\
 Data File : BE090702.D
 Acq On : 2 Sep 2015 13:43
 Operator : UM/IZ
 Sample : G3494-02
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 082815-D506-E-U-M

Quant Time: Sep 02 14:41:11 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 02 11:40:50 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	39044	5.00	ng	0.00
6) Naphthalene-d8	10.31	136	171193	5.00	ng	0.00
12) Acenaphthene-d10	14.17	164	92822	5.00	ng	0.00
18) Phenanthrene-d10	16.91	188	240241	5.00	ng	0.00
25) Chrysene-d12	21.07	240	299117	5.00	ng	0.00
32) Perylene-d12	23.36	264	275693	5.00	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Fluorophenol	5.18	112	32641	4.30	ng	0.00
5) Phenol-d6	6.75	99	24514	2.25	ng	0.00
7) Nitrobenzene-d5	8.71	82	50764	4.49	ng	0.00
13) 2,4,6-Tribromophenol	15.67	330	30263	11.05	ng	0.00
14) 2-Fluorobiphenyl	12.79	172	110204	4.29	ng	0.00
27) Terphenyl-d14	19.53	244	227378	6.87	ng	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) 1,4-Dioxane	3.15	88	107	Below Cal	#	77
3) n-Nitrosodimethylamine	3.41	42	187	Below Cal	#	1
8) Nitrobenzene	8.75	77	18	0.11	ng	81
20) Hexachlorobenzene	16.23	284	96	Below Cal	#	37
21) Pentachlorophenol	16.65	266	17	0.46	ng	52
28) Benzo(a)anthracene	21.07	228	932	Below Cal	#	80
29) Chrysene	21.07	228	932	Below Cal	#	77
30) Bis(2-ethylhexyl)phthalate	21.00	149	1855	0.17	ng	93
36) Dibenzo(a,h)anthracene	25.72	278	11	0.14	ng	1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE090115\
Data File : BE090702.D
Acq On : 2 Sep 2015 13:43
Operator : UM/IZ
Sample : G3494-02
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
082815-D506-E-U-M

Quant Time: Sep 02 14:41:11 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 02 11:40:50 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.55 min Scan# 838

Delta R.T. -0.00 min

Lab File: BE090702.D

Acq: 2 Sep 2015 13:43

Instrument :

BNA_E

ClientSampleId :

082815-D506-E-U-M


Tgt Ion:152 Resp: 39044

Ion Ratio Lower Upper

152 100

150 156.5 122.2 183.4




115 67.9 51.0 76.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: Below Cal

RT: 3.15 min Scan# 81

Delta R.T. -0.01 min

Lab File: BE090702.D

Acq: 2 Sep 2015 13:43


Tgt Ion: 88 Resp: 107

Ion Ratio Lower Upper

88 100

58 77.6 68.4 102.6



43 0.0 26.9 40.3#




Abundance Ion 88.00 (87.70 to 88.70): BE0

Ion 58.00 (57.70 to 58.70): BE0

Ion 43.00 (42.70 to 43.70): BE0






#3




n-Nitrosodimethylamine
 Concen: Below Cal
 RT: 3.41 min Scan# 120
 Delta R.T. -0.04 min
 Lab File: BE090702.D
 Acq: 2 Sep 2015 13:43

Instrument :
 BNA_E
 ClientSampleId :
 082815-D506-E-U-M

Tgt Ion: 42 Resp: 187
 Ion Ratio Lower Upper
 42 100
 74 12.8 83.7 125.5#
 44 132.1 10.0 15.0#




Abundance Ion 42.00 (41.70 to 42.70): BE0
 Ion 74.00 (73.70 to 74.70): BE0
 Ion 44.00 (43.70 to 44.70): BE0





#4


2-Fluorophenol
 Concen: 4.30 ng
 RT: 5.18 min Scan# 381
 Delta R.T. -0.01 min
 Lab File: BE090702.D
 Acq: 2 Sep 2015 13:43

Tgt Ion: 112 Resp: 32641
 Ion Ratio Lower Upper
 112 100
 64 71.1 57.3 85.9
 63 37.1 29.2 43.8



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BE0
 Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 2.25 ng

RT: 6.75 min Scan# 662

Delta R.T. -0.00 min

Lab File: BE090702.D

Acq: 2 Sep 2015 13:43

Instrument :

BNA_E

ClientSampleId :

082815-D506-E-U-M


Tgt Ion: 99 Resp: 24514

Ion Ratio Lower Upper




99 100

42 22.6 16.8 25.2

71 36.0 28.3 42.5



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.31 min Scan# 1367

Delta R.T. 0.00 min

Lab File: BE090702.D

Acq: 2 Sep 2015 13:43

Tgt Ion: 136 Resp: 171193


Ion Ratio Lower Upper

136 100



137 11.0 8.7 13.1


54 11.6 9.0 13.6

68 8.5 6.3 9.5



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 4.49 ng

RT: 8.71 min Scan# 1089

Delta R.T. 0.01 min

Lab File: BE090702.D

Acq: 2 Sep 2015 13:43

Instrument :

BNA_E

ClientSampleId :

082815-D506-E-U-M


Tgt Ion: 82 Resp: 50764

Ion Ratio Lower Upper

82 100

128 31.4 25.0 37.4

54 55.1 46.3 69.5






Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0

Time-->



#8

Nitrobenzene

Concen: 0.11 ng

RT: 8.75 min Scan# 1097

Delta R.T. 0.00 min

Lab File: BE090702.D

Acq: 2 Sep 2015 13:43


Tgt Ion: 77 Resp: 18

Ion Ratio Lower Upper

77 100

123 38.9 25.1 37.7#

65 0.0 9.9 14.9#






Abundance Ion 77.00 (76.70 to 77.70): BE0

Ion 123.00 (122.70 to 123.70): BE0

Ion 65.00 (64.70 to 65.70): BE0

Time-->





#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.17 min Scan# 2070

Delta R.T. 0.00 min

Lab File: BE090702.D

Acq: 2 Sep 2015 13:43

Instrument :

BNA_E

ClientSampleId :

082815-D506-E-U-M


Tgt Ion:164 Resp: 92822

Ion Ratio Lower Upper

164 100

162 106.6 86.8 130.2




160 61.1 53.9 80.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#13

2,4,6-Tribromophenol

Concen: 11.05 ng

RT: 15.67 min Scan# 2204

Delta R.T. -0.00 min

Lab File: BE090702.D

Acq: 2 Sep 2015 13:43


Tgt Ion:330 Resp: 30263

Ion Ratio Lower Upper

330 100

332 98.0 74.9 112.3



141 176.8 145.2 217.8




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#14
2-Fluorobiphenyl
Concen: 4.29 ng
RT: 12.79 min Scan# 1822
Delta R.T. -0.00 min
Lab File: BE090702.D
Acq: 2 Sep 2015 13:43




Instrument :
BNA_E
ClientSampleId :
082815-D506-E-U-M


Tgt Ion:172 Resp: 110204
Ion Ratio Lower Upper
172 100
171 35.0 27.8 41.8
170 24.2 19.8 29.6



#18
Phenanthrene-d10
Concen: 5.00 ng
RT: 16.91 min Scan# 2275
Delta R.T. -0.00 min
Lab File: BE090702.D
Acq: 2 Sep 2015 13:43

Tgt Ion:188 Resp: 240241
Ion Ratio Lower Upper
188 100
94 11.7 10.3 15.5
80 12.8 11.0 16.6





#20

Hexachlorobenzene

Concen: Below Cal

RT: 16.23 min Scan# 2236

Delta R.T. 0.00 min

Lab File: BE090702.D

Acq: 2 Sep 2015 13:43

Instrument :

BNA_E

ClientSampleId :

082815-D506-E-U-M


Tgt Ion: 284 Resp: 96

Ion Ratio Lower Upper

284 100

142 0.0 35.0 52.4#




249 0.0 25.5 38.3#



Abundance Ion 283.80 (283.50 to 284.50): E

Ion 142.00 (141.70 to 142.70): E

Ion 249.00 (248.70 to 249.70): E



#21

Pentachlorophenol

Concen: 0.46 ng

RT: 16.65 min Scan# 2260

Delta R.T. 0.05 min

Lab File: BE090702.D

Acq: 2 Sep 2015 13:43


Tgt Ion: 266 Resp: 17

Ion Ratio Lower Upper

266 100

268 114.3 49.6 74.4#



264 91.1 53.9 80.9#




Abundance Ion 265.70 (265.40 to 266.40): E

Ion 268.00 (267.70 to 268.70): E

Ion 264.00 (263.70 to 264.70): E





#25

Chrysene-d12

Concen: 5.00 ng

RT: 21.07 min Scan# 2860

Delta R.T. -0.00 min

Lab File: BE090702.D

Acq: 2 Sep 2015 13:43

Instrument :

BNA_E

ClientSampleId :

082815-D506-E-U-M


Tgt Ion:240 Resp: 299117

Ion Ratio Lower Upper

240 100

120 11.3 10.1 15.1




236 26.8 21.9 32.9



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#27

Terphenyl-d14

Concen: 6.87 ng

RT: 19.53 min Scan# 2608

Delta R.T. -0.01 min

Lab File: BE090702.D

Acq: 2 Sep 2015 13:43


Tgt Ion:244 Resp: 227378

Ion Ratio Lower Upper

244 100

212 8.1 6.9 10.3



122 14.4 12.9 19.3




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#29

Chrysene

Concen: Below Cal

RT: 21.07 min Scan# 2859

Delta R.T. -0.04 min

Lab File: BE090702.D

Acq: 2 Sep 2015 13:43

Instrument :

BNA_E

ClientSampleId :

082815-D506-E-U-M


Tgt Ion:228 Resp: 932

Ion Ratio Lower Upper

228 100

226 24.0 24.2 36.4#

229 37.9 15.3 22.9#



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E

21.07



600

400

200

0

Time--> 21.00 21.05 21.10



#30

Bis(2-ethylhexyl)phthalate

Concen: 0.17 ng

RT: 21.00 min Scan# 2849

Delta R.T. -0.01 min

Lab File: BE090702.D

Acq: 2 Sep 2015 13:43


Tgt Ion:149 Resp: 1855

Ion Ratio Lower Upper

149 100

167 21.5 20.1 30.1

279 3.2 2.3 3.5



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E

21.00

2000


1500


1000

500

0

Time--> 20.95 21.00 21.05









#32
Perylene-d12
 Concen: 5.00 ng
 RT: 23.36 min Scan# 3298
 Delta R.T. -0.01 min
 Lab File: BE090702.D
 Acq: 2 Sep 2015 13:43

Instrument :
 BNA_E
 ClientSampleId :
 082815-D506-E-U-M

Tgt Ion: 264 Resp: 275693
 Ion Ratio Lower Upper
 264 100
 260 25.2 19.7 29.5
 265 21.8 17.5 26.3



#36
Dibenzo(a,h)anthracene
 Concen: 0.14 ng
 RT: 25.72 min Scan# 3814
 Delta R.T. -0.03 min
 Lab File: BE090702.D
 Acq: 2 Sep 2015 13:43

Tgt Ion: 278 Resp: 11
 Ion Ratio Lower Upper
 278 100
 139 193.0 15.4 23.0#
 279 135.2 18.8 28.2#

