

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE090115\
 Data File : BE090682.D
 Acq On : 2 Sep 2015 00:47
 Operator : UM/IZ
 Sample : PB85250BL
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 PB85250BL

Quant Time: Sep 02 04:55:08 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 02 01:57:39 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	59832	5.00	ng	0.00
6) Naphthalene-d8	10.31	136	269688	5.00	ng	0.00
12) Acenaphthene-d10	14.17	164	143843	5.00	ng	0.00
18) Phenanthrene-d10	16.91	188	355708	5.00	ng	0.00
25) Chrysene-d12	21.07	240	443058	5.00	ng	0.00
32) Perylene-d12	23.36	264	424015	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.18	112	89147	7.64	ng	0.00
5) Phenol-d6	6.74	99	125370	7.53	ng	0.00
7) Nitrobenzene-d5	8.71	82	56777	3.19	ng	0.00
13) 2,4,6-Tribromophenol	15.68	330	30060	7.14	ng	0.00
14) 2-Fluorobiphenyl	12.80	172	116030	2.91	ng	0.00
27) Terphenyl-d14	19.53	244	216732	4.42	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE090115\
Data File : BE090682.D
Acq On : 2 Sep 2015 00:47
Operator : UM/IZ
Sample : PB85250BL
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
PB85250BL

Quant Time: Sep 02 04:55:08 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 02 01:57:39 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.55 min Scan# 838

Delta R.T. -0.00 min

Lab File: BE090682.D

Acq: 2 Sep 2015 00:47

Instrument :

BNA_E

ClientSampleId :

PB85250BL


Tgt Ion:152 Resp: 59832

Ion Ratio Lower Upper

152 100

150 156.1 122.2 183.4




115 66.8 51.0 76.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 7.64 ng

RT: 5.18 min Scan# 381

Delta R.T. -0.01 min

Lab File: BE090682.D

Acq: 2 Sep 2015 00:47


Tgt Ion:112 Resp: 89147

Ion Ratio Lower Upper

112 100

64 71.3 57.3 85.9



63 36.7 29.2 43.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 7.53 ng

RT: 6.74 min Scan# 660

Delta R.T. -0.01 min

Lab File: BE090682.D

Acq: 2 Sep 2015 00:47

Instrument :

BNA_E

ClientSampleId :

PB85250BL


Tgt Ion: 99 Resp: 125370

Ion Ratio Lower Upper




99 100

42 21.5 16.8 25.2

71 35.7 28.3 42.5



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.31 min Scan# 1367

Delta R.T. 0.00 min

Lab File: BE090682.D

Acq: 2 Sep 2015 00:47

Tgt Ion: 136 Resp: 269688


Ion Ratio Lower Upper

136 100



137 10.8 8.7 13.1


54 11.1 9.0 13.6

68 8.1 6.3 9.5



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 3.19 ng

RT: 8.71 min Scan# 1089

Delta R.T. 0.00 min

Lab File: BE090682.D

Acq: 2 Sep 2015 00:47

Instrument :

BNA_E

ClientSampleId :

PB85250BL


Tgt Ion: 82 Resp: 56777

Ion Ratio Lower Upper

82 100

128 29.8 25.0 37.4




54 56.5 46.3 69.5



Abundance Ion 82.00 (81.70 to 82.70): BE090682.D (-1044) (-)

Ion 128.00 (127.70 to 128.70): BE090682.D (-1044) (-)

Ion 54.00 (53.70 to 54.70): BE090682.D (-1044) (-)



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.17 min Scan# 2070

Delta R.T. 0.00 min

Lab File: BE090682.D

Acq: 2 Sep 2015 00:47


Tgt Ion: 164 Resp: 143843

Ion Ratio Lower Upper

164 100

162 106.3 86.8 130.2



160 60.5 53.9 80.9




Abundance Ion 164.00 (163.70 to 164.70): BE090682.D (-2039) (-)

Ion 162.00 (161.70 to 162.70): BE090682.D (-2039) (-)

Ion 160.00 (159.70 to 160.70): BE090682.D (-2039) (-)









#13
 2,4,6-Tribromophenol
 Concen: 7.14 ng
 RT: 15.68 min Scan# 2205
 Delta R.T. 0.00 min
 Lab File: BE090682.D
 Acq: 2 Sep 2015 00:47




Instrument :
 BNA_E
 ClientSampleId :
 PB85250BL


Tgt Ion:330 Resp: 30060
 Ion Ratio Lower Upper
 330 100
 332 97.8 74.9 112.3
 141 178.0 145.2 217.8



#14
 2-Fluorobiphenyl
 Concen: 2.91 ng
 RT: 12.80 min Scan# 1823
 Delta R.T. -0.00 min
 Lab File: BE090682.D
 Acq: 2 Sep 2015 00:47

Tgt Ion:172 Resp: 116030
 Ion Ratio Lower Upper
 172 100
 171 35.1 27.8 41.8
 170 24.2 19.8 29.6





#18

Phenanthrene-d10

Concen: 5.00 ng

RT: 16.91 min Scan# 2276

Delta R.T. 0.00 min

Lab File: BE090682.D

Acq: 2 Sep 2015 00:47

Instrument :

BNA_E

ClientSampled :

PB85250BL


Tgt Ion:188 Resp: 355708

Ion Ratio Lower Upper

188 100

94 11.8 10.3 15.5




80 13.0 11.0 16.6



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#25

Chrysene-d12

Concen: 5.00 ng

RT: 21.07 min Scan# 2862

Delta R.T. -0.00 min

Lab File: BE090682.D

Acq: 2 Sep 2015 00:47


Tgt Ion:240 Resp: 443058

Ion Ratio Lower Upper

240 100

120 12.1 10.1 15.1



236 27.1 21.9 32.9




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#27
 Terphenyl-d14
 Concen: 4.42 ng
 RT: 19.53 min Scan# 2610
 Delta R.T. -0.01 min
 Lab File: BE090682.D
 Acq: 2 Sep 2015 00:47

Instrument :
 BNA_E
 ClientSampleId :
 PB85250BL

Tgt Ion:244 Resp: 216732
 Ion Ratio Lower Upper
 244 100
 212 8.0 6.9 10.3
 122 13.9 12.9 19.3



#32
 Perylene-d12
 Concen: 5.00 ng
 RT: 23.36 min Scan# 3300
 Delta R.T. -0.00 min
 Lab File: BE090682.D
 Acq: 2 Sep 2015 00:47

Tgt Ion:264 Resp: 424015
 Ion Ratio Lower Upper
 264 100
 260 25.2 19.7 29.5
 265 21.8 17.5 26.3

