

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE090215\
 Data File : BE090709.D
 Acq On : 2 Sep 2015 18:00
 Operator : UM/IZ
 Sample : G3484-06
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 DUP02-082815

Quant Time: Sep 02 23:24:23 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 02 23:04:24 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	50542	5.00	ng	0.00
6) Naphthalene-d8	10.31	136	244308	5.00	ng	0.00
12) Acenaphthene-d10	14.17	164	138625	5.00	ng	0.00
18) Phenanthrene-d10	16.91	188	322739	5.00	ng	0.00
25) Chrysene-d12	21.07	240	371809	5.00	ng	0.00
32) Perylene-d12	23.36	264	349316	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.18	112	36775	3.74	ng	0.00
5) Phenol-d6	6.75	99	33037	2.35	ng	0.00
7) Nitrobenzene-d5	8.70	82	66400	4.11	ng	0.00
13) 2,4,6-Tribromophenol	15.67	330	60438	14.72	ng	0.00
14) 2-Fluorobiphenyl	12.79	172	157800	4.11	ng	-0.01
27) Terphenyl-d14	19.53	244	288432	7.01	ng	0.00
Target Compounds						
30) Bis(2-ethylhexyl)phthalate	21.01	149	11119	0.57	ng	Qvalue # 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE090215\
Data File : BE090709.D
Acq On : 2 Sep 2015 18:00
Operator : UM/IZ
Sample : G3484-06
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
DUP02-082815

Quant Time: Sep 02 23:24:23 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 02 23:04:24 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.55 min Scan# 838

Delta R.T. -0.00 min

Lab File: BE090709.D

Acq: 2 Sep 2015 18:00

Instrument :

BNA_E

ClientSampleId :

DUP02-082815


Tgt Ion:152 Resp: 50542

Ion Ratio Lower Upper




152 100

150 155.8 122.2 183.4

115 66.8 51.0 76.4



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 3.74 ng

RT: 5.18 min Scan# 381

Delta R.T. -0.01 min

Lab File: BE090709.D

Acq: 2 Sep 2015 18:00


Tgt Ion:112 Resp: 36775

Ion Ratio Lower Upper



112 100

64 72.2 57.3 85.9

63 36.8 29.2 43.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE0
Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 2.35 ng

RT: 6.75 min Scan# 662

Delta R.T. -0.01 min

Lab File: BE090709.D

Acq: 2 Sep 2015 18:00

Instrument :

BNA_E

ClientSampleId :

DUP02-082815


Tgt Ion: 99 Resp: 33037

Ion Ratio Lower Upper

99 100

42 21.5 16.8 25.2




71 36.1 28.3 42.5



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.31 min Scan# 1367

Delta R.T. 0.00 min

Lab File: BE090709.D

Acq: 2 Sep 2015 18:00

Tgt Ion: 136 Resp: 244308


Ion Ratio Lower Upper

136 100

137 11.1 8.7 13.1

54 11.1 9.0 13.6

68 8.1 6.3 9.5





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 4.11 ng

RT: 8.70 min Scan# 1087

Delta R.T. -0.01 min

Lab File: BE090709.D

Acq: 2 Sep 2015 18:00

Instrument :

BNA_E

ClientSampleId :

DUP02-082815





Tgt Ion: 82 Resp: 66400

Ion Ratio Lower Upper

82 100

128 31.5 25.0 37.4

54 56.9 46.3 69.5



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.17 min Scan# 2070

Delta R.T. 0.00 min

Lab File: BE090709.D

Acq: 2 Sep 2015 18:00




Tgt Ion: 164 Resp: 138625

Ion Ratio Lower Upper

164 100

162 103.8 86.8 130.2

160 50.9 53.9 80.9#








#13
 2,4,6-Tribromophenol
 Concen: 14.72 ng
 RT: 15.67 min Scan# 2204
 Delta R.T. -0.00 min
 Lab File: BE090709.D
 Acq: 2 Sep 2015 18:00




Instrument :
 BNA_E
 ClientSampleId :
 DUP02-082815


Tgt Ion:330 Resp: 60438
 Ion Ratio Lower Upper
 330 100
 332 95.6 74.9 112.3
 141 174.9 145.2 217.8



#14
 2-Fluorobiphenyl
 Concen: 4.11 ng
 RT: 12.79 min Scan# 1821
 Delta R.T. -0.01 min
 Lab File: BE090709.D
 Acq: 2 Sep 2015 18:00

Tgt Ion:172 Resp: 157800
 Ion Ratio Lower Upper
 172 100
 171 35.3 27.8 41.8
 170 24.6 19.8 29.6









#18
Phenanthrene-d10
Concen: 5.00 ng
RT: 16.91 min Scan# 2275
Delta R.T. -0.00 min
Lab File: BE090709.D
Acq: 2 Sep 2015 18:00




Instrument :
BNA_E
ClientSampleId :
DUP02-082815

Tgt Ion:188 Resp: 322739
Ion Ratio Lower Upper
188 100
94 11.0 10.3 15.5
80 11.6 11.0 16.6



#25
Chrysene-d12
Concen: 5.00 ng
RT: 21.07 min Scan# 2860
Delta R.T. -0.00 min
Lab File: BE090709.D
Acq: 2 Sep 2015 18:00

Tgt Ion:240 Resp: 371809
Ion Ratio Lower Upper
240 100
120 13.2 10.1 15.1
236 27.0 21.9 32.9








#27
 Terphenyl-d14
 Concen: 7.01 ng
 RT: 19.53 min Scan# 2608
 Delta R.T. -0.01 min
 Lab File: BE090709.D
 Acq: 2 Sep 2015 18:00




Instrument :
 BNA_E
 ClientSampleId :
 DUP02-082815



Tgt Ion: 244 Resp: 288432
 Ion Ratio Lower Upper
 244 100
 212 8.4 6.9 10.3
 122 16.5 12.9 19.3



#30
 Bis(2-ethylhexyl)phthalate
 Concen: 0.57 ng
 RT: 21.01 min Scan# 2850
 Delta R.T. -0.00 min
 Lab File: BE090709.D
 Acq: 2 Sep 2015 18:00

Tgt Ion: 149 Resp: 11119
 Ion Ratio Lower Upper
 149 100
 167 28.5 20.1 30.1
 279 3.8 2.3 3.5#





#32

Perylene-d12

Concen: 5.00 ng

RT: 23.36 min Scan# 3299

Delta R.T. 0.00 min

Lab File: BE090709.D

Acq: 2 Sep 2015 18:00

Instrument :

BNA_E

ClientSampleId :

DUP02-082815

Tgt Ion:264 Resp: 349316

Ion Ratio Lower Upper

264 100

260 24.8 19.7 29.5

265 21.8 17.5 26.3

