

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE090216\
 Data File : BE092351.D
 Acq On : 2 Sep 2016 19:53
 Operator : UM/SJ
 Sample : PB93162BL
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 PB93162BL

Quant Time: Sep 02 23:51:33 2016
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090216.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 02 19:34:51 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.17	152	8986	5.00	ng	-0.02
7) Naphthalene-d8	10.95	136	37432	5.00	ng	0.00
12) Acenaphthene-d10	14.82	164	20328	5.00	ng	0.00
18) Phenanthrene-d10	17.58	188	43691	5.00	ng	0.02
24) Chrysene-d12	21.75	240	55792	5.00	ng	0.00
31) Perylene-d12	24.11	264	54922	5.00	ng	0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.68	112	17492	8.19	ng	-0.01
5) Phenol-d6	7.34	99	22156	7.77	ng	-0.02
8) Nitrobenzene-d5	9.34	82	8737	3.25	ng	-0.02
13) 2,4,6-Tribromophenol	16.32	330	4050	6.43	ng	0.00
14) 2-Fluorobiphenyl	13.44	172	21259	3.41	ng	0.00
26) Terphenyl-d14	20.17	244	27127	3.29	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE090216\
Data File : BE092351.D
Acq On : 2 Sep 2016 19:53
Operator : UM/SJ
Sample : PB93162BL
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
PB93162BL

Quant Time: Sep 02 23:51:33 2016
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090216.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 02 19:34:51 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 8.17 min Scan# 576

Delta R.T. -0.02 min

Lab File: BE092351.D

Acq: 2 Sep 2016 19:53

Instrument :

BNA_E

ClientSampleId :

PB93162BL


Tgt Ion:152 Resp: 8986

Ion Ratio Lower Upper

152 100

150 188.5 106.0 159.0#




115 96.7 31.2 46.8#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 8.19 ng

RT: 5.68 min Scan# 364

Delta R.T. -0.01 min

Lab File: BE092351.D

Acq: 2 Sep 2016 19:53


Tgt Ion:112 Resp: 17492

Ion Ratio Lower Upper

112 100

64 67.6 53.5 80.3



63 36.0 27.9 41.9




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 7.77 ng

RT: 7.34 min Scan# 540

Delta R.T. -0.02 min

Lab File: BE092351.D

Acq: 2 Sep 2016 19:53

Instrument :

BNA_E

ClientSampleId :

PB93162BL


Tgt Ion: 99 Resp: 22156

Ion Ratio Lower Upper

99 100

42 22.1 16.0 24.0




71 33.3 30.6 45.8



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 5.00 ng

RT: 10.95 min Scan# 708

Delta R.T. -0.00 min

Lab File: BE092351.D

Acq: 2 Sep 2016 19:53

Tgt Ion: 136 Resp: 37432


Ion Ratio Lower Upper

136 100

137 10.6 8.2 12.4

54 11.0 9.6 14.4

68 7.8 6.7 10.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 3.25 ng

RT: 9.34 min Scan# 627

Delta R.T. -0.02 min

Lab File: BE092351.D

Acq: 2 Sep 2016 19:53

Instrument :

BNA_E

ClientSampleId :

PB93162BL


Tgt Ion: 82 Resp: 8737

Ion Ratio Lower Upper

82 100

128 14.6 39.0 58.4#




54 75.6 44.8 67.2#



Abundance Ion 82.00 (81.70 to 82.70): BE092344.D (-626) (-)

Ion 128.00 (127.70 to 128.70): BE092344.D (-626) (-)

Ion 54.00 (53.70 to 54.70): BE092344.D (-626) (-)



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.82 min Scan# 980

Delta R.T. 0.00 min

Lab File: BE092351.D

Acq: 2 Sep 2016 19:53


Tgt Ion: 164 Resp: 20328

Ion Ratio Lower Upper

164 100

162 112.1 71.4 107.0#



160 54.5 27.4 41.2#




Abundance Ion 164.00 (163.70 to 164.70): BE092344.D (-976) (-)

Ion 162.00 (161.70 to 162.70): BE092344.D (-976) (-)

Ion 160.00 (159.70 to 160.70): BE092344.D (-976) (-)









#13
 2,4,6-Tribromophenol
 Concen: 6.43 ng
 RT: 16.32 min Scan# 1089
 Delta R.T. 0.00 min
 Lab File: BE092351.D
 Acq: 2 Sep 2016 19:53




Instrument :
 BNA_E
 ClientSampleId :
 PB93162BL


Tgt Ion:330 Resp: 4050
 Ion Ratio Lower Upper
 330 100
 332 96.3 75.4 113.0
 141 41.5 31.0 46.6



#14
 2-Fluorobiphenyl
 Concen: 3.41 ng
 RT: 13.44 min Scan# 885
 Delta R.T. -0.00 min
 Lab File: BE092351.D
 Acq: 2 Sep 2016 19:53

Tgt Ion:172 Resp: 21259
 Ion Ratio Lower Upper
 172 100
 171 35.1 30.1 45.1
 170 24.2 21.8 32.6









#18
Phenanthrene-d10
Concen: 5.00 ng
RT: 17.58 min Scan# 1154
Delta R.T. 0.02 min
Lab File: BE092351.D
Acq: 2 Sep 2016 19:53




Instrument :
BNA_E
ClientSampleId :
PB93162BL


Tgt Ion:188 Resp: 43691
Ion Ratio Lower Upper
188 100
94 4.8 3.2 4.8
80 4.3 2.6 3.8#



#24
Chrysene-d12
Concen: 5.00 ng
RT: 21.75 min Scan# 1375
Delta R.T. 0.00 min
Lab File: BE092351.D
Acq: 2 Sep 2016 19:53

Tgt Ion:240 Resp: 55792
Ion Ratio Lower Upper
240 100
120 2.6 2.6 4.0#
236 26.4 24.6 37.0









#26
 Terphenyl-d14
 Concen: 3.29 ng
 RT: 20.17 min Scan# 1299
 Delta R.T. -0.00 min
 Lab File: BE092351.D
 Acq: 2 Sep 2016 19:53

Instrument :
 BNA_E
 ClientSampleId :
 PB93162BL

Tgt Ion: 244 Resp: 27127
 Ion Ratio Lower Upper
 244 100
 212 9.7 6.7 10.1
 122 13.4 3.6 5.4#



#31
 Perylene-d12
 Concen: 5.00 ng
 RT: 24.11 min Scan# 1546
 Delta R.T. 0.02 min
 Lab File: BE092351.D
 Acq: 2 Sep 2016 19:53

Tgt Ion: 264 Resp: 54922
 Ion Ratio Lower Upper
 264 100
 260 24.8 20.1 30.1
 265 22.2 17.9 26.9

