

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA E\DATA\BE090517\
 Data File : BE093941.D
 Acq On : 5 Sep 2017 17:45
 Operator : SJ/JU
 Sample : I5057-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 MWHR2-6

Quant Time: Sep 06 05:27:17 2017
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE090517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 05 13:34:56 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.92	152	2198	0.40	ng	0.00
7) Naphthalene-d8	10.71	136	10088	0.40	ng	0.00
13) Acenaphthene-d10	14.52	164	6159	0.40	ng	0.00
19) Phenanthrene-d10	17.24	188	11587	0.40	ng	-0.03
27) Chrysene-d12	21.42	240	17972	0.40	ng	-0.01
34) Perylene-d12	23.94	264	15645	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.54	112	659	0.09	ng	0.01
5) Phenol-d6	7.13	99	677	0.06	ng	0.01
8) Nitrobenzene-d5	9.08	82	2610	0.31	ng	0.00
11) 2-Methylnaphthalene-d10	12.30	152	4708	0.29	ng	0.00
14) 2,4,6-Tribromophenol	16.03	330	479	0.25	ng	0.00
15) 2-Fluorobiphenyl	13.16	172	8603	0.35	ng	0.00
25) Fluoranthene-d10	19.28	212	59888	0.35	ng	0.00
29) Terphenyl-d14	19.87	244	11964	0.36	ng	0.00
Target Compounds						
20) 4-Bromophenyl-phenylether	16.42	248	8	Below Cal	#	24
22) Pentachlorophenol	16.94	266	61	0.033 ng	#	65
23) Phenanthrene	17.30	178	264	Below Cal	#	63
32) Bis(2-ethylhexyl)phthalate	21.30	149	15396	0.115 ng	#	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA E\DATA\BE090517\
Data File : BE093941.D
Acq On : 5 Sep 2017 17:45
Operator : SJ/JU
Sample : I5057-01
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
MWHHR2-6

Quant Time: Sep 06 05:27:17 2017
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE090517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 05 13:34:56 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.92 min Scan# 402
Delta R.T. -0.00 min
Lab File: BE093941.D
Acq: 5 Sep 2017 17:45

Instrument :
BNA_E
ClientSampleId :
MWHR2-6

Tot Ion:152 Resp: 2198
Ion Ratio Lower Upper
152 100
150 153.9 121.8 182.6
115 73.3 52.6 79.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.093 ng
RT: 5.54 min Scan# 213
Delta R.T. 0.01 min
Lab File: BE093941.D
Acq: 5 Sep 2017 17:45

Tgt Ion:112 Resp: 659
Ion Ratio Lower Upper
112 100
64 73.6 57.7 86.5
63 172.4 116.0 174.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE0
Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.063 ng

RT: 7.13 min Scan# 339

Delta R.T. 0.01 min

Lab File: BE093941.D

Acq: 5 Sep 2017 17:45

Instrument :

BNA_E

ClientSampleId :

MWHR2-6


Tot Ion: 99 Resp: 677

Ion Ratio Lower Upper

99 100

42 26.3 17.1 25.7#




71 49.8 26.6 39.8#



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.71 min Scan# 577

Delta R.T. 0.00 min

Lab File: BE093941.D

Acq: 5 Sep 2017 17:45

Tgt Ion: 136 Resp: 10088


Ion Ratio Lower Upper

136 100

137 11.6 9.2 13.8

54 41.5 21.9 32.9#

68 8.6 4.6 7.0#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 0.306 ng

RT: 9.08 min Scan# 480

Delta R.T. 0.00 min

Lab File: BE093941.D

Acq: 5 Sep 2017 17:45

Instrument :

BNA_E

ClientSampleId :

MWHR2-6


Tot Ion: 82 Resp: 2610

Ion Ratio Lower Upper

82 100

128 149.4 91.4 137.0#




54 214.3 197.8 296.8



Abundance Ion 82.00 (81.70 to 82.70): BE093941.D (-468) (-)

Ion 128.00 (127.70 to 128.70): BE093941.D (-468) (-)

Ion 54.00 (53.70 to 54.70): BE093941.D (-468) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.292 ng

RT: 12.30 min Scan# 826

Delta R.T. -0.00 min

Lab File: BE093941.D


Acq: 5 Sep 2017 17:45

Tgt Ion: 152 Resp: 4708

Ion Ratio Lower Upper



152 100


151 17.9 15.4 23.0



Abundance Ion 152.00 (151.70 to 152.70): BE093941.D (-774) (-)

Ion 151.00 (150.70 to 151.70): BE093941.D (-774) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.52 min Scan# 1112

Delta R.T. 0.00 min

Lab File: BE093941.D

Acq: 5 Sep 2017 17:45

Instrument :

BNA_E

ClientSampleId :

MWHR2-6


Tot Ion:164 Resp: 6159

Ion Ratio Lower Upper

164 100

162 105.0 80.8 121.2




160 47.5 37.0 55.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.251 ng

RT: 16.03 min Scan# 1206

Delta R.T. 0.00 min

Lab File: BE093941.D

Acq: 5 Sep 2017 17:45


Tgt Ion:330 Resp: 479

Ion Ratio Lower Upper

330 100

332 106.1 76.9 115.3



141 0.0 0.0 0.0




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.353 ng
RT: 13.16 min Scan# 1020
Delta R.T. 0.00 min
Lab File: BE093941.D
Acq: 5 Sep 2017 17:45




Instrument :
BNA_E
ClientSampleId :
MWHR2-6


Tot Ion:172 Resp: 8603
Ion Ratio Lower Upper
172 100
171 35.0 26.9 40.3
170 22.4 17.3 25.9



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.24 min Scan# 1243
Delta R.T. -0.03 min
Lab File: BE093941.D
Acq: 5 Sep 2017 17:45

Tgt Ion:188 Resp: 11587
Ion Ratio Lower Upper
188 100
94 30.1 16.1 24.1#
80 36.1 18.2 27.2#









#20
4-Bromophenyl-phenylether
Concen: Below Cal
RT: 16.42 min Scan# 1218
Delta R.T. -0.03 min
Lab File: BE093941.D
Acq: 5 Sep 2017 17:45




Instrument :
BNA_E
ClientSampleId :
MWHR2-6


Tot Ion:248 Resp: 8
Ion Ratio Lower Upper
248 100
250 103.2 111.8 167.8#
141 187.1 27.1 40.7#



#22
Pentachlorophenol
Concen: 0.033 ng
RT: 16.94 min Scan# 1234
Delta R.T. 0.00 min
Lab File: BE093941.D
Acq: 5 Sep 2017 17:45

Tgt Ion:266 Resp: 61
Ion Ratio Lower Upper
266 100
264 88.9 53.5 80.3#
268 111.1 60.0 90.0#





#23

Phenanthrene

Concen: Below Cal

RT: 17.30 min Scan# 1245

Delta R.T. 0.00 min

Lab File: BE093941.D

Acq: 5 Sep 2017 17:45

Instrument :

BNA_E

ClientSampleId :

MWHR2-6


Tot Ion:178 Resp: 264

Ion Ratio Lower Upper

178 100

176 43.6 0.0 0.0#




179 0.0 12.6 18.8#



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#25

Fluoranthene-d10

Concen: 0.347 ng

RT: 19.28 min Scan# 1433

Delta R.T. 0.00 min

Lab File: BE093941.D

Acq: 5 Sep 2017 17:45


Tgt Ion:212 Resp: 59888

Ion Ratio Lower Upper

212 100

106 3.4 2.7 4.1



104 2.0 1.6 2.4




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.42 min Scan# 1655

Delta R.T. -0.01 min

Lab File: BE093941.D

Acq: 5 Sep 2017 17:45

Instrument :

BNA_E

ClientSampleId :

MWHR2-6


Tot Ion:240 Resp: 17972

Ion Ratio Lower Upper

240 100

120 16.0 8.7 13.1#




236 29.0 21.3 31.9



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.362 ng

RT: 19.87 min Scan# 1512

Delta R.T. -0.01 min

Lab File: BE093941.D

Acq: 5 Sep 2017 17:45


Tgt Ion:244 Resp: 11964

Ion Ratio Lower Upper

244 100

212 38.6 28.3 42.5



122 11.6 9.4 14.0




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.115 ng
 RT: 21.30 min Scan# 1645
 Delta R.T. -0.00 min
 Lab File: BE093941.D
 Acq: 5 Sep 2017 17:45

Instrument :
 BNA_E
 ClientSampleId :
 MWHR2-6

Tot Ion:149 Resp: 15396
 Ion Ratio Lower Upper
 149 100
 167 6.9 5.4 8.0
 279 1.5 0.7 1.1#



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.94 min Scan# 2128
 Delta R.T. -0.00 min
 Lab File: BE093941.D
 Acq: 5 Sep 2017 17:45

Tgt Ion:264 Resp: 15645
 Ion Ratio Lower Upper
 264 100
 260 26.7 20.0 30.0
 265 40.5 24.0 36.0#

