

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE090815\
 Data File : BE090752.D
 Acq On : 8 Sep 2015 17:25
 Operator : UM/IZ
 Sample : G3586-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 090415-D534-E-D-S

Quant Time: Sep 08 23:18:19 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 08 23:05:35 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	40209	5.00	ng	0.00
6) Naphthalene-d8	10.31	136	183132	5.00	ng	0.00
12) Acenaphthene-d10	14.17	164	102967	5.00	ng	0.00
18) Phenanthrene-d10	16.91	188	259376	5.00	ng	0.00
25) Chrysene-d12	21.07	240	305285	5.00	ng	0.00
32) Perylene-d12	23.36	264	273362	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.19	112	26261	3.36	ng	0.00
5) Phenol-d6	6.75	99	22205	1.98	ng	0.00
7) Nitrobenzene-d5	8.71	82	43983	3.63	ng	0.01
13) 2,4,6-Tribromophenol	15.67	330	24318	8.04	ng	0.00
14) 2-Fluorobiphenyl	12.80	172	105663	3.71	ng	0.00
27) Terphenyl-d14	19.53	244	193112	5.72	ng	0.00
Target Compounds						
30) Bis(2-ethylhexyl)phthalate	21.00	149	3082	0.24	ng	Qvalue # 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE090815\
Data File : BE090752.D
Acq On : 8 Sep 2015 17:25
Operator : UM/IZ
Sample : G3586-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
090415-D534-E-D-S

Quant Time: Sep 08 23:18:19 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 08 23:05:35 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.55 min Scan# 838

Delta R.T. 0.00 min

Lab File: BE090752.D

Acq: 8 Sep 2015 17:25

Instrument :

BNA_E

ClientSampleId :

090415-D534-E-D-S


Tgt Ion:152 Resp: 40209

Ion Ratio Lower Upper

152 100

150 156.6 122.2 183.4




115 67.2 51.0 76.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 3.36 ng

RT: 5.19 min Scan# 382

Delta R.T. -0.00 min

Lab File: BE090752.D

Acq: 8 Sep 2015 17:25


Tgt Ion:112 Resp: 26261

Ion Ratio Lower Upper

112 100

64 71.8 57.3 85.9



63 36.4 29.2 43.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 1.98 ng

RT: 6.75 min Scan# 662

Delta R.T. 0.00 min

Lab File: BE090752.D

Acq: 8 Sep 2015 17:25

Instrument :

BNA_E

ClientSampleId :

090415-D534-E-D-S


Tgt Ion: 99 Resp: 22205

Ion Ratio Lower Upper




99 100

42 21.0 16.8 25.2

71 35.5 28.3 42.5



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.31 min Scan# 1367

Delta R.T. 0.01 min

Lab File: BE090752.D

Acq: 8 Sep 2015 17:25

Tgt Ion: 136 Resp: 183132


Ion Ratio Lower Upper

136 100



137 10.9 8.7 13.1


54 11.3 9.0 13.6

68 8.2 6.3 9.5



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 3.63 ng

RT: 8.71 min Scan# 1089

Delta R.T. 0.01 min

Lab File: BE090752.D

Acq: 8 Sep 2015 17:25

Instrument :

BNA_E

ClientSampleId :

090415-D534-E-D-S


Tgt Ion: 82 Resp: 43983

Ion Ratio Lower Upper

82 100

128 29.3 25.0 37.4




54 57.7 46.3 69.5



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.17 min Scan# 2070

Delta R.T. 0.00 min

Lab File: BE090752.D

Acq: 8 Sep 2015 17:25


Tgt Ion: 164 Resp: 102967

Ion Ratio Lower Upper

164 100

162 107.4 86.8 130.2



160 58.6 53.9 80.9




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#13
 2,4,6-Tribromophenol
 Concen: 8.04 ng
 RT: 15.67 min Scan# 2204
 Delta R.T. 0.00 min
 Lab File: BE090752.D
 Acq: 8 Sep 2015 17:25




Instrument :
 BNA_E
 ClientSampleId :
 090415-D534-E-D-S


Tgt Ion:330 Resp: 24318
 Ion Ratio Lower Upper
 330 100
 332 95.7 74.9 112.3
 141 177.8 145.2 217.8



#14
 2-Fluorobiphenyl
 Concen: 3.71 ng
 RT: 12.80 min Scan# 1823
 Delta R.T. 0.00 min
 Lab File: BE090752.D
 Acq: 8 Sep 2015 17:25

Tgt Ion:172 Resp: 105663
 Ion Ratio Lower Upper
 172 100
 171 34.4 27.8 41.8
 170 23.7 19.8 29.6









#18
Phenanthrene-d10
Concen: 5.00 ng
RT: 16.91 min Scan# 2275
Delta R.T. 0.00 min
Lab File: BE090752.D
Acq: 8 Sep 2015 17:25




Instrument :
BNA_E
ClientSampleId :
090415-D534-E-D-S


Tgt Ion:188 Resp: 259376
Ion Ratio Lower Upper
188 100
94 11.5 10.3 15.5
80 12.3 11.0 16.6



#25
Chrysene-d12
Concen: 5.00 ng
RT: 21.07 min Scan# 2861
Delta R.T. 0.00 min
Lab File: BE090752.D
Acq: 8 Sep 2015 17:25

Tgt Ion:240 Resp: 305285
Ion Ratio Lower Upper
240 100
120 10.2 10.1 15.1
236 26.2 21.9 32.9









#27
 Terphenyl-d14
 Concen: 5.72 ng
 RT: 19.53 min Scan# 2608
 Delta R.T. -0.00 min
 Lab File: BE090752.D
 Acq: 8 Sep 2015 17:25




Instrument :
 BNA_E
 ClientSampleId :
 090415-D534-E-D-S




Tgt Ion: 244 Resp: 193112
 Ion Ratio Lower Upper
 244 100
 212 8.3 6.9 10.3
 122 15.1 12.9 19.3



#30
 Bis(2-ethylhexyl)phthalate
 Concen: 0.24 ng
 RT: 21.00 min Scan# 2850
 Delta R.T. 0.00 min
 Lab File: BE090752.D
 Acq: 8 Sep 2015 17:25

Tgt Ion: 149 Resp: 3082
 Ion Ratio Lower Upper
 149 100
 167 25.8 20.1 30.1
 279 3.8 2.3 3.5#





#32

Perylene-d12

Concen: 5.00 ng

RT: 23.36 min Scan# 3298

Delta R.T. -0.00 min

Lab File: BE090752.D

Acq: 8 Sep 2015 17:25

Instrument :

BNA_E

ClientSampleId :

090415-D534-E-D-S

Tgt Ion:264 Resp: 273362

Ion Ratio Lower Upper

264 100

260 25.3 19.7 29.5

265 21.6 17.5 26.3

