

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE091015\
 Data File : BE090764.D
 Acq On : 10 Sep 2015 16:55
 Operator : UM/IZ
 Sample : G3598-06
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 090515-D534-F-D-B

Quant Time: Sep 11 03:06:42 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 02 11:40:50 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	43424	5.00	ng	0.00
6) Naphthalene-d8	10.31	136	194466	5.00	ng	0.00
12) Acenaphthene-d10	14.17	164	98716	5.00	ng	0.00
18) Phenanthrene-d10	16.91	188	238782	5.00	ng	0.00
25) Chrysene-d12	21.07	240	296772	5.00	ng	0.00
32) Perylene-d12	23.36	264	269050	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.18	112	30948	3.67	ng	0.00
5) Phenol-d6	6.75	99	27864	2.30	ng	0.00
7) Nitrobenzene-d5	8.71	82	50037	3.89	ng	0.00
13) 2,4,6-Tribromophenol	15.67	330	23527	8.12	ng	0.00
14) 2-Fluorobiphenyl	12.79	172	110751	4.05	ng	0.00
27) Terphenyl-d14	19.53	244	189551	5.77	ng	-0.01
Target Compounds						
30) Bis(2-ethylhexyl)phthalate	21.00	149	4884	0.35	ng	Qvalue 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE091015\
Data File : BE090764.D
Acq On : 10 Sep 2015 16:55
Operator : UM/IZ
Sample : G3598-06
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
090515-D534-F-D-B

Quant Time: Sep 11 03:06:42 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 02 11:40:50 2015
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 5.00 ng
RT: 7.55 min Scan# 838
Delta R.T. -0.00 min
Lab File: BE090764.D
Acq: 10 Sep 2015 16:55

Instrument :
BNA_E
ClientSampleId :
090515-D534-F-D-B




Tgt Ion:152 Resp: 43424
Ion Ratio Lower Upper
152 100
150 153.0 122.2 183.4
115 65.4 51.0 76.4




#4

2-Fluorophenol
Concen: 3.67 ng
RT: 5.18 min Scan# 381
Delta R.T. -0.00 min
Lab File: BE090764.D
Acq: 10 Sep 2015 16:55

Tgt Ion:112 Resp: 30948
Ion Ratio Lower Upper
112 100
64 72.1 57.3 85.9
63 37.2 29.2 43.8





#5

Phenol-d6

Concen: 2.30 ng

RT: 6.75 min Scan# 662

Delta R.T. 0.00 min

Lab File: BE090764.D

Acq: 10 Sep 2015 16:55

Instrument :

BNA_E

ClientSampleId :

090515-D534-F-D-B


Tgt Ion: 99 Resp: 27864

Ion Ratio Lower Upper

99 100

42 21.9 16.8 25.2




71 36.5 28.3 42.5



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.31 min Scan# 1367

Delta R.T. 0.00 min

Lab File: BE090764.D

Acq: 10 Sep 2015 16:55

Tgt Ion: 136 Resp: 194466


Ion Ratio Lower Upper

136 100

137 10.8 8.7 13.1

54 11.3 9.0 13.6

68 8.3 6.3 9.5






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 3.89 ng

RT: 8.71 min Scan# 1088

Delta R.T. 0.00 min

Lab File: BE090764.D

Acq: 10 Sep 2015 16:55

Instrument :

BNA_E

ClientSampleId :

090515-D534-F-D-B


Tgt Ion: 82 Resp: 50037

Ion Ratio Lower Upper

82 100

128 29.7 25.0 37.4




54 59.3 46.3 69.5



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.17 min Scan# 2070

Delta R.T. 0.00 min

Lab File: BE090764.D

Acq: 10 Sep 2015 16:55


Tgt Ion: 164 Resp: 98716

Ion Ratio Lower Upper

164 100

162 107.2 86.8 130.2



160 59.6 53.9 80.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E








#13
 2,4,6-Tribromophenol
 Concen: 8.12 ng
 RT: 15.67 min Scan# 2204
 Delta R.T. -0.00 min
 Lab File: BE090764.D
 Acq: 10 Sep 2015 16:55




Instrument :
 BNA_E
 ClientSampleId :
 090515-D534-F-D-B


Tgt Ion:330 Resp: 23527
 Ion Ratio Lower Upper
 330 100
 332 96.5 74.9 112.3
 141 177.2 145.2 217.8



#14
 2-Fluorobiphenyl
 Concen: 4.05 ng
 RT: 12.79 min Scan# 1822
 Delta R.T. -0.01 min
 Lab File: BE090764.D
 Acq: 10 Sep 2015 16:55

Tgt Ion:172 Resp: 110751
 Ion Ratio Lower Upper
 172 100
 171 35.3 27.8 41.8
 170 24.1 19.8 29.6





#18

Phenanthrene-d10

Concen: 5.00 ng

RT: 16.91 min Scan# 2275

Delta R.T. -0.00 min

Lab File: BE090764.D

Acq: 10 Sep 2015 16:55

Instrument :

BNA_E

ClientSampleId :

090515-D534-F-D-B


Tgt Ion:188 Resp: 238782

Ion Ratio Lower Upper

188 100

94 11.1 10.3 15.5



80 12.0 11.0 16.6



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#25

Chrysene-d12

Concen: 5.00 ng

RT: 21.07 min Scan# 2860

Delta R.T. -0.01 min

Lab File: BE090764.D

Acq: 10 Sep 2015 16:55


Tgt Ion:240 Resp: 296772

Ion Ratio Lower Upper

240 100

120 15.9 10.1 15.1#



236 28.2 21.9 32.9



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#27
 Terphenyl-d14
 Concen: 5.77 ng
 RT: 19.53 min Scan# 2608
 Delta R.T. -0.01 min
 Lab File: BE090764.D
 Acq: 10 Sep 2015 16:55




Instrument :
 BNA_E
 ClientSampleId :
 090515-D534-F-D-B



Tgt Ion: 244 Resp: 189551
 Ion Ratio Lower Upper
 244 100
 212 8.2 6.9 10.3
 122 15.4 12.9 19.3



#30
 Bis(2-ethylhexyl)phthalate
 Concen: 0.35 ng
 RT: 21.00 min Scan# 2850
 Delta R.T. -0.01 min
 Lab File: BE090764.D
 Acq: 10 Sep 2015 16:55

Tgt Ion: 149 Resp: 4884
 Ion Ratio Lower Upper
 149 100
 167 23.3 20.1 30.1
 279 3.3 2.3 3.5





#32

Perylene-d12

Concen: 5.00 ng

RT: 23.36 min Scan# 3298

Delta R.T. -0.01 min

Lab File: BE090764.D

Acq: 10 Sep 2015 16:55

Instrument :

BNA_E

ClientSampleId :

090515-D534-F-D-B

Tgt Ion: 264 Resp: 269050

Ion Ratio Lower Upper

264 100

260 24.9 19.7 29.5

265 21.4 17.5 26.3

