

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE091015\
 Data File : BE090769.D
 Acq On : 10 Sep 2015 19:57
 Operator : UM/IZ
 Sample : G3598-11
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 090815-D534-F-D-S

Quant Time: Sep 11 03:34:27 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 02 11:40:50 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	37596	5.00	ng	0.00
6) Naphthalene-d8	10.31	136	166749	5.00	ng	0.00
12) Acenaphthene-d10	14.17	164	86521	5.00	ng	0.00
18) Phenanthrene-d10	16.91	188	211969	5.00	ng	0.00
25) Chrysene-d12	21.07	240	256052	5.00	ng	0.00
32) Perylene-d12	23.36	264	231675	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.19	112	25651	3.51	ng	0.00
5) Phenol-d6	6.76	99	21552	2.06	ng	0.00
7) Nitrobenzene-d5	8.71	82	44533	4.04	ng	0.00
13) 2,4,6-Tribromophenol	15.68	330	21854	8.59	ng	0.00
14) 2-Fluorobiphenyl	12.79	172	99299	4.14	ng	0.00
27) Terphenyl-d14	19.53	244	178129	6.29	ng	-0.01
Target Compounds						
30) Bis(2-ethylhexyl)phthalate	21.00	149	1668	0.18	ng	Qvalue # 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE091015\
Data File : BE090769.D
Acq On : 10 Sep 2015 19:57
Operator : UM/IZ
Sample : G3598-11
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
090815-D534-F-D-S

Quant Time: Sep 11 03:34:27 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 02 11:40:50 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.55 min Scan# 838

Delta R.T. -0.00 min

Lab File: BE090769.D

Acq: 10 Sep 2015 19:57

Instrument :

BNA_E

ClientSampleId :

090815-D534-F-D-S


Tgt Ion:152 Resp: 37596

Ion Ratio Lower Upper

152 100

150 156.0 122.2 183.4




115 66.9 51.0 76.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 3.51 ng

RT: 5.19 min Scan# 382

Delta R.T. 0.00 min

Lab File: BE090769.D

Acq: 10 Sep 2015 19:57


Tgt Ion:112 Resp: 25651

Ion Ratio Lower Upper

112 100

64 72.3 57.3 85.9



63 37.5 29.2 43.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 2.06 ng

RT: 6.76 min Scan# 663

Delta R.T. 0.00 min

Lab File: BE090769.D

Acq: 10 Sep 2015 19:57

Instrument :

BNA_E

ClientSampleId :

090815-D534-F-D-S


Tgt Ion: 99 Resp: 21552

Ion Ratio Lower Upper




99 100

42 21.6 16.8 25.2

71 36.1 28.3 42.5



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.31 min Scan# 1367

Delta R.T. -0.00 min

Lab File: BE090769.D

Acq: 10 Sep 2015 19:57

Tgt Ion: 136 Resp: 166749


Ion Ratio Lower Upper

136 100



137 10.9 8.7 13.1

54 12.1 9.0 13.6

68 8.5 6.3 9.5



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 4.04 ng

RT: 8.71 min Scan# 1089

Delta R.T. 0.00 min

Lab File: BE090769.D

Acq: 10 Sep 2015 19:57

Instrument :

BNA_E

ClientSampleId :

090815-D534-F-D-S





Tgt Ion: 82 Resp: 44533

Ion Ratio Lower Upper

82 100

128 30.1 25.0 37.4

54 59.0 46.3 69.5



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.17 min Scan# 2070

Delta R.T. -0.00 min

Lab File: BE090769.D

Acq: 10 Sep 2015 19:57




Tgt Ion: 164 Resp: 86521

Ion Ratio Lower Upper

164 100

162 104.5 86.8 130.2

160 59.4 53.9 80.9








#13
 2,4,6-Tribromophenol
 Concen: 8.59 ng
 RT: 15.68 min Scan# 2205
 Delta R.T. 0.00 min
 Lab File: BE090769.D
 Acq: 10 Sep 2015 19:57




Instrument :
 BNA_E
 ClientSampleId :
 090815-D534-F-D-S

Tgt Ion:330 Resp: 21854
 Ion Ratio Lower Upper
 330 100
 332 96.7 74.9 112.3
 141 177.5 145.2 217.8



#14
 2-Fluorobiphenyl
 Concen: 4.14 ng
 RT: 12.79 min Scan# 1822
 Delta R.T. -0.00 min
 Lab File: BE090769.D
 Acq: 10 Sep 2015 19:57

Tgt Ion:172 Resp: 99299
 Ion Ratio Lower Upper
 172 100
 171 35.3 27.8 41.8
 170 24.0 19.8 29.6





#18

Phenanthrene-d10

Concen: 5.00 ng

RT: 16.91 min Scan# 2276

Delta R.T. 0.00 min

Lab File: BE090769.D

Acq: 10 Sep 2015 19:57

Instrument :

BNA_E

ClientSampleId :

090815-D534-F-D-S


Tgt Ion:188 Resp: 211969

Ion Ratio Lower Upper

188 100

94 10.3 10.3 15.5#



80 11.4 11.0 16.6



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#25

Chrysene-d12

Concen: 5.00 ng

RT: 21.07 min Scan# 2862

Delta R.T. -0.00 min

Lab File: BE090769.D

Acq: 10 Sep 2015 19:57


Tgt Ion:240 Resp: 256052

Ion Ratio Lower Upper

240 100

120 10.4 10.1 15.1



236 26.3 21.9 32.9




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#27
 Terphenyl-d14
 Concen: 6.29 ng
 RT: 19.53 min Scan# 2609
 Delta R.T. -0.01 min
 Lab File: BE090769.D
 Acq: 10 Sep 2015 19:57




Instrument :
 BNA_E
 ClientSampleId :
 090815-D534-F-D-S


Tgt Ion: 244 Resp: 178129
 Ion Ratio Lower Upper
 244 100
 212 8.3 6.9 10.3
 122 14.6 12.9 19.3



#30
 Bis(2-ethylhexyl)phthalate
 Concen: 0.18 ng
 RT: 21.00 min Scan# 2851
 Delta R.T. -0.01 min
 Lab File: BE090769.D
 Acq: 10 Sep 2015 19:57

Tgt Ion: 149 Resp: 1668
 Ion Ratio Lower Upper
 149 100
 167 23.9 20.1 30.1
 279 4.0 2.3 3.5#





#32

Perylene-d12

Concen: 5.00 ng

RT: 23.36 min Scan# 3299

Delta R.T. -0.01 min

Lab File: BE090769.D

Acq: 10 Sep 2015 19:57

Instrument :

BNA_E

ClientSampleId :

090815-D534-F-D-S

Tgt Ion:264 Resp: 231675

Ion Ratio Lower Upper

264 100

260 25.4 19.7 29.5

265 21.7 17.5 26.3

