

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE091115\
 Data File : BE090794.D
 Acq On : 11 Sep 2015 20:55
 Operator : UM/IZ
 Sample : G3635-04
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 091015-D534-F-U-B

Quant Time: Sep 11 23:52:32 2015
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 02 11:40:50 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	49360	5.00	ng	0.00
6) Naphthalene-d8	10.30	136	222892	5.00	ng	0.00
12) Acenaphthene-d10	14.17	164	115966	5.00	ng	0.00
18) Phenanthrene-d10	16.91	188	278697	5.00	ng	0.00
25) Chrysene-d12	21.07	240	351645	5.00	ng	0.00
32) Perylene-d12	23.35	264	329530	5.00	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.18	112	28690	2.99	ng	0.00
5) Phenol-d6	6.75	99	25854	1.88	ng	0.00
7) Nitrobenzene-d5	8.71	82	43083	2.92	ng	0.00
13) 2,4,6-Tribromophenol	15.67	330	19208	5.69	ng	0.00
14) 2-Fluorobiphenyl	12.79	172	97139	3.02	ng	0.00
27) Terphenyl-d14	19.53	244	164222	4.22	ng	-0.01
Target Compounds						
30) Bis(2-ethylhexyl)phthalate	21.00	149	23768	1.16	ng	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE091115\
Data File : BE090794.D
Acq On : 11 Sep 2015 20:55
Operator : UM/IZ
Sample : G3635-04
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
091015-D534-F-U-B

Quant Time: Sep 11 23:52:32 2015
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 02 11:40:50 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 5.00 ng
 RT: 7.55 min Scan# 838
 Delta R.T. -0.01 min
 Lab File: BE090794.D
 Acq: 11 Sep 2015 20:55

Instrument :
 BNA_E
 ClientSampleId :
 091015-D534-F-U-B

Tgt Ion:152 Resp: 49360
 Ion Ratio Lower Upper
 152 100
 150 154.8 122.2 183.4
 115 66.2 51.0 76.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#4
 2-Fluorophenol
 Concen: 2.99 ng
 RT: 5.18 min Scan# 381
 Delta R.T. -0.00 min
 Lab File: BE090794.D
 Acq: 11 Sep 2015 20:55

Tgt Ion:112 Resp: 28690
 Ion Ratio Lower Upper
 112 100
 64 72.2 57.3 85.9
 63 37.1 29.2 43.8



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BE0
 Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 1.88 ng

RT: 6.75 min Scan# 662

Delta R.T. -0.00 min

Lab File: BE090794.D

Acq: 11 Sep 2015 20:55

Instrument :

BNA_E

ClientSampleId :

091015-D534-F-U-B


Tgt Ion: 99 Resp: 25854

Ion Ratio Lower Upper




99 100

42 22.2 16.8 25.2

71 34.3 28.3 42.5



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.30 min Scan# 1367

Delta R.T. -0.01 min

Lab File: BE090794.D

Acq: 11 Sep 2015 20:55

Tgt Ion: 136 Resp: 222892


Ion Ratio Lower Upper

136 100



137 10.7 8.7 13.1

54 12.4 9.0 13.6

68 8.8 6.3 9.5



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0





#7

Nitrobenzene-d5

Concen: 2.92 ng

RT: 8.71 min Scan# 1089

Delta R.T. 0.00 min

Lab File: BE090794.D

Acq: 11 Sep 2015 20:55

Instrument :

BNA_E

ClientSampleId :

091015-D534-F-U-B


Tgt Ion: 82 Resp: 43083

Ion Ratio Lower Upper

82 100

128 30.2 25.0 37.4




54 58.2 46.3 69.5



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.17 min Scan# 2072

Delta R.T. 0.00 min

Lab File: BE090794.D

Acq: 11 Sep 2015 20:55


Tgt Ion: 164 Resp: 115966

Ion Ratio Lower Upper

164 100

162 102.9 86.8 130.2



160 54.2 53.9 80.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#13
 2,4,6-Tribromophenol
 Concen: 5.69 ng
 RT: 15.67 min Scan# 2206
 Delta R.T. -0.00 min
 Lab File: BE090794.D
 Acq: 11 Sep 2015 20:55

Instrument :
 BNA_E
 ClientSampleId :
 091015-D534-F-U-B

Tgt Ion:330 Resp: 19208
 Ion Ratio Lower Upper
 330 100
 332 97.8 74.9 112.3
 141 180.1 145.2 217.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#14
 2-Fluorobiphenyl
 Concen: 3.02 ng
 RT: 12.79 min Scan# 1823
 Delta R.T. -0.01 min
 Lab File: BE090794.D
 Acq: 11 Sep 2015 20:55

Tgt Ion:172 Resp: 97139
 Ion Ratio Lower Upper
 172 100
 171 34.9 27.8 41.8
 170 24.2 19.8 29.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#18

Phenanthrene-d10

Concen: 5.00 ng

RT: 16.91 min Scan# 2277

Delta R.T. -0.00 min

Lab File: BE090794.D

Acq: 11 Sep 2015 20:55

Instrument :

BNA_E

ClientSampleId :

091015-D534-F-U-B


Tgt Ion:188 Resp: 278697

Ion Ratio Lower Upper

188 100

94 9.1 10.3 15.5#




80 9.8 11.0 16.6#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#25

Chrysene-d12

Concen: 5.00 ng

RT: 21.07 min Scan# 2861

Delta R.T. -0.01 min

Lab File: BE090794.D

Acq: 11 Sep 2015 20:55


Tgt Ion:240 Resp: 351645

Ion Ratio Lower Upper

240 100

120 15.9 10.1 15.1#



236 28.0 21.9 32.9



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#27
 Terphenyl-d14
 Concen: 4.22 ng
 RT: 19.53 min Scan# 2610
 Delta R.T. -0.01 min
 Lab File: BE090794.D
 Acq: 11 Sep 2015 20:55




Instrument :
 BNA_E
 ClientSampleId :
 091015-D534-F-U-B



Tgt Ion:244 Resp: 164222
 Ion Ratio Lower Upper
 244 100
 212 8.3 6.9 10.3
 122 14.5 12.9 19.3



#30
 Bis(2-ethylhexyl)phthalate
 Concen: 1.16 ng
 RT: 21.00 min Scan# 2851
 Delta R.T. -0.01 min
 Lab File: BE090794.D
 Acq: 11 Sep 2015 20:55

Tgt Ion:149 Resp: 23768
 Ion Ratio Lower Upper
 149 100
 167 25.4 20.1 30.1
 279 2.9 2.3 3.5





#32

Perylene-d12

Concen: 5.00 ng

RT: 23.35 min Scan# 3299

Delta R.T. -0.01 min

Lab File: BE090794.D

Acq: 11 Sep 2015 20:55

Instrument :

BNA_E

ClientSampleId :

091015-D534-F-U-B

Tgt Ion: 264 Resp: 329530

Ion Ratio Lower Upper

264 100

260 25.3 19.7 29.5

265 21.9 17.5 26.3

